

4 ALBERT EMBANKMENT
LONDON SE1 7SR

Telephone: +44 (0)20 7735 7611

Fax: +44 (0)20 7587 3210

Circular Letter No.4772
8 September 2023

To: All IMO Members
Contracting Governments to the International Convention for the Safety of Life at Sea (SOLAS), 1974
Parties to the International Convention on Standards of Training, Certification and Watchkeeping for Seafarers (STCW), 1978
Parties to the International Convention on Standards of Training, Certification and Watchkeeping for Fishing Vessel Personnel (STCW-F), 1995
Director-General of the International Labour Organization
Director-General of the Food and Agriculture Organization of the United Nations

Subject: **Amendments to the International Convention for the Safety of Life at Sea (SOLAS), 1974**

Amendments to the International Code of Safety for Ships Using Gases or other Low flashpoint Fuels (IGF Code)

Amendments to the International Code for the Safe Carriage of Grain in Bulk (Grain Code)

Amendments to the International Code on the Enhanced Programme of Inspections during Surveys of Bulk Carriers and Oil Tankers, 2011 (2011 ESP Code)

Amendments to the International Life-Saving Appliance Code (LSA Code)

Amendments to the International Code for Fire Safety Systems (FSS Code)

Amendments to the Performance standards for protective coatings for dedicated seawater ballast tanks and the Performance standards for protective coatings for cargo oil tanks of crude oil tankers (resolutions MSC.215(82) and MSC.288(87), respectively)

Amendments to the Seafarers' Training, Certification and Watchkeeping (STCW) Code

Revised International Convention on Standards of Training, Certification and Watchkeeping for Fishing Vessel Personnel (STCW-F), 1995

Standards of Training, Certification and Watchkeeping for Fishing Vessel Personnel (STCW-F) Code

1 The Maritime Safety Committee, at its 107th session (31 May to 9 June 2023), approved draft amendments to:

- .1 chapters II-1, II-2 and V of the International Convention for the Safety of Life at Sea (SOLAS), 1974, as set out in annex 1;
- .2 the International Code of Safety for Ships Using Gases or other Low-flashpoint Fuels (IGF Code), as set out in annex 2;
- .3 the International Code for the Safe Carriage of Grain in Bulk (Grain Code), as set out in annex 3;
- .4 the International Code on the Enhanced Programme of Inspections during Surveys of Bulk Carriers and Oil Tankers, 2011 (2011 ESP Code), as set out in annex 4;
- .5 the International Life-Saving Appliance (LSA) Code, as set out in annex 5;
- .6 the International Code for Fire Safety Systems (FSS Code), as set out in annex 6;
- .7 the *Performance standards for protective coatings for dedicated seawater ballast tanks* and the *Performance standards for protective coatings for cargo oil tanks of crude oil tankers* (resolutions MSC.215(82) and MSC.288(87), respectively), as set out in annex 7; and
- .8 section A-VI/1 of the Seafarers' Training, Certification and Watchkeeping (STCW) Code, as set out in annex 8,

and approved the draft:

- .9 revised International Convention on Standards of Training, Certification and Watchkeeping for Fishing Vessel Personnel (STCW-F), 1995, as set out in annex 9; and
- .10 new Standards of Training, Certification and Watchkeeping for Fishing Vessel Personnel (STCW-F) Code, as set out in annex 10,

for circulation with a view to adoption at its 108th session, tentatively scheduled to take place from 15 to 24 May 2024.

2 The Secretary-General has the honour to transmit herewith, in accordance with article VIII(b)(i) of the SOLAS Convention, article XII(1)(a)(i) of the STCW Convention and article 10.2.1 of the STCW-F Convention, as appropriate, the text of the aforementioned proposed amendments to the SOLAS Convention; the IGF, Grain, 2011 ESP, LSA and FSS Codes; the Performance standards for protective coatings (resolutions MSC.215(82) and MSC.288(87)); the STCW Code; and the revised STCW-F Convention and new STCW-F Code, set out in annexes 1 to 10, respectively, for consideration with a view to adoption by the Committee at its 108th session, in accordance with article VIII(b)(iv) of the SOLAS Convention, article XII(1)(a)(iv), regulation I/1.2.3 of the STCW Convention and article 10.2.4 of the STCW-F Convention, as appropriate.

3 In accordance with the procedure established by MSC 75, the Sub-Committee on Carriage of Cargoes and Containers (CCC), at its ninth session (20 to 29 September 2023), is expected to approve draft amendments to the International Maritime Dangerous Goods (IMDG) Code with a view to adoption by MSC 108 which will be circulated by means of an addendum to this circular letter in due course.

ANNEX 1

DRAFT AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974

CHAPTER II-1 CONSTRUCTION – STRUCTURE, SUBDIVISION AND STABILITY, MACHINERY AND ELECTRICAL INSTALLATIONS

Part A-1 Structure of ships

Regulation 3-4

Emergency towing arrangements and procedures

1 The following new section 2 is added after existing section 1:

"2 Emergency towing arrangements on ships other than tankers

2.1 Emergency towing arrangements shall be fitted on ships other than tankers of not less than 20,000 gross tonnage, constructed on or after [entry-into-force date].

2.2 For ships other than tankers constructed on or after [entry-into-force date]:

- .1 the arrangements shall, at all times, be capable of rapid deployment in the absence of main power on the ship to be towed and easy connection to the towing ship; and
- .2 emergency towing arrangements shall be of adequate strength taking into account the size of the ship, and the expected forces during bad weather conditions. The design and construction and prototype testing of emergency towing arrangements shall be approved by the Administration, based on the Guidelines developed by the Organization.*

* Refer to the *Guidelines on emergency towing arrangements for ships other than tankers* (MSC.1/Circ.[...])."

2 Renumber subsequent paragraphs in existing section 2 under renumbered section 3.

CHAPTER II-2 CONSTRUCTION – FIRE PROTECTION, FIRE DETECTION AND FIRE EXTINCTION

Part B Prevention of fire and explosion

Regulation 4

Probability of ignition

3 At the end of paragraph 2.1.7, the word "and" is deleted and at the end of paragraph 2.1.8, "." is replaced by "; and".

- 4 The following new sub-paragraph is added after existing paragraph 2.1.8:
- "9 oil fuel delivered to and used on board ships shall not jeopardize the safety of ships or adversely affect the performance of the machinery or be harmful to personnel."

Part C

Suppression of fire

Regulation 7

Detection and alarm

5 Protection of accommodation and service spaces and control stations

- 5 Paragraph 5.2 is replaced by the following:

"5.2 Requirements for passenger ships carrying more than 36 passengers

A fixed fire detection and fire alarm system shall be so installed and arranged as to provide smoke detection in-service spaces, control stations and accommodation spaces, including corridors, stairways and escape routes within accommodation spaces. Smoke detectors need not be fitted in private bathrooms and galleys. Spaces having little or no fire risk such as voids, public toilets, carbon dioxide rooms and similar spaces need not be fitted with a fixed fire detection and fire alarm system. Detectors fitted in cabins, when activated, shall also be capable of emitting, or cause to be emitted, an audible alarm within the space where they are located."

- 6 Section 5.5 (Cargo ships) is replaced by the following:

"5.5 Cargo ships

(The requirements of paragraph 5.5 shall apply to ships constructed on or after 1 January 2026. Ships constructed before 1 January 2026 shall comply with the previously applicable requirements of paragraph 5.5.)

Accommodation and service spaces and control stations of cargo ships shall be protected by a fixed fire detection and fire alarm system and/or an automatic sprinkler, fire detection and fire alarm system as follows depending on a protection method adopted in accordance with regulation 9.2.3.1.

5.5.1 Method IC

A fixed fire detection and fire alarm system shall be so installed and arranged as to provide smoke detection in all corridors, stairways, and escape routes within accommodation spaces and in all control stations and cargo control rooms.

5.5.2 Method IIC

An automatic sprinkler, fire detection and fire alarm system of an approved type complying with the relevant requirements of the Fire Safety Systems Code shall be so installed and arranged as to protect accommodation spaces, galleys and other service spaces, except spaces which afford no substantial fire risk such as void spaces, sanitary spaces, etc. In addition, a fixed fire detection and fire alarm system shall be so installed and arranged as to provide smoke detection in all corridors, stairways, and escape routes within accommodation spaces and in all control stations and cargo control rooms.

5.5.3 *Method IIIC*

A fixed fire detection and fire alarm system shall be so installed and arranged as to detect the presence of fire in all accommodation spaces and service spaces providing smoke detection in corridors, stairways and escape routes within accommodation spaces, except spaces which afford no substantial fire risk such as void spaces, sanitary spaces, etc. In addition, a fixed fire detection and fire alarm system shall be so installed and arranged as to provide smoke detection in all corridors, stairways, and escape routes within accommodation spaces and in all control stations and cargo control rooms."

Regulation 9

Containment of fire

6 Protection of cargo space boundaries

7 Paragraph 6.1 is deleted and the subsequent paragraphs are renumbered accordingly.

Part G Special requirements

Regulation 20

Protection of vehicle, special category and ro-ro spaces

8 The title of regulation 20 is replaced by the following:

"Regulation 20 Protection of vehicle, special category, open and closed ro-ro spaces, and weather decks intended for the carriage of vehicles"

1 Purpose

9 Paragraph 1.1 is replaced by the following:

".1 fire protection systems shall be provided to adequately protect the ship from the fire hazards associated with vehicle, special category and ro-ro spaces, and weather deck intended for the carriage of vehicles;"

2 General requirements

2.1 Application

10 The following new paragraph 2.1.3 is added after existing paragraph 2.1.2:

"2.1.3 Ships constructed before 1 January 2026 shall also comply with regulations 20.4.1.6, 20.4.4 and 20.6.2.3, as adopted by resolution MSC.[...]."

3 Precaution against ignition of flammable vapours in closed vehicle spaces, closed ro-ro spaces and special category spaces

11 Paragraph 3.1.5 is replaced by the following:

"3.1.5 Permanent openings

In cargo ships, permanent openings in the side plating, the ends or deckhead of the space shall be so situated that a fire in the cargo space does not endanger stowage areas and embarkation stations for survival craft and accommodation spaces, service spaces and control stations in superstructures and deckhouses above the cargo spaces."

4 Detection and alarm

12 The following new paragraph is added under the existing title of section 4 (Detection and alarm):

"Ships constructed before 1 January 2026 shall comply with the requirements of paragraph 4.1.6 not later than the first survey after 1 January 2028."

4.1 Fixed fire detection and fire alarm systems

13 Section 4.1 (Fixed fire detection and fire alarm systems) is replaced by the following:

"4.1 Fixed fire detection and fire alarm systems

The requirements of paragraphs 4.1.1 through 4.1.4 shall only apply to passenger ships constructed on or after 1 January 2026. Passenger ships constructed before 1 January 2026 shall comply with the previously applicable requirements of paragraph 4.1, as amended by resolution MSC.108(...) and paragraph 4.1.6.

4.1.1 In vehicle, special category and ro-ro spaces, there shall be provided an individually identifiable fixed fire detection and fire alarm system. The system shall comply with the requirements of the Fire Safety Systems Code.

4.1.1.1 The fixed fire detection and fire alarm system shall provide smoke and heat detection throughout vehicle, special category and ro-ro spaces. The Administration may accept linear heat detectors as the required system for heat detection. The system shall be capable of rapidly detecting the onset of fire. The location of detectors shall be to the satisfaction of the Administration, taking into account the effects of ventilation and other relevant factors. After being installed, the system shall be tested under normal ventilation conditions and shall give an overall response time to the satisfaction of the Administration.

4.1.2 If a fixed water-based deluge system is used for vehicle, special category and ro-ro spaces, then a fire detection and fire alarm system identifiable to the same sections of the deluge system shall be arranged.

4.1.3 The fire detection and fire alarm system shall be designed with a system interface which provides logical and unambiguous presentation of the information, to allow a quick and correct understanding and decision-making. In particular, the alarm system section numbering shall coincide with the sections of other systems, such as a fixed water-based fire-extinguishing system or video monitoring system, if available.

4.1.4 There shall be provided a fixed fire detection and fire alarm system for the area on the weather deck intended for the carriage of vehicles. The fixed fire detection system shall be capable of rapidly detecting the onset of the fire anywhere on the

area. The type of detectors and their spacing and location shall be to the satisfaction of the Administration, taking into account the effects of weather conditions, cargo obstruction and other relevant factors. Different settings may be used for specific operation sequences, such as during loading or unloading and during voyage, in order to reduce the false alarms.

4.1.5 In cargo ships, vehicle spaces, special category spaces and ro-ro spaces shall be provided with a fixed fire detection and fire alarm system complying with the requirements of the Fire Safety Systems Code. The fixed fire detection system shall be capable of rapidly detecting the onset of fire. The type of detectors and their spacing and location shall be to the satisfaction of the Administration, taking into account the effects of ventilation and other relevant factors. After being installed, the system shall be tested under normal ventilation conditions and shall give an overall response time to the satisfaction of the Administration.

4.1.6 For passenger ships constructed before 1 January 2026, a fixed fire detection and fire alarm system complying with the requirements of the Fire Safety Systems Code shall be provided in special category spaces, open and closed ro-ro and vehicle spaces. The fixed fire detection system shall be capable of rapidly detecting the onset of fire. The fixed fire detection and fire alarm system shall provide smoke and heat detection throughout vehicle, special category and ro-ro spaces. In this context, heat detectors shall comply with the spacing and coverage area requirements as applicable for smoke detectors. Heat detectors are only required where there is already a smoke detector."

4.3 Special category spaces

14 Paragraph 4.3.1 is replaced by the following:

"4.3.1 An efficient fire patrol system shall be maintained in special category spaces."

15 The following new section 4.4 is added after existing section 4.3 (Special category spaces):

"4.4 Video monitoring

The requirements of paragraphs 4.4.1 and 4.4.2 apply to ships constructed on or after 1 January 2026. Passenger ships with vehicle, special category or ro-ro spaces constructed before 1 January 2026 shall comply with the requirements of paragraphs 4.4.1 and 4.4.2 not later than the first survey after 1 January 2028.

4.4.1 For passenger ships, an effective video monitoring system shall be arranged in vehicle, special category and ro-ro spaces for continuous monitoring of these spaces. The system shall be provided with immediate playback capability to allow for quick identification of fire location, as far as practicable. Cameras shall be installed to cover the whole space, high enough to see over cargo and vehicles after loading.

4.4.2 The videos recorded by this monitoring system shall be available for replay at a continuously manned control station or at the safety centre for at least seven days for installation on ro-ro passenger ships constructed on or after 1 January 2026 and 24 hours for existing ro-ro passenger ships constructed before 1 January 2026 and the correspondence between any one video camera and the section of the fixed water-based fire-extinguishing system it is covering shall be clearly displayed close to the video monitor. Continuous monitoring of the video image by the crew is not required."

5 Structural fire protection

16 Section 5 (Structural fire protection) is replaced by the following, together with the associated footnotes:

"5 Structural fire protection and arrangement of openings

This paragraph applies to passenger ships constructed on or after 1 January 2026.

5.1 Structural fire protection

5.1.1 In passenger ships carrying more than 36 passengers, the boundary bulkheads and decks of special category and ro-ro spaces shall be insulated to "A-60" class standard. However, where a category (5), (9) and (10) space, as defined in regulation 9.2.2.3, is on one side of the division, the standard may be reduced to "A-0". Where fuel oil tanks are below a special category space, the integrity of the deck between such spaces may be reduced to "A-0" standard.

5.1.2 Where a special category space or ro-ro space is sub-divided with internal decks, the fire rating of these decks shall be determined based on the capacity and arrangement of the fixed water-based fire-extinguishing system. If the fixed water-based fire-extinguishing system cannot simultaneously cover the applicable area above and below a given deck, this deck shall be of "A-30" standard while any ramps and doors between decks shall be made of steel and of a design being as tight as practical.

5.2 Arrangement of openings in ro-ro spaces and special category spaces

5.2.1 Openings in the side plating, the ends or deckhead of the ro-ro space shall be situated and arranged so that a fire in the ro-ro space does not endanger:

- .1 stowage areas for survival craft;
- .2 embarkation stations and assembly stations, including access to such stations; and
- .3 accommodation spaces, control stations and normally occupied service spaces in superstructures and deckhouses above the ro-ro space.

Openings are not permitted for all decks directly below these objects and within a safety distance of minimum 6.0 m measured horizontally.

5.2.2 This requirement does not apply to openings fitted with closing arrangements, such as ramps and doors. Ramps and doors shall be of steel for all decks directly below accommodation spaces, control stations and normally occupied service spaces, and minimum "A-0" for all decks directly below survival craft, embarkation stations and assembly stations.

5.2.3 Openings are, however, accepted in ro-ro spaces below accommodation spaces, control stations and normally occupied service spaces, when the fire integrity of the ship's side, including windows and doors, is "A-60" on boundaries in a rectangular area measured 6.0 m horizontally forward and aft of the openings and vertically minimum two deck levels above the deck level with the opening. "A-0" windows protected by a water-based system with an application rate of at least 5.0 L/min per square metre may be accepted as equivalent to "A-60" windows. Ventilation inlets shall be designed to minimize the risk of contamination.*

* Refer to regulations II-2/5.2, II-2/8.2, II-2/9.7.1.5 and II-2/20.3.1.4.

5.2.4 Openings for mechanical ventilation of ro-ro and special category spaces are permitted below accommodation spaces, service spaces and control stations in superstructures, if the opening is protected by a closing device, with a closing arrangement not likely to be cut off in case of a fire in the ro-ro spaces, capable of being closed from a readily accessible position. The closing device shall be made of steel or other fire-resistant material. Such openings are not permitted below survival craft, the emergency generator and air intakes for the engine-room(s).

5.2.5 Notwithstanding the above, air intakes serving machinery used for the ship's main propulsion, power generation and emergency power generation shall be in a position minimizing the risk of being contaminated by a fire in the ro-ro space or special category space.

5.3 Arrangement of weather deck intended for the carriage of vehicles

5.3.1 Appropriate arrangements shall be made so that a fully developed fire on weather decks intended for the carriage of vehicles does not endanger:

- .1 stowage areas for survival craft;
- .2 embarkation stations and assembly stations including access to these; and
- .3 accommodation spaces, control stations and normally occupied service spaces in superstructures and deckhouses adjacent to the weather deck.

5.3.2 Appropriate arrangements shall be made providing a safety distance, measured horizontally, from the designated vehicle lanes of more than 6.0 m to accommodation spaces, control stations and normally occupied service spaces in superstructures and deckhouses adjacent to the weather deck.

5.3.3 The safety distance can be reduced to 3.0 m when boundaries, including windows and doors, within 6.0 m are of "A-60" integrity. Alternatively, "A-0" boundaries protected by a water-based system with an application rate of at least 5.0 L/min per square metre may be accepted as equivalent.

5.3.4 Survival craft and embarkation stations, including access to these, shall be protected with a safety distance of more than 12.0 m. Safety distances shall be measured horizontally.

5.3.5 Notwithstanding the above, air intakes serving machinery used for the ship's main propulsion, power generation and emergency power generation shall be in a position minimizing the risk of being contaminated by a fire on the weather deck intended for carriage of vehicles."

6 Fire extinction

6.1 Fixed fire-extinguishing systems

17 The explanatory paragraph under the title of section 6.1 (Fixed fire-extinguishing systems) is replaced by the following:

"(The requirements of paragraphs 6.1.1 and 6.1.2 shall apply to ships constructed on or after 1 July 2014. Ships constructed before 1 July 2014 shall comply with the previously applicable requirements of paragraphs 6.1.1 and 6.1.2. The requirements of paragraph 6.2 shall apply to ro-ro passenger ships constructed on or after 1 January 2026. Passenger ships with vehicle, special category or ro-ro spaces constructed before 1 January 2026 shall comply with the requirements of paragraph 6.2.3 not later than the first survey after 1 January 2028.)"

18 The following new section 6.2 is inserted after existing section 6.1 (Fixed fire-extinguishing systems) and the subsequent section (Portable fire extinguishers) and its paragraphs are renumbered accordingly:

"6.2 Fixed water-based fire-extinguishing on weather decks intended for carriage of vehicles

6.2.1 In passenger ships, a fixed water-based fire-extinguishing system based on monitor(s) shall be installed in order to cover weather decks intended for the carriage of vehicles. The monitor(s) shall comply with the provisions of the Fire Safety Systems Code.

6.2.2 In passenger ships, drainage shall be provided where a fixed water-based fire-extinguishing system is installed to cover weather decks intended for carriage of vehicles. The system shall be sized to remove no less than 125% of the combined capacity of both the monitor(s) and the required number of fire hose nozzles.

6.2.3 For passenger ships built before 1 January 2026, a fixed water-based fire-extinguishing system based on monitor(s) shall be installed in order to protect areas on weather decks intended for the carriage of vehicles. Monitors shall be located in positions which ensure unobstructed protection of vehicles in the area on the weather deck intended for carriage for vehicles, as far as practicable. Operation of monitors shall be ensured by safe access ways or remote control not to be impaired by a fire in the area protected by that monitor. Capacity of each monitor shall be at least 1,250 L/min. The Administration may permit lower flow rates when the required rate is not practical given the size and arrangement of the ship. The Administration may also permit alternative arrangements for ships that have already installed a fixed water-based fire-extinguishing system based on monitor(s) prior to 1 January 2026."

19 The following new section 7 is added after existing section 6 (Fire extinction) with the associated footnotes:

"7 Decision-making

In passenger ships, vehicle, special category and ro-ro spaces, where fixed pressure water-spraying systems are fitted, shall be provided with suitable signage and marking on deckhead and bulkhead and on the vertical boundaries allowing easy identification of the sections of the fixed fire-extinguishing system. Suitable signage and markings shall be adapted to typical patterns of crew movement taking into consideration obstruction by cargo or fixed installations. Section number signs shall

be of photoluminescent material.* The section numbering indicated inside the space shall be same as section valve identification and section identification at the safety centre or continuously manned control station.

* Refer to chapter 11 of the FSS Code for the evaluation and testing of photoluminescent material."

Regulation 23

Safety centre on passenger ships

6 Control and monitoring of safety systems

20 Paragraph 6.10 is replaced by the following:

".10 fire detection and fire alarm system;"

CHAPTER V SAFETY OF NAVIGATION

Regulation 31

Danger messages

21 The following new paragraphs are inserted after existing paragraph 1, together with the associated footnote:

2.1 The master of every ship involved in the loss of freight container(s), shall communicate the particulars of such an incident by appropriate means without delay and to the fullest extent possible to ships in the vicinity, to the nearest coastal State, and also to the flag State.

2.2 In the event of the ship referred to in paragraph 2.1 being abandoned, or in the event of a report from such a ship being incomplete or unobtainable, the company, as defined in regulation IX/1.2, shall, to the fullest extent possible, assume the obligations placed upon the master by this regulation.

2.3 The flag State, once informed in accordance with paragraph 2.1, shall report to the Organization on the loss of freight container(s).*

* Refer to *Notification and circulation through the Global Integrated Shipping Information System (GISIS)* (resolution A.1074(28)).

2.4 The master of every ship that observes freight container(s) drifting at sea, shall communicate the particulars of such an observation by appropriate means without delay and to the fullest extent possible to ships in the vicinity and to the nearest coastal State."

22 Paragraphs 2, 3 and 4 are renumbered as paragraphs 3, 4 and 5, respectively.

Regulation 32

Information required in danger messages

23 The following new paragraph is inserted after existing paragraph 2 (Tropical cyclones (storms)):

- "3 Loss or observation of freight container(s)
A) Loss of freight container(s) from a ship

It is recognized that at the time of the initial reporting, not all of the information elements may be available. Any subsequent and/or additional information shall be reported by the master at the earliest opportunity after the initial reporting. The report shall include:

.1 General information

- Type of report: Loss of freight container(s) from a ship
- Time (Universal Coordinated Time) and date
- Ship's identity (IMO Number/Name/Call Sign/MMSI Number)
- From: Master of the ship, or contact details of their representative reporting on master's behalf
- To: Nearest Coastal State where the incident occurred and flag State
- The message number: In chronological order if other freight container loss messages are sent following the first one.

At the earliest, safe and practicable opportunity, a thorough inspection shall be conducted. The number or estimated number of lost freight container(s) shall be verified. A message containing this verified number shall be marked as "final" and sent to the same recipients.

.2 Position reporting*

Position in latitude and longitude, or true bearing and distance in nautical miles from a clearly identified landmark (where possible)

- Position of the ship when freight container(s) were lost; or
- If the position of the ship when the freight container(s) were lost, is not known, the estimated position of the ship when the freight container(s) were lost; or
- If an estimated position of the ship when the freight container(s) were lost, is not known or cannot be determined, the position of the ship upon discovery of the loss.

* Where available, a system of mechanical, electronic and/or visual aids can be used, allowing near real time reporting of the drop point of the freight container(s).

- .3 Total number or estimated number of freight container(s) lost, as appropriate:
- .4 Type of goods in freight container(s):
 - Dangerous goods: Yes/No
 - UN Number (if known)
- .5 Description of freight container(s) lost as far as available and practicable:
 - .1 Dimension of freight container(s) (e.g. 20 foot);
 - .2 Type(s) of freight container(s) (e.g. reefer); and
 - .3 Number or estimated number of empty freight container(s).
- .6 The master may provide additional information, if available and practicable, for example but not limited to:
 - Cargo description according to the dangerous goods manifest (if applicable)
 - Description of any cargo spill
 - Wind direction and speed
 - Sea current direction and speed
 - Estimated drift direction and speed of lost freight container(s)
 - Sea state and wave height

B) Observation of freight container(s) drifting at sea

- .1 General information
 - Type of report: Observation of freight container(s) drifting at sea
 - Time (Universal Coordinated Time) and date
 - Ship's identity (IMO Number/Name/Call Sign/MMSI Number)
 - From: Master of the ship
 - To: Nearest Coastal State to the position of observation
- .2 Position reporting

Time (Universal Coordinated Time), date and position of the observed freight container(s) in latitude and longitude, or true bearing and distance in nautical miles from a clearly identified landmark (where possible)

- .3 Total number of freight container(s) observed
- .4 The master may provide additional information, if available and practicable, for example but not limited to:
- Dimension of freight container(s) (e.g. 20 foot)
 - Type(s) of freight container(s) (e.g. reefer)
 - Description of any cargo spill
 - Wind direction and speed
 - Sea current direction and speed
 - Estimated drift direction and speed of observed freight container(s)
 - Sea state and wave height "

24 Paragraphs 3, 4 and 5 are re-numbered as paragraphs 4, 5 and 6, respectively.

ANNEX 2

DRAFT AMENDMENTS TO THE INTERNATIONAL CODE OF SAFETY FOR SHIPS USING GASES OR OTHER LOW-FLASHPOINT FUELS (IGF CODE)

Part A

2 General

2.2 Definitions

1 The following new paragraph 2.2.43 is added after existing paragraph 2.2.42:

"2.2.43 *Ship constructed on or after 1 January 2026* means:

- .1 for which the building contract is placed on or after 1 January 2026; or
- .2 in the absence of a building contract, the keels of which are laid or which are at a similar stage of construction on or after 1 July 2026; or
- .3 the delivery of which is on or after 1 January 2030."

4 General requirements

4.2 Risk assessment

2 Paragraph 4.2.2 is replaced by the following:

"4.2.2 For ships to which part A-1 applies, the risk assessment required by 4.2.1 need only be conducted where explicitly required by paragraphs 5.10.5, 5.12.3, 6.4.1.1, 6.4.15.4.7.2, 8.3.1.1, 8.4.2, 13.4.1, 13.7 and 15.8.1.10 as well as by paragraphs 4.4 and 6.8 of the annex."

Part A-1

Specific requirements for ships using natural gas as fuel

5 Ship design and arrangement

5.3 Regulation - General

3 Paragraph 5.3.3.3 is replaced by the following:

"5.3.3.3 For independent tanks the protective distance shall be measured to the tank shell (the primary barrier of the fuel containment system). For membrane tanks the distance shall be measured to the bulkheads surrounding the tank insulation."

4 Paragraph 5.3.4.4 is replaced by the following:

"5.3.4.4 For independent tanks the protective distance shall be measured to the tank shell (the primary barrier of the fuel containment system). For membrane tanks the distance shall be measured to the bulkheads surrounding the tank insulation."

5.12 Regulations for airlocks

5 Paragraph 5.12.1 is replaced by the following:

"5.12.1 For ships constructed on or after 1 January 2026, an air lock is a space enclosed by gastight bulkheads with two substantially gastight doors spaced at least 1.5 m and not more than 2.5 m apart. Unless subject to the requirements of the International Convention on Load Line, the sill height of the door leading to the hazardous area shall not be less than 300 mm. The doors shall be self-closing without any holding back arrangements."

6 Fuel containment system

6.4 Regulations for liquefied gas fuel containment

6.4.15 Tank types

6.4.15.3 Type C independent tanks

6.4.15.3.1 Design basis

6 Paragraph 6.4.15.3.1.2 is replaced by the following:

"6.4.15.3.1.2 The design vapour pressure shall not be less than:

$$P_0 = 0.2 + AC(\rho_r)^{1.5} \text{ (MPa)}$$

where:

$$A = 0.00185 (\sigma_m / \Delta\sigma_A)^2$$

with:

σ_m = design primary membrane stress;

$\Delta\sigma_A$ = allowable dynamic membrane stress (double amplitude at probability level $Q = 10^{-8}$) and equal to:

- 55 N/mm² for ferritic-perlitic, martensitic and austenitic steel;

- 25 N/mm² for aluminium alloy (5083-O);

C = a characteristic tank dimension to be taken as the greatest of the following:

$$h, 0.75b \text{ or } 0.45\ell,$$

with:

h = height of tank (dimension in ship's vertical direction) (m);

b = width of tank (dimension in ship's transverse direction) (m);

ℓ = length of tank (dimension in ship's longitudinal direction) (m);

ρ_r = the relative density of the fuel ($\rho_r = 1$ for fresh water) at the design temperature."

6.7 Regulations for pressure relief system

6.7.3 Sizing of pressure relieving system

6.7.3.1 Sizing of pressure relief valves

7 Paragraph 6.7.3.1.1 is replaced by the following:

"6.7.3.1.1 For ships constructed on or after 1 January 2026, the pressure relief system for each liquefied gas fuel tank shall be designed so that, regardless of the state of any one PRV, the capacity of the residual PRVs meets the combined relieving capacity requirements of the system. The combined relieving capacity shall be the greater of the following, with no more than 20% rise in liquefied gas fuel tank pressure above the MARVS. The tank shall not be loaded until the full relieving capacity is restored:"

8 Paragraph 6.7.3.1.1.2 is replaced by the following:

"6.7.3.1.1.2 Vapours generated under fire exposure computed using the following formula:

$$Q = FGA^{0.82} \text{ (m}^3\text{/s)}$$

where:

Q = minimum required rate of discharge of air at standard conditions of 273.15 Kelvin (K) and 0.1013 MPa.

F = fire exposure factor for different liquefied gas fuel tank types:

$F = 1.0$ for tanks without insulation located on deck;

..."

6.9 Regulations for the maintaining of fuel storage condition

6.9.1 Control of tank pressure and temperature

9 Paragraph 6.9.1.1 is replaced by the following:

"6.9.1.1 For ships constructed on or after 1 January 2026, with the exception of liquefied gas fuel tanks designed to withstand the full gauge vapour pressure of the fuel under conditions of the upper ambient design temperature, liquefied gas fuel tanks' pressure and temperature shall be maintained at all times within their design range by means acceptable to the Administration, e.g. by one or more of the following methods:"

7 Material and general pipe design

7.3 Regulations for general pipe design

7.3.2 Wall thickness

10 Paragraph 7.3.2.1 is replaced by the following:

"7.3.2.1 For ships constructed on or after 1 January 2026, the minimum wall thickness shall be calculated as follows:

$$t = (t_0 + b + c) / (1 - |a|/100) \text{ (mm)}$$

where:

t_0 = theoretical thickness

$$t_0 = PD / (2.0Ke + P) \text{ (mm)}$$

with:

P = design pressure (MPa) referred to in 7.3.3;

D = outside diameter (mm);

K = allowable stress (N/mm²) referred to in 7.3.4; and

e = efficiency factor equal to 1.0 for seamless pipes and for longitudinally or spirally welded pipes, delivered by approved manufacturers of welded pipes, that are considered equivalent to seamless pipes when non-destructive testing on welds is carried out in accordance with recognized standards. In other cases an efficiency factor of less than 1.0, in accordance with recognized standards, may be required depending on the manufacturing process;

b = allowance for bending (mm). The value of b shall be chosen so that the calculated stress in the bend, due to internal pressure only, does not exceed the allowable stress. Where such justification is not given, b shall be:

$$b = D \cdot t_0 / 2.5r \text{ (mm)}$$

with:

r = mean radius of the bend (mm);

c = corrosion allowance (mm). If corrosion or erosion is expected the wall thickness of the piping shall be increased over that required by other design regulations. This allowance shall be consistent with the expected life of the piping; and

a = negative manufacturing tolerance for thickness (%) i.e. where a is the manufacturing tolerance of -5%, i.e. $|a|$ is equal to 5 and shall be entered into the formula as $1 - (5/100)$."

8 Bunkering

8.4 Regulations for manifold

11 Paragraph 8.4.1 is replaced by the following:

"8.4.1 The bunkering manifold shall be designed to withstand the external loads during bunkering. The connections at the bunkering station shall be arranged in order to achieve a dry-disconnect operation in one of the followings ways:

- .1 a Dry-Disconnect/Connect Coupling in accordance with a standard at least equivalent to those acceptable to the Organization;¹ or
- .2 a manual connect coupler or hydraulic connect coupler, used to connect the bunker system to the receiving vessel bunkering manifold presentation flange;² or
- .3 a bolted flange to flange assembly.²

12 The following new paragraphs are added after existing paragraph 8.4.1, with the associated footnotes:

"8.4.2 When intended to use either of the connections specified in paragraphs 8.4.1.2 and 8.4.1.3, these shall be combined with operating procedures that ensure a dry-disconnect is achieved. The arrangement shall be subject to special consideration informed by a bunkering arrangement risk assessment² conducted at the design stage and considering dynamic loads at the bunkering manifold connection to a recognized standard acceptable to the Administration, the safe operation of the ship and other hazards that may be relevant to the ship during bunkering operation. The fuel handling manual required by 18.2.3 shall include documentation that the bunkering arrangement risk assessment was conducted, and that special consideration was granted under this requirement."

"8.4.3 An Emergency Release Coupler (ERC)/Emergency Release System (ERS) or equivalent means shall be provided, unless installed on the bunkering supply side of the bunkering line, and said means shall be in accordance with a standard equivalent to those acceptable to the Organization;² it shall enable a quick physical disconnection "dry break-away" of the bunker system in an emergency event."

1 Refer to the recommendations by the International Organization for Standardization, in particular publication: ISO 21593:2019, Ships and marine technology — Technical requirements for dry-disconnect/connect couplings for bunkering liquefied natural gas.

2 Refer to the recommendations by the International Organization for Standardization, in particular publication: ISO 20519:2017~~2021~~ - Ships and Marine Technology - Specification for Bunkering of Liquefied Natural Gas Fuelled Vessels.

9 Fuel supply to consumers

9.3 Regulations on redundancy of fuel supply

13 Paragraph 9.3.1 is replaced by the following:

"9.3.1 For ships constructed on or after 1 January 2026, for single fuel installations the fuel supply system shall be arranged with redundancy and segregation so that a leakage in one system, or failure of one of the fuel supply essential auxiliaries, does not lead to an unacceptable loss of power. In the event of a leakage or failure, and in accordance with SOLAS regulation II-1/26.3, the Administration, having regard to overall safety considerations, may accept a partial reduction in propulsion capability from normal operation."

9.4 Regulations on safety functions of gas supply system

14 Paragraph 9.4.7 is replaced by the following:

"9.4.7 For ships constructed on or after 1 January 2026, in cases where the master gas fuel valve is automatically shut down when the safety system as required in 15.2.2 is activated, the complete gas supply pipe between this master gas fuel valve and the double block and bleed valves and between the double block and bleed valves and the consumer shall be automatically vented."

15 The existing paragraph 9.4.8 is replaced by the following:

"9.4.8 For ships constructed on or after 1 January 2026, there shall be one manually operated shutdown valve in the gas supply line to each gas consumer upstream of the double block and bleed valves to assure safe isolation during maintenance on the gas consumer."

9.6 Regulations for fuel supply to consumers in gas-safe machinery spaces

16 Paragraph 9.6.1 is replaced by the following:

"9.6.1 Gas fuel piping in gas-safe machinery spaces shall be completely enclosed by a double pipe or duct fulfilling one of the following conditions:

- .1 the gas fuel piping shall be a double wall piping system with the gas fuel contained in the inner pipe. The space between the concentric pipes shall be pressurized with inert gas at a pressure greater than the gas fuel pressure. Suitable alarms shall be provided to indicate a loss of inert gas pressure between the pipes; or
- .2 ...; or
- .3"

9.8 Regulations for the design of ventilated duct, outer pipe against inner pipe gas leakage

17 Paragraph 9.8.1 is replaced by the following:

"9.8.1 For ships constructed on or after 1 January 2026, the design pressure of the outer pipe or duct of fuel systems shall not be less than the maximum working pressure of the inner pipe. Alternatively, the design pressure of the outer pipe or duct may be calculated in accordance with 9.8.2."

18 Paragraph 9.8.2 is replaced by the following:

"9.8.2 For ships constructed on or after 1 January 2026, alternatively to 9.8.1, the design pressure of the ducting shall be taken as the higher of the following:

..."

19 Paragraph 9.8.4 is replaced by the following:

"9.8.4 For ships constructed on or after 1 January 2026, the duct shall be pressure tested to show that it can withstand the expected maximum pressure at fuel pipe rupture."

11 Fire safety

11.3 Regulations for fire protection

20 Paragraph 11.3.1 is replaced by the following:

"11.3.1 For ships constructed on or after 1 January 2026, fuel preparation rooms shall, for the purpose of the application of SOLAS regulation II-2/9, be regarded as a machinery space of category A."

11.6 Regulations for dry chemical powder fire-extinguishing system

21 Paragraph 11.6.2 is replaced by the following:

"11.6.2 In addition to any other portable fire extinguishers that may be required elsewhere in IMO instruments, one portable dry powder extinguisher of at least 5 kg capacity shall be located near the bunkering station and in the fuel preparation room."

12 Explosion prevention

12.5 Hazardous area zones

22 Paragraph 12.5.1 is replaced by the following:

"12.5.1 Hazardous area zone 0

For ships constructed on or after 1 January 2026, this zone includes, but is not limited to, the interiors of fuel tanks, any pipework for pressure-relief or other venting systems for fuel tanks, pipes and equipment containing fuel, and interbarrier spaces as defined by paragraph 2.2.15.2."

12.5.2 Hazardous area zone 1

23 Paragraph 12.5.2.1 is replaced by the following:

"12.5.2.1 For ships constructed on or after 1 January 2026, tank connection spaces and fuel storage hold spaces;² ...

² Fuel storage hold spaces for type C tanks are normally not considered as zone 1."

15 Control, monitoring and safety systems

15.4 Regulations for bunkering and liquefied gas fuel tank monitoring

15.4.1 Level indicators for liquefied gas fuel tanks

24 Paragraph 15.4.1.3 is replaced by the following:

"15.4.1.3 For ships constructed on or after 1 January 2026, liquefied gas fuel tank liquid level gauges may be of the following types:

- .1 indirect devices, which determine the amount of fuel by means such as weighing or in-line flow metering;
- .2 closed devices, which do not penetrate the liquefied gas fuel tank, such as devices using radioisotopes or ultrasonic devices; or
- .3 closed devices which penetrate the liquefied gas fuel tank, but which form part of a closed system and keep the gas fuel from being released. Such devices shall be considered as tank connections. If the closed gauging device is not mounted directly onto the tank, it shall be provided with a shutoff valve located as close as possible to the tank."

Part B-1

16 Manufacture, workmanship and testing

16.3 Welding of metallic materials and non-destructive testing for the fuel containment system

16.3.5 Production weld tests

25 Paragraph 16.3.5.1 replaced by the following:

"16.3.5.1 For all fuel tanks and process pressure vessels except membrane tanks, production weld tests shall generally be performed for approximately each 50 m of butt-weld joints and shall be representative of each welding position. For secondary barriers, the same type production tests as required for primary barriers shall be performed, except that the number of tests may be reduced subject to agreement with the Administration. Tests, other than those specified in 16.3.5.2 to 16.3.5.5 may be required for fuel tanks or secondary barriers."

Part C-1

18 Operation

18.4 Regulations for bunkering operations

18.4.1 Responsibilities

26 Paragraph 18.4.1.1.1 is replaced by the following:

"18.4.1.1 Before any bunkering operation commences, the master of the receiving ship or his or her representative and the representative of the bunkering source (Persons In Charge, PIC) shall:

- .1 agree in writing the transfer procedure, including cooling down and if necessary, gassing up; the maximum transfer rate at all stages, minimum and maximum limiting transfer pressure and temperature, bunkering line PRVs settings, and volume to be transferred;"

ANNEX 3

DRAFT AMENDMENTS TO THE INTERNATIONAL CODE FOR THE SAFE CARRIAGE OF GRAIN IN BULK (RESOLUTION MSC.23(59))

Part A Specific requirements

2 Definitions

1 The following new definition is added after existing paragraph 2.7:

"2.8 The term *specialty suitable compartment, partly filled in way of the hatch opening, with ends untrimmed* refers to a specialty suitable compartment which is not filled to the maximum extent possible in way of the hatch opening but is filled to a level equal with or above the bottom edge of the hatch end beams and has not been trimmed outside the periphery of the hatch opening by the provisions of A 10.4."

10 Stowage of bulk grain

2 The reference to "B 6" in paragraph 10.3.1 is replaced with "B 7".

3 The following new paragraph is inserted after existing paragraph 10.3 and the subsequent paragraphs are renumbered accordingly:

"10.4 In any "specialty suitable compartment, partly filled in way of the hatch opening, with ends untrimmed", the bulk grain shall be filled to a level equal with or above the bottom edge of the hatch end beams but may be at its natural angle of repose outside the periphery of the hatch opening. A compartment may qualify for this classification if it is "specialty suitable" as defined in A 2.7, in which case dispensation may be granted from trimming the ends of that compartment."

4 Renumbered paragraph 10.7 (existing paragraph 10.6) is replaced by the following:

"10.7 After loading, all free grain surfaces in partly filled compartments shall be level unless the compartment is partly filled in accordance with the provisions of A 10.4, in which case the free grain surface in way of the hatch opening only shall be level."

5 The reference to "B 5.2" in renumbered paragraph 10.10.3 (existing paragraph 10.9.3) is replaced with "B 6.2".

12 Divisions loaded on both sides

6 The reference to A 12.1.3 in paragraph 12.3.3 is replaced with A 12.1.2.¹

14 Saucers

7 The reference to A 10.9 in paragraph 14.1 is replaced with A 10.10.

¹ This editorial modification only applies to the authentic text, but not the publication.

Part B
Calculation of assumed heeling moments and general assumptions

1 General assumptions

8 The following new paragraph 1.1.5 is added after existing paragraph 1.1.4:

"5 In a "specially suitable compartment, partly filled in way of the hatch opening, with ends untrimmed" which is exempted from trimming under the provisions of A 10.4, it shall be assumed that the surface of the grain after loading will slope in all directions away from the filling area at an angle of 30° from the lower edge of the hatch end beam. However, if feeding holes are provided in the hatch end beams in accordance with table B 1-2 and the free grain surface in way of the hatch opening is above the level of the feeding holes, then the surface of the grain after loading shall be assumed to slope in all directions, at an angle of 30° from a line on the hatch end beam which is the mean of the peaks and valleys of the actual grain surface as shown in figure B-1."

9 The reference to "B 5" in paragraph 1.2 is replaced with "B 6".

10 Paragraph 1.5 is replaced by the following:

"1.5 In "partly filled compartments" and "specially suitable compartments, partly filled in way of the hatch opening, with ends untrimmed", the adverse effect of the vertical shift of grain surfaces shall be taken into account as follows:

Total heeling moment = 1.12 x calculated transverse heeling moment."

2 Assumed volumetric heeling moment of a filled compartment, trimmed

11 The reference to "A 10.9" in paragraph 2.6 is replaced with "A 10.10".

12 The reference to "A 10.9" in the Note (2) for figure B 2-1 in paragraph 2.8 is replaced with "A 10.10".

13 The reference to "A 10.9" in the Note (3) for figure B 2-3 in paragraph 2.9 is replaced with "A 10.10".

3 Assumed volumetric heeling moment of a filled compartment, untrimmed

14 In paragraph 3.1, the word "provision" is replaced with "provisions".

15 The following new section 4 is inserted after existing section 3 (Assumed volumetric heeling moment of a filled compartment, untrimmed) and the subsequent sections and paragraphs are renumbered accordingly:

"4 Assumed volumetric heeling moment of a specially suitable compartment, partly filled in way of the hatch opening, with ends untrimmed

4.1 All the provisions for "filled compartments, trimmed" set forth in B 2 shall also apply to "specially suitable compartments, partly filled in way of the hatch opening, with ends untrimmed" except as noted below.

4.2 In a "specially suitable compartment, partly filled in way of the hatch opening, with ends untrimmed" which is exempted from trimming under the provisions of A 10.4, the resulting grain surface in way of the hatch opening and the resulting grain surface in the ends, forward and aft of the hatchway, after shifting shall be assumed to be at an angle of 25° to the horizontal."

16 The references to "figure B 4" in renumbered section 5 (Assumed volumetric heeling moments in trunks) are replaced with "figure B 5".

ANNEX 4

**DRAFT AMENDMENTS TO THE INTERNATIONAL CODE ON THE ENHANCED
PROGRAMME OF INSPECTIONS DURING SURVEYS OF BULK CARRIERS
AND OIL TANKERS, 2011 (2011 ESP CODE)**

Annex B, part A (annex 8) and Annex B, part B (annex 7) on *Procedures for approval and certification of a firm engaged in thickness measurement of hull structures* are replaced by the following:

"2 Procedures for approval and certification

Submission of documents

2.1 The following documents shall be submitted to the Administration for approval: [...]

Auditing of the firm

2.2 Upon reviewing of the documents submitted with satisfactory results, the firm shall be audited by the Administration in order to ascertain that the firm is duly organized and managed in accordance with the documents submitted and is capable of conducting thickness measurement of the hull structure of ships."

ANNEX 5

DRAFT AMENDMENTS TO THE INTERNATIONAL LIFE-SAVING APPLIANCE (LSA) CODE

CHAPTER II PERSONAL LIFE-SAVING APPLIANCES

2.2 Lifejackets

2.2.1 *General requirements for lifejackets*

1 Paragraph 2.2.1.6.2 is replaced by the following:

".2 turn the body of unconscious, face-down persons in the water to a face-up position where the nose and mouth are clear of the water in an average time not exceeding that of the RTD plus 1 s;"

CHAPTER IV SURVIVAL CRAFT

4.4 General requirements for lifeboats

4.4.7 *Lifeboat fittings*

2 Paragraph 4.4.7.6.8 is replaced by the following:

".8 to prevent an accidental release during recovery of the boat, the hook shall not be able to support any load unless the hook is completely reset. In the case of a hook which is capable of releasing the lifeboat or rescue boat with a load on the hook when it is not fully waterborne, the handle or safety pins shall not be able to be returned to the reset (closed) position, and any indicators shall not indicate the release mechanism is reset, unless the hook is completely reset. Additional danger signs shall be posted at each hook station to alert crew members to the proper method of resetting;"

3 Paragraph 4.4.7.6.17 is replaced by the following:

".17 where a single fall and hook system is used for launching a lifeboat or rescue boat in combination with a suitable painter, the requirements of paragraphs 4.4.7.6.7 and 4.4.7.6.15 need not be applicable, provided that the single fall and hook system does not have the capability to release the lifeboat or rescue boat with a load on the hook when it is not fully waterborne.

CHAPTER VI LAUNCHING AND EMBARKATION APPLIANCES

6.1.2 Launching appliances using falls and a winch

4 Paragraph 6.1.2.8 is replaced by the following:

"6.1.2.8 The speed at which the fully loaded survival craft or rescue boat is lowered to the water shall not be less than that obtained from the formula:

$$S = 0.4 + 0.02H, \text{ or } 1.0, \text{ whichever is less}$$

where:

S is the lowering speed in metres per second and

H is the height in metres from the davit head to the waterline with the ship at the lightest sea-going condition."

5 Paragraph 6.1.2.10 is replaced by the following:

"6.1.2.10 The maximum lowering speed shall be 1.3 m/s. The Administration may accept a maximum lowering speed other than 1.3 m/s, having regard to the design of the survival craft or rescue boat, the protection of its occupants from excessive forces, and the strength of the launching arrangements taking into account inertia forces during an emergency stop. Means shall be incorporated in the appliance to ensure that this speed is not exceeded."

ANNEX 6

DRAFT AMENDMENTS TO THE INTERNATIONAL CODE FOR FIRE SAFETY SYSTEMS (FSS CODE)

CHAPTER 7

Fixed pressure water-spraying and water mist fire-extinguishing systems

2 Engineering specifications

1 The following new section 2.5 is added after existing section 2.4 (Fixed water-based fire-fighting systems for ro-ro spaces, vehicle spaces and special category spaces):

"2.5 Fixed water-based fire-extinguishing on ro-ro passenger ships' weather decks intended for the carriage of vehicles

This chapter details the specification of fixed water-based fire-extinguishing on ro-ro passenger ships having weather decks intended for the carriage of vehicles as required by chapter II-2 of the Convention. The requirements of this chapter shall apply to ro-ro passenger ships constructed on or after 1 January 2026.

2.5.1 The protected area shall be the entire length and width of the weather deck intended for the carriage of vehicles. The fixed monitor(s) shall be capable of delivering water to:

- .1 the area of weather decks intended for carriage of vehicles; and
- .2 the area, including superstructure boundaries located up to 8.0 m, measured horizontally, from the area intended for vehicle storage, or the next vertical boundaries, whichever is less.

2.5.2 The combined capacity of all fixed monitors shall be minimum 2.0 L/min per square metre of the protected area, but in no case shall the output of any monitor be less than 1,250 L/min. Even distribution of water shall be ensured.

2.5.3 The distance from the monitor to the farthest extremity of the protected area forward of that monitor shall not be more than 75% of the monitor throw in still air conditions.

2.5.4 Each monitor shall be located outside the area which it protects, in a safe position, with access not likely to be cut off in case of fire.

Monitors shall be installed in positions which allow for unobstructed water coverage with vehicles stowed to maximum capacity of the weather deck. However, areas that cannot be covered by water monitors shall be protected by water nozzles. Nozzles shall be designed and installed taking into account weather conditions and provide 5.0 L/min per square metre for the area they cover and have release controls in a position being accessible in case of a fire.

2.5.5 The system shall be available for immediate use and capable of continuously supplying water. The water supply shall be capable of simultaneously supplying water at the required rate for the entire width of the weather deck intended for carriage of vehicles and a length of 40 m, or the entire length of the weather deck if this is less than 40 m. In no case shall the supply capacity be less than that required for the largest monitor.

2.5.6 The system may be supplied by the fire main, the pump(s) serving other fixed water-based fire-fighting systems or a dedicated pump providing a continuous supply of seawater.

Where the ship's fire pumps are used to feed the monitor(s):

- .1 it shall be possible to segregate the ship's fire main from the monitor(s) by means of a valve in order to operate both systems separately or simultaneously; and
- .2 the capacity of the pumps shall be sufficient to serve both systems simultaneously, including two jets of water at the required pressure from the fire main system. In case the weather deck shall also carry dangerous goods, capacity for four jets of water at the required pressure shall be provided.

Where another fixed water-based fire-fighting system is used to feed the monitor(s):

- .3 it shall be possible to segregate the other fixed water-based fire-fighting system from the monitor(s) by means of a valve in order to operate both systems separately or simultaneously; and
- .4 the capacity of the pump(s) shall, in case of open ro-ro spaces, be sufficient to serve both systems simultaneously, minimum two sections of the fixed water-based fire-fighting system being close to the openings facing weather deck and one monitor serving the weather deck. For closed ro-ro spaces and special category spaces, simultaneous operation is not required."

CHAPTER 9

Fixed fire detection and fire alarm systems

1 Application

2 Paragraph 1.1 is replaced by the following:

"1.1 This chapter details the specification of fixed fire detection and fire alarm systems as required by chapter II-2 of the Convention. Unless expressly provided otherwise, the requirements of this chapter shall apply to ships constructed on or after 1 July 2012. The requirements of 2.3.1.5 and 2.4.2.2 of this chapter shall apply to ships constructed on or after 1 January 2026."

2 Engineering specifications

2.3 Component requirements

3 Paragraphs 2.3.1.3 and 2.3.1.4 are replaced by the following:

"2.3.1.3 Heat detectors and linear heat detectors shall be certified to operate before the temperature exceeds 78°C but not until the temperature exceeds 54°C, when the temperature is raised to those limits at a rate less than 1°C per min, when tested according to standards EN 54:2001 and IEC 60092-504. Alternative testing standards may be used as determined by the Administration. At higher rates of temperature rise, the heat detector and linear heat detector shall operate within temperature limits to the satisfaction of the Administration having regard to the avoidance of detector insensitivity or oversensitivity.

2.3.1.4 The operation temperature of heat detectors and linear heat detectors in drying rooms and similar spaces of a normal high ambient temperature may be up to 130°C, and up to 140°C in saunas."

4 The following new paragraph 2.3.1.5 is inserted after the existing paragraph 2.3.1.4 and subsequent paragraphs are renumbered accordingly:

"2.3.1.5 Linear heat detectors shall be tested according to standards EN 54-22:2015 and IEC 60092-504. Alternative testing standards may be used as determined by the Administration."

2.4 Installation requirements

2.4.2 Positioning of detectors

5 Paragraph 2.4.2.2 and the associated table 9.1 (Spacing of detectors) therein are replaced by the following:

"2.4.2.2 The maximum spacing of detectors shall be in accordance with the table below:

Table 9.1 – Spacing of detectors

Type of detector	Maximum floor area per detector (m ²)	Maximum distance apart between centres (m)	Maximum distance away from bulkheads (m)
Heat	37	9	4.5
Smoke	74	11	5.5
Combined smoke and heat	74	9	4.5

2.4.2.2.1 The Administration may require or permit other spacing based upon test data which demonstrate the characteristics of the detectors. Detectors located below movable ro-ro decks shall be in accordance with the above.

2.4.2.2.2 The distance between two sensor cables of the linear heat detection system shall not be more than 9.0 m, while the distance between such cables and bulkheads shall not be more than 4.5 m."

2.5 System control requirements

2.5.1 Visual and audible fire signals

6 The following new paragraphs 2.5.1.2, 2.5.1.3 and 2.5.1.4 are inserted after paragraph 2.5.1.1 and the subsequent paragraphs are renumbered accordingly:

"2.5.1.2 On ro-ro passenger ships constructed on or after 1 January 2026, alarm notifications shall follow a consistent alarm presentation scheme (wording, vocabulary, colour and position). Alarms shall be immediately recognizable on the navigation bridge and shall not be compromised by noise or poor placing.

2.5.1.3 On ro-ro passenger ships constructed on or after 1 January 2026, the interface shall provide alarm addressability, allow the crew to identify the alarm history, the most recent alarm and the means to suppress alarms while ensuring the alarms with ongoing trigger conditions are still clearly visible.

2.5.1.4 On ro-ro passenger ships constructed on or after 1 January 2026, the smoke detector function in special category and ro-ro spaces may be disconnected during loading and unloading of vehicles. The time of disconnection shall be adapted to the time of loading/unloading and be automatically reset after this predetermined time. The central unit shall indicate whether the detector sections are disconnected or not. Disconnection of the heat detection function or manual call points shall not be permitted."

ANNEX 7

DRAFT AMENDMENTS TO RESOLUTIONS MSC.215(82) AND MSC.288(87)

**DRAFT AMENDMENTS TO THE PERFORMANCE STANDARDS FOR PROTECTIVE
COATINGS FOR DEDICATED SEAWATER BALLAST TANKS
(RESOLUTION MSC.215(82))**

6 COATING INSPECTION REQUIREMENTS

6.1 General

1 The existing paragraph 6.1.1 is replaced by the following:

"6.1.1 To ensure compliance with this Standard, the following shall be carried out by qualified coating inspectors certified to AMPP Certified Coatings Inspector, FROSIO Inspector Level III or equivalent as verified by the Administration."

**DRAFT AMENDMENTS TO THE PERFORMANCE STANDARD FOR PROTECTIVE
COATINGS FOR CARGO OIL TANKS OF CRUDE OIL TANKERS
(RESOLUTION MSC.288(87))**

6 COATING INSPECTION REQUIREMENTS

6.1 General

1 The existing paragraph 6.1.1 is replaced by the following:

"6.1.1 To ensure compliance with this Standard, the following shall be carried out by qualified coating inspectors certified to AMPP Certified Coatings Inspector, FROSIO Inspector Level III or equivalent as verified by the Administration."

ANNEX 8

**DRAFT AMENDMENTS TO PART A OF THE SEAFARERS' TRAINING,
CERTIFICATION AND WATCHKEEPING (STCW) CODE**

**CHAPTER VI
STANDARDS REGARDING EMERGENCY, OCCUPATIONAL SAFETY,
SECURITY, MEDICAL CARE AND SURVIVAL FUNCTIONS**

Section A-VI/1

Mandatory minimum requirements for safety familiarization, basic training and instruction for all seafarers

1 Table A-VI/1-4 (Specification of minimum standard of competence in personal safety and social responsibilities) is replaced by the following:

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Comply with emergency procedures	<p>Types of emergency which may occur, such as collision, fire, foundering</p> <p>Knowledge of shipboard contingency plans for response to emergencies</p> <p>Emergency signals and specific duties allocated to crew members in the muster list; muster stations; correct use of personal safety equipment</p> <p>Action to take on discovering potential emergency, including fire, collision, foundering and ingress of water into the ship</p> <p>Action to take on hearing emergency alarm signals</p> <p>Value of training and drills</p> <p>Knowledge of escape routes and internal communication and alarm systems</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	<p>Initial action on becoming aware of an emergency conforms to established emergency response procedures</p> <p>Information given on raising alarm is prompt, accurate, complete and clear</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Take precautions to prevent pollution of the marine environment	<p>Basic knowledge of the impact of shipping on the marine environment and the effects of operational or accidental pollution on it</p> <p>Basic environmental protection procedures</p> <p>Basic knowledge of complexity and diversity of the marine environment</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	Organizational procedures designed to safeguard the marine environment are observed at all times
Observe safe working practices	<p>Importance of adhering to safe working practices at all times</p> <p>Safety and protective devices available to protect against potential hazards aboard ship</p> <p>Precautions to be taken prior to entering enclosed spaces</p> <p>Familiarization with international measures concerning accident prevention and occupational health¹</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	Safe working practices are observed and appropriate safety and protective equipment is correctly used at all times
Contribute to effective communications on board ship	<p>Understand the principles of, and barriers to, effective communication between individuals and teams within the ship</p> <p>Ability to establish and maintain effective communications</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	Communications are clear and effective at all times

¹ The ILO Code of practice on accident prevention on board ship at sea and in port may be of assistance in the preparation of courses.

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Contribute to effective human relationships on board ship	<p>Importance of maintaining good human and working relationships aboard ship</p> <p>Basic teamworking principles and practice, including conflict resolution</p> <p>Social responsibilities; employment conditions; individual rights and obligations; dangers of drug and alcohol abuse</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	Expected standards of work and behaviour are observed at all times
Contribute to the prevention of and response to bullying and harassment, including sexual assault and sexual harassment	<p>Prevention of bullying and harassment:</p> <p>Basic knowledge of bullying and harassment, including sexual assault and sexual harassment, and the continuum of harm</p> <p>Basic knowledge of the consequences of bullying and harassment, including sexual assault and sexual harassment on victims, perpetrators, bystanders, stakeholders, and its effects on safety</p> <p>Understand that power dynamics, drugs or alcohol may be used to create coercive situations that contribute to bullying, harassment, including sexual assault and sexual harassment</p> <p>Responding to bullying and harassment:</p> <p>Ability to identify bullying and harassment, including</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	<p>Acceptable practices and procedures designed for the prevention of bullying and harassment, including sexual assault and sexual harassment are observed at all times</p> <p>Able to identify bullying and harassment, including sexual assault and sexual harassment and the continuum of harm and its effects</p> <p>Acceptable practices and procedures designed for the intervention in and reporting of bullying and harassment,</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>sexual assault and sexual harassment</p> <p>Basic knowledge of the action to take to intervene in and report bullying, harassment, including sexual assault and sexual harassment</p> <p>Understand the basic principles of trauma-informed response and how to provide appropriate support to a victim, bystanders and self</p>		<p>including sexual assault and sexual harassment are observed at all times</p>
<p>Understand and take necessary actions to control fatigue</p>	<p>Importance of obtaining the necessary rest</p> <p>Effects of sleep, schedules and the circadian rhythm on fatigue</p> <p>Effects of physical stressors on seafarers</p> <p>Effects of environmental stressors in and outside the ship and their impact on seafarers</p> <p>Effects of schedule changes on seafarer fatigue</p>	<p>Assessment of evidence obtained from approved instruction or during attendance at an approved course</p>	<p>Fatigue management practices are observed and appropriate actions are used at all times</p>

ANNEX 9

DRAFT REVISED INTERNATIONAL CONVENTION ON STANDARDS OF TRAINING, CERTIFICATION AND WATCHKEEPING FOR FISHING VESSEL PERSONNEL (STCW-F), 1995

CHAPTER I General provisions

Regulation I/1 *Definitions*

- 1 For the purpose of this annex, the following definitions apply.
- .1 *Regulations* means regulations contained in the annex to the Convention.
 - .2 *Approved* means approved by the Party in accordance with these regulations.
 - .3 *Skipper* means the person having command of a fishing vessel.
 - .4 *Officer* means a member of the crew, other than the skipper, designated as such by national law or regulations or, in the absence of such designation, by collective agreement or custom.
 - .5 *Officer in charge of a navigational watch* means an officer qualified in accordance with the provisions of regulation II/2 or II/4 of this Convention.
 - .6 *Engineer officer* means an officer qualified in accordance with the provisions of regulation II/5-1-1, II/5-1-2 or II/5-2 of this Convention.
 - .7 *Chief engineer officer* means the senior engineer officer responsible for the mechanical propulsion and operation and maintenance of mechanical and electrical installations of the vessel.
 - .8 *Second engineer officer* means the engineer officer next in rank to the chief engineer officer and upon whom the responsibility for the mechanical propulsion and the operation and maintenance of the mechanical and electrical installations of the vessel will fall in the event of the incapacity of the chief engineer officer.
 - .9 *Radio operator* means a person holding an appropriate certificate issued or recognized by an Administration under the provisions of the Radio Regulations.
 - .10 *Radio Regulations* means the Radio Regulations complementing the Constitution and Convention of the International Telecommunication Union which is in force at any given time.
 - .11 *1978 STCW Convention* means the International Convention on Standards of Training, Certification and Watchkeeping for Seafarers, 1978.
 - .12 *1993 Torremolinos Protocol* means the Torremolinos Protocol of 1993 relating to the Torremolinos International Convention for the Safety of Fishing Vessels, 1977.

- .13 *2012 Cape Town Agreement* means the Cape Town Agreement of 2012 on the Implementation of the Provisions of the 1993 Torremolinos Protocol relating to the Torremolinos International Convention for the Safety of Fishing Vessels, 1977.
- .14 *Month* means a calendar month or 30 days made up of periods of less than one month.
- .15 *Seagoing service* means service on board a vessel relevant to the issue or revalidation of a certificate or other qualification.
- .16 *Propulsion power* means the total maximum continuous rated output power, in kilowatts, of all the vessel's main propulsion machinery which appears on the vessel's certificate of registry or other official document.
- .17 *Limited waters* means those waters in the vicinity of a Party as defined by its Administration within which a degree of safety is considered to exist which enables the standards of qualification and certification for all fishing vessel personnel to be set at a lower level than for service outside the defined limits. In determining the extent of limited waters, the Administration shall take into consideration the guidelines developed by the Organization.²
- .18 *Unlimited waters* mean waters beyond limited waters.
- .19 *Length (L)* shall be taken as 96% of the total length on a waterline at 85% of the least moulded depth measured from the keel line, or as the length from the foreside of the stem to the axis of the rudder stock on that waterline, if that be greater. In vessels designed with rake of keel the waterline on which this length is measured shall be parallel to the designed waterline.
- .20 *Moulded depth* is the vertical distance measured from the keel line to the top of the working deck beam at side.
- .21 *STCW-F Code* means the Standards of Training, Certification and Watchkeeping for Fishing Vessel Personnel (STCW-F) Code as adopted by MSC resolution [...], as may be amended by the Organization.
- .22 *Owner* means the owner of the fishing vessel or any other organization or person, such as the manager, agent, operator, company, authorized representative or bareboat charterer, who has assumed the responsibility for the operation of the vessel from the owner and who, on assuming such responsibility, has agreed to take over the duties and responsibilities imposed on fishing vessel owners in accordance with the Convention, regardless of whether any other organization or person fulfils certain of the duties or responsibilities on behalf of the fishing vessel owner.
- .23 *Fishing vessel personnel* means every person employed or engaged in any capacity or carrying out an occupation on board any fishing vessel, including persons working on board who are paid on the basis of a share of the catch but excluding pilots, naval personnel, other persons in the permanent service of a government, shore-based persons carrying out work aboard a fishing vessel and fisheries observers.

² Reference is made to annex 1 to resolution A.539(13) on *Certification of skippers and officers in charge of a navigational watch on fishing vessels of 24 metres in length and over*, adopted by the Organization.

- .24 *Function* means a group of tasks, duties and responsibilities, as specified in the STCW-F Code, necessary for fishing vessel operation, safety of life at sea or protection of the marine environment.
- .25 *Fishing training vessel* means a dedicated training vessel, designed for catching and storing fish, which provides a training opportunity for demonstration and assessment of the competences required by the provisions of chapter II.
- .26 *GMDSS radio operator* means a person who is qualified in accordance with the provisions of regulation II/6 of the Convention.
- .27 *Certificate of competency* means a certificate issued and endorsed for skippers, officers and GMDSS radio operators in accordance with the provisions of chapter II of this annex and entitling the lawful holder thereof to serve in the capacity and perform the functions involved at the level of responsibility specified therein.
- .28 *Certificate of proficiency* means a certificate, other than a certificate of competency issued to fishing vessel personnel, stating that the relevant requirements of training, competencies or seagoing service in the Convention have been met.

2 These regulations are supplemented by the mandatory provisions contained in part A of the STCW-F Code and:

- .1 any reference to a requirement in a regulation also constitutes a reference to the corresponding section of part A of the STCW-F Code;
- .2 in applying these regulations, the related guidance and explanatory material contained in part B of the STCW-F Code should be taken into account to the greatest degree possible in order to achieve a more uniform implementation of the Convention provisions on a global basis;
- .3 amendments to part A of the STCW-F Code shall be adopted, brought into force and take effect in accordance with the provisions of article 10 of the Convention concerning the amendment procedure applicable to the annex; and
- .4 part B of the STCW-F Code shall be amended by the Maritime Safety Committee in accordance with its rules of procedure.

Regulation I/2

Application

1 The Administration of a Party, if it considers it unreasonable or impracticable to apply the full requirements of regulations II/3, II/4 and II/5-1-1, II/5-1-2 or II/5-2 and the requirement of the use of the English language to personnel serving on board a fishing vessel of less than 45 metres in length operating exclusively from its ports and fishing within its limited waters, may determine which of these regulations should not apply, wholly or in part, to such personnel, without derogation from the principles of safety in the Convention. In such a case, the Administration concerned shall report to the Secretary-General on the details of the measures it has taken with respect to the training and certification of such personnel.

2 For the purpose of this Convention, the Administration may decide to use the following gross tonnage in place of length (L) as the basis for measurement for all chapters:

- .1 a gross tonnage of 300 shall be considered equivalent to a length (L) of 24 m; and
- .2 a gross tonnage of 950 shall be considered equivalent to a length (L) of 45 m.

Regulation I/3

Certificates and endorsements

1 Certificates of competency for fishing vessel personnel shall only be issued by the Administration if the requirements for service, age, medical fitness, training, qualification and examinations are met in accordance with these regulations.

2 A certificate of competency issued by a Party in compliance with paragraph 1 shall be endorsed by that Party attesting the issue of that certificate in the form as prescribed in format 1 or 2 of section A-I/3 of the STCW-F Code.

3 Certificates and endorsements shall be issued in the official language or languages of the issuing country. If the language used is not English, the text shall include a translation into that language.

4 In respect of radio operators, Parties may:

- .1 include the additional knowledge required by regulation II/6 in the examination for the issue of a certificate complying with the Radio Regulations; or
- .2 issue a separate certificate indicating that the holder has the additional knowledge required by regulation II/6.

5 The Administration which has recognized a certificate issued by or under the authority of another Party in compliance with regulation I/7 shall issue an endorsement attesting the recognition of that certificate in the form prescribed in format 3 of section A-I/3 of the STCW-F Code.

6 The endorsement shall expire as soon as the certificate endorsed expires or is withdrawn, suspended or cancelled by the Party which issued it and, in any case, not more than five years after the date of issue.

7 Appropriate certificates of competency issued under the provisions of the 1978 STCW Convention for the holder to serve as a chief engineer officer, an engineer officer or GMDSS radio operator shall be deemed to be a corresponding certificate for the purposes of paragraph 1 with regard to fishing vessels.

8 Medical certificates issued in accordance with the provisions of regulation I/9 of the 1978 STCW Convention shall be accepted as valid for the personnel of fishing vessels.

9 Subject to the variations permitted under formats 1, 2 and 3 of section A-I/3 of the STCW-F Code, Administrations may use a format different from the format given in the section provided that such format contains, as a minimum, the required information and that the particulars are inserted in Roman characters and Arabic figures.

Regulation I/4

Control procedures

1 Control exercised by a duly authorized officer under article 8 shall be limited to the following:

- .1 verification that all fishing vessel personnel serving on board who are required to be certificated by this Convention are so certificated or hold the required dispensation. Such certificates shall be accepted unless there are clear grounds for believing that a certificate has been fraudulently obtained or that the holder of a certificate is not the person to whom that certificate was originally issued; and
- .2 assessment of the ability of the fishing vessel personnel to maintain watchkeeping standards as required by the Convention if there are clear grounds for believing that such standards are not being maintained, because the following have occurred:
 - .1 the vessel has been involved in a collision, grounding or stranding; or
 - .2 there has been a discharge of substances from the vessel when under way, at anchor or at berth which is illegal under international conventions; or
 - .3 the vessel has been manoeuvred in an erratic or unsafe manner, whereby routing measures adopted by the Organization, or safe navigation practices and procedures, have not been followed; or
 - .4 the vessel is otherwise being operated in such a manner as to pose a danger to persons, property or the environment.

2 In the event that deficiencies are found under paragraph 1, the officer carrying out the control shall forthwith inform, in writing, the skipper of the vessel and the Administration, so that appropriate action may be taken. Such notification shall specify the details of the deficiencies found and the grounds on which the Party determines that these deficiencies pose a danger to persons, property or the environment.

3 Deficiencies which may be deemed to pose a danger to persons, property or the environment include the following:

- .1 failure of persons, required to hold a certificate, to have an appropriate certificate or dispensation;
- .2 failure of navigational or engineering watch arrangements to conform to the requirements specified for the vessel by the Administration;
- .3 absence in a watch of a person qualified to operate equipment essential to safe navigation, safety radio communications or the prevention of pollution; or
- .4 inability to provide rested persons for the first watch at the commencement of a voyage, and for subsequent relieving watches.

Regulation I/5

Communication of information

1 The Secretary-General shall, on request, provide Parties with any information communicated to him under article 4.

2 A Party which fails to communicate information required by article 4 within 24 months after the date of entry into force of the Convention for a Party shall not be entitled to claim the privileges of this Convention until such time as the information has been received by the Secretary-General.

Regulation I/6

Administration of certification arrangements

1 Each Party undertakes to establish and maintain a means of ensuring that programmes incorporating such instruction and practical training as is necessary to achieve the competency standards are regularly monitored to ensure their effectiveness.

2 Each Party undertakes, to the extent practicable, to maintain a register or registers of all certificates and endorsements specified in regulations I/3 and II/1 to II/6 which are issued, have expired, or have been revalidated, reported lost, suspended or cancelled, and of dispensations issued, and provide information on the status of such certificates, endorsements and dispensations when so requested by another Party.

Regulation I/7

Recognition of certificates

1 Each Administration shall ensure, in order to recognize, by endorsement in accordance with regulation I/3, a certificate issued by or under the authority of another Party, that the requirements for standards of competence, as well as the issue and endorsement of certificates by that Party, are fully complied with.

2 Certificates issued by or under the authority of a non-Party shall not be recognized.

3 Notwithstanding the requirement of paragraph 1 of this regulation and paragraph 5 of regulation I/3, an Administration may, if circumstances require, allow a person to serve for a period not exceeding three months on board a vessel entitled to fly its flag while holding an appropriate and valid certificate issued by another Party without it being endorsed as required by paragraph 5 of regulation I/3 provided that documented proof is made available that application for an endorsement has been submitted to the Administration.

Regulation I/8

Transitional provisions

1 A certificate of competency or of service in a capacity for which this Convention requires a certificate and which before entry into force of the Convention for a Party is issued in accordance with the laws of that Party or the Radio Regulations, shall be recognized as valid for service after entry into force of the Convention for that Party.

2 After the entry into force of the Convention for a Party, it may continue to issue certificates of competency in accordance with its previous practices for a period not exceeding five years. Such certificates shall be recognized as valid for the purpose of the Convention. During this transitional period such certificates shall be issued only to persons who had commenced their sea service before entry into force of the Convention for that Party within the specific ship department to which those certificates relate. The Party shall ensure that all other candidates for certification shall be examined and certificated in accordance with the Convention.

3 A Party may, within two years after entry into force of the Convention for that Party, issue a certificate of service to fishing vessel personnel who hold neither an appropriate certificate under the Convention nor a certificate of competency issued under its laws before entry into force of the Convention for that Party but who have:

- .1 served in the capacity for which they seek a certificate of service for not less than three years at sea within the last seven years preceding entry into force of the Convention for that Party;
- .2 produced evidence that they have performed that service satisfactorily; and
- .3 satisfied the Party as to medical fitness, including eyesight and hearing, taking into account their age at the time of application.

For the purpose of the Convention, a certificate of service issued under this paragraph shall be regarded as the equivalent of a certificate issued under the Convention.

Regulation I/9

Dispensation

1 In circumstances of exceptional necessity, an Administration, if in its opinion this will not cause danger to persons, property or the environment, may issue a dispensation permitting a person to serve in a specified fishing vessel for a specified period not exceeding six months in a capacity, other than that of the radio operator, except as provided by the relevant Radio Regulations, for which the person does not hold the appropriate certificate, provided that the person to whom the dispensation is issued shall be adequately qualified to fill the vacant post in a safe manner, to the satisfaction of the Administration.

2 Any dispensation granted for a post shall be granted only to a person properly certificated to fill the post immediately below it. Where certification of the post below is not required by the Convention, a dispensation may be issued to a person whose competence and experience are, in the opinion of the Administration, clearly equivalent to the requirements for the post to be filled, provided that, if such a person holds no appropriate certificate, the person shall be required to pass a test accepted by the Administration as demonstrating that such a dispensation may safely be issued. In addition, the Administration shall ensure that the post in question is filled by the holder of an appropriate certificate as soon as possible.

3 Each Party shall as soon as possible after 1 January each year send a report to the Secretary-General giving information of the total number of dispensations in respect of each capacity for which a certificate is required, including nil returns.

Regulation I/10

Equivalents

1 The Convention shall not prevent a Party from retaining or adopting other educational and training arrangements, including those involving seagoing service and shipboard organization especially adapted to technical developments and to special types of vessels, provided that the level of seagoing service, knowledge and efficiency as regards navigational and technical handling of vessels ensures a degree of safety at sea and has a preventive effect as regards pollution at least equivalent to the requirements of the Convention.

2 Details of such arrangements shall be included in the report under article 4.

Regulation I/11

Use of simulators

1 The performance standards and other provisions set forth in section A-I/11 and such other requirements as are prescribed in part A of the STCW-F Code for any certificate concerned shall be complied with in respect of:

- .1 all simulator-based training;
- .2 any assessment of competency required by part A of the STCW-F Code which is carried out by means of a simulator; and
- .3 any demonstration, by means of a simulator, of continued proficiency required by part A of the STCW-F Code.

Regulation I/12

Medical standards

1 Each Party shall establish standards of medical fitness for fishing vessel personnel and procedures for the issue of a medical certificate in accordance with the provisions of this regulation and of section A-I/12 of the STCW-F Code.

2 Each Party shall ensure that those responsible for assessing the medical fitness of fishing vessel personnel are medical practitioners recognized by the Party for the purpose of fishing vessel personnel medical examinations, in accordance with the provisions of section A-I/12 of the STCW-F Code.

3 Every crew member holding a certificate issued under the provisions of the Convention who is serving at sea shall also hold a valid medical certificate issued in accordance with the provisions of this regulation and of section A-I/12 of the STCW-F Code.

4 Every candidate for certification shall:

- .1 be not less than 16 years of age; or

- .2 be not less than 15 years of age provided that the candidate is authorized by the competent authority in accordance with national laws and practice;³
- .3 provide satisfactory proof of his or her identity; and
- .4 meet the applicable medical fitness standards established by the Party.

5 Medical certificates shall remain valid for a maximum period of two years unless the crew member is under the age of 18, in which case the maximum period of validity shall be one year.

6 If the period of validity of a medical certificate expires in the course of a voyage, then the medical certificate shall continue in force until the next port of call where a medical practitioner recognized by the Party is available, provided that the period shall not exceed three months.

7 In urgent cases the Administration may permit a crew member to work without a valid medical certificate until the next port of call where a medical practitioner recognized by the Party is available, provided that:

- .1 the period of permission does not exceed three months; and
- .2 the crew member concerned is in possession of an expired medical certificate of recent date.

CHAPTER II

Certification of skippers, officers, engineer officers and radio operators

Regulation II/1

Mandatory minimum requirements for certification of skippers on fishing vessels of 24 metres in length and over operating in unlimited waters

1 Every skipper on a fishing vessel of 24 metres in length and over operating in unlimited waters shall hold a certificate of competency.

2 Every candidate for certification shall:

- .1 meet the requirements for certification as an officer in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in unlimited waters, and have approved seagoing service of not less than 12 months as an officer in charge of a navigational watch or skipper on fishing vessels of not less than 12 metres in length. However, the Party may allow, the substitution of a period not exceeding six months of approved seagoing service, as an officer in charge of a navigational watch on seagoing vessels covered by the 1978 STCW Convention; and
- .2 meet the standard of competence specified in section A-II/1 of the STCW-F Code.

³ Reference is made to article 9 of the ILO Work in Fishing Convention, 2007 (No.188).

3 A candidate who holds a valid certificate of competency issued in accordance with the provisions of the 1978 STCW Convention need not be reassessed in those standards of competence listed in section A-II/1 of the STCW-F Code that were required at a higher or equivalent level for the issuance of the corresponding 1978 STCW Convention certificate.

Regulation II/2

Mandatory minimum requirements for certification of officers in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in unlimited waters

1 Every officer in charge of a navigational watch on a fishing vessel of 24 metres in length and over operating in unlimited waters shall hold a certificate of competency.

2 Every candidate for certification shall:

.1 be not less than 18 years of age;

.2 have approved seagoing service of not less than:

.1 12 months on fishing vessels or fishing training vessels of not less than 12 metres in length as part of an approved training programme which includes onboard training that meets the requirements of section A-II/2 of the STCW-F Code and is documented in an approved training record book; or

.2 two years in the deck department on fishing vessels of not less than 12 metres in length. However, the Administration may allow the substitution of the seagoing service by a period of special training not exceeding one year, provided that the period of the special training programme shall be at least equivalent in value to the period of the required seagoing service it substitutes or by a period of approved seagoing service evidenced by an approved record book covered by the 1978 STCW Convention;

.3 meet the standard of competence specified in section A-II/2 of the STCW-F Code; and

.4 meet the applicable requirements of regulation II/6, as appropriate for performing designated radio duties in accordance with the Radio Regulations.

3 A candidate who holds a valid certificate of competency issued in accordance with the provisions of the 1978 STCW Convention need not be reassessed in those standards of competence listed in section A-II/2 of the STCW-F Code that were required at a higher or equivalent level for the issuance of the corresponding 1978 STCW Convention certificate.

Regulation II/3

Mandatory minimum requirements for certification of skippers on fishing vessels of 24 metres in length and over operating in limited waters

1 Every skipper on a fishing vessel of 24 metres in length and over operating in limited waters shall, unless they hold certificates issued in compliance with regulation II/1, hold a certificate of competency issued in compliance with at least the provisions of this regulation.

- 2 Every candidate for certification shall:
- .1 meet the requirements for certification as an officer in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in limited or unlimited waters, and have approved seagoing service of not less than 12 months as an officer in charge of a navigational watch or skipper on fishing vessels of not less than 12 metres in length. However, a Party may allow the substitution of a period not exceeding six months of approved seagoing service as officer in charge of a navigational watch on seagoing vessels covered by the 1978 STCW Convention; and
 - .2 meet the standard of competence specified in section A-II/3 of the STCW-F Code.
- 3 The Party, bearing in mind the effect on the safety of all vessels and structures which may be operating in the same limited waters, should consider the limited waters it has defined in accordance with the definition given in regulation I/1 and determine any additional material that should be included in the standard of competence.
- 4 A candidate who holds a valid certificate of competency issued in accordance with the provisions of the 1978 STCW Convention need not be reassessed in those standards of competence listed in section A-II/3 of the STCW-F Code that were required at a higher or equivalent level for the issuance of the corresponding 1978 STCW Convention certificate.

Regulation II/4

Mandatory minimum requirements for certification of officers in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in limited waters

- 1 Every officer in charge of a navigational watch on a fishing vessel of 24 metres in length and over operating in limited waters shall either hold a certificate issued in compliance with regulation II/2 or hold a certificate of competency issued in compliance with at least the provisions of this regulation.
- 2 Every candidate for certification shall:
- .1 be not less than 18 years of age;
 - .2 have approved seagoing service of not less than:
 - .1 12 months on fishing vessels or fishing training vessels of not less than 12 metres in length as part of an approved training programme which includes onboard training that meets the requirements of section A-II/4 of the STCW-F Code and is documented in an approved training record book; or
 - .2 two years in the deck department on fishing vessels of not less than 12 metres in length. However, the Administration may allow the substitution of the seagoing service by a period of special training not exceeding one year, provided that the period of the special training programme shall be at least equivalent in value to the period of the required seagoing service it substitutes or by a period of approved seagoing service evidenced by an approved record book covered by the 1978 STCW Convention;

- .3 meet the standard of competence specified in section A-II/4 of the STCW-F Code;
- .4 meet the appropriate requirements for performing designated radio duties in accordance with the Radio Regulations.

3 A candidate who holds a valid certificate of competency issued in accordance with the provisions of the 1978 STCW Convention need not be reassessed in those standards of competence listed in section A-II/4 of the STCW-F Code, which were required at a higher or equivalent level for the issuance of the corresponding 1978 STCW Convention certificate.

Regulation II/5-1-1

Mandatory minimum requirements for certification of chief engineer officers and second engineer officers on fishing vessels powered by main propulsion machinery of 3,000 kW propulsion power or more

1 Every chief engineer officer and second engineer officer on a seagoing fishing vessel powered by main propulsion machinery of 3,000 kW propulsion power or more shall hold a certificate of competency.

2 Every candidate for certification shall:

- .1 meet the requirements for certification as an officer in charge of an engineering watch on fishing vessels powered by main propulsion machinery of 750 kW propulsion power or more and have approved seagoing service in that capacity:
 - .1.1 for certification as second engineer officer, have not less than 12 months as qualified engineer officer, and
 - .1.2 for certification as chief engineer officer, have not less than 36 months; however, this period may be reduced to not less than 24 months if not less than 12 months of such seagoing service has been served as second engineer officer; and
- .2 have completed approved education and training and meet the standard of competence specified in section A-II/5-1-1 of the STCW-F Code.

Regulation II/5-1-2

Mandatory minimum requirements for certification of chief engineer officers and second engineer officers on fishing vessels powered by main propulsion machinery of between 750 kW and 3,000 kW propulsion power

1 Every chief engineer officer and second engineer officer on a seagoing fishing vessel powered by main propulsion machinery of between 750 kW and 3,000 kW propulsion power shall hold a certificate of competency.

2 Every candidate for certification shall:

- .1 meet the requirements for certification as an officer in charge of an engineering watch on fishing vessels powered by main propulsion machinery of 750 kW propulsion power or more and:

- .1 for certification as second engineer officer, have not less than 12 months of approved seagoing service as assistant engineer officer or engineer officer; and
 - .2 for certification as a chief engineer officer, have not less than 24 months of approved seagoing service of which not less than 12 months shall be served while qualified to serve as second engineer officer; and
- .2 have completed approved education and training and meet the standard of competence specified in section A-II/5-1-2 of the STCW-F Code.

3 Every engineer officer who is qualified to serve as second engineer officer on fishing vessels powered by main propulsion machinery of 3,000 kW propulsion or more, may serve as chief engineer officer on fishing vessels powered by main propulsion machinery of less than 3,000 kW propulsion power, provided the certificate is so endorsed.

Regulation II/5-2

Mandatory minimum requirements for certification of officers in charge of an engineering watch in a manned engine-room or designated duty engineers in a periodically unmanned engine-room on fishing vessels powered by main propulsion machinery of 750 kW propulsion power or more

1 Every officer in charge of an engineering watch in a manned engine-room or designated duty engineer officer in a periodically unmanned engine-room serving on a seagoing fishing vessel powered by main propulsion machinery of 750 kW propulsion power or more shall hold a certificate of competency.

2 Every candidate for certification shall:

- .1 be not less than 18 years of age;
- .2 have completed 12 months of combined workshop skills training and approved seagoing service of which not less than 6 months must be served on board fishing vessels or fishing training vessels as part of an approved training programme which includes onboard training that meets the requirements of section A-II/5-2 of the STCW-F Code and is documented in an approved training record book; or
- .3 have completed 12 months of combined workshop skills training and approved seagoing service of which not less than 6 months must be served on ships or training ships being operated in accordance with the 1978 STCW Convention as part of an approved training programme which includes onboard training that meets the requirements of section A-II/5-2 of the STCW-F Code and is documented in an approved training record book; or
- .4 have approved seagoing service of not less than 12 months in the engine-room. However, the Administration may allow, as deemed necessary, the substitution of up to six months of the seagoing service by a period of special training such as workshop skills training, provided that the special training programme is equivalent in value to the period of the required seagoing service it substitutes; and
- .5 meet the standard of competence specified in section A-II/5-2 of the STCW-F Code.

3 The Party may vary the requirements for standard of competence and seagoing service for officers of fishing vessels engaged in voyages in limited waters bearing in mind the power of the propulsion machinery and the effect on the safety of all fishing vessels which may be operating in the same waters.

4 Training to achieve the necessary theoretical knowledge and practical experience shall take into account relevant international regulations and recommendations.

Regulation II/6

Mandatory minimum requirements for certification of GMDSS radio operators on board fishing vessels

Explanatory note

Mandatory provisions relating to radio watchkeeping are set forth in the Radio Regulations and the 2012 Cape Town Agreement. Provisions for radio maintenance are set forth in the 2012 Cape Town Agreement.

Application

1 Except as provided in paragraph 2, the provisions of this regulation shall apply to radio operators on fishing vessels operating within the Global Maritime Distress and Safety System (GMDSS) as prescribed by the international conventions.

2 Radio operators on fishing vessels that are not required to comply with the provisions of the GMDSS are not required to meet the provisions of this regulation, but are nevertheless required to comply with the Radio Regulations. The Administration shall ensure that the appropriate certificates as prescribed by the Radio Regulations are issued or recognized in respect of such radio operators.

Mandatory minimum requirements for certification of GMDSS radio operators

1 Every person in charge of or performing radiocommunication duties on a fishing vessel operating within the GMDSS shall hold an appropriate certificate related to the GMDSS, issued or recognized by the Administration under the provisions of the Radio Regulations.

2 In addition, every candidate for certification of competency under this regulation for service on a fishing vessel which is required by the 1993 Torremolinos Protocol or the 2012 Cape Town Agreement to have a radio installation, shall:

- .1 be not less than 18 years of age; and
- .2 have completed approved education and training and meet the standard of competence specified in section A-II/6 of the STCW-F Code.

3 For endorsement of all types of certificates issued under the provisions of the Radio Regulations as meeting the requirements of the Convention, the required knowledge, understanding and proficiency is given in section A-II/6 of the STCW-F Code. In determining the appropriate level of knowledge and training the Party shall also take into account the relevant recommendations in section B-II/6 of the STCW-F Code.

Regulation II/7

Revalidation of certificates for skippers and officers

1 Every skipper or officer holding a certificate issued or recognized under this chapter of the Convention who is serving at sea or intends to return to sea after a period ashore, shall, in order to continue to qualify for seagoing service, be required, at intervals not exceeding five years, to:

- .1 meet the standards of medical fitness prescribed in regulation I/12; and
- .2 establish continued professional competence in accordance with section A-II/7 of the STCW-F Code.

2 Each Party shall compare the standards of competence which it required of candidates for certificates issued before DD/MM/YYYY (date entry into force plus five years) with those specified for the appropriate certificate in part A of the STCW-F Code, and shall determine the need for requiring the holders of such certificates to undergo appropriate refresher and updating training or assessment.

3 The Party shall, in consultation with those concerned, formulate or promote the formulation of a structure of refresher and updating courses as provided for in section A-II/7 of the STCW-F Code.

4 For the purpose of updating the knowledge of skippers and officers, each ~~The~~ Administration shall ensure that the texts of recent changes in national and international regulations concerning the safety of life at sea, and the protection of the marine environment are made available to fishing vessels entitled to fly its flag.

Regulation II/8

Revalidation of certificates for GMDSS radio operators

1 Every GMDSS radio operator holding a certificate issued or recognized under this chapter of the Convention who is serving at sea or intends to return to sea after a period ashore shall, in order to continue to qualify for seagoing service, be required, at intervals not exceeding five years, to:

- .1 meet the standards of medical fitness prescribed in regulation I/12; and
- .2 establish continued professional competence in accordance with section A-II/8 of the STCW-F Code.

2 Each Party shall compare the standards of competence which it required of candidates for certificates issued before DD/MM/YYYY (date entry into force plus five years) with those specified for the appropriate certificate in part A of the STCW-F Code, and shall determine the need for requiring the holders of such certificates to undergo appropriate refresher and updating training or assessment.

3 The Party shall, in consultation with those concerned, formulate or promote the formulation of a structure of refresher and updating courses as provided for in section A-II/8 of the STCW-F Code.

4 For the purpose of updating the knowledge of GMDSS radio operators, each Administration shall ensure that the texts of recent changes in national and international regulations concerning radiocommunications and relevant to the safety of life at sea are made available to ships entitled to fly its flag.

CHAPTER III

Basic training and onboard safety familiarization for all fishing vessel personnel

Regulation III/1

Mandatory minimum requirements for basic training and onboard safety familiarization for all fishing vessel personnel

- 1 Fishing vessel personnel shall, before being assigned to any shipboard duties:
 - .1 receive basic training approved by the Administration and onboard safety familiarization; and
 - .2 meet the appropriate standard of competence,

in accordance with section A-III/1.

2 Where basic training is not included in the qualification for the certificate to be issued, a certificate of proficiency shall be issued, indicating that the holder has successfully completed the course in basic training.

3 A candidate who holds a valid certificate of proficiency issued in accordance with the provisions of the 1978 STCW Convention need not be reassessed in those standards of competence listed in sections A-III/1-1, A-III/1-2, A-III/1-3 and A-III/1-4 of the STCW-F Code that were required at a higher or equivalent level for the issuance of the corresponding 1978 STCW Convention certificate.

CHAPTER IV

Watchkeeping

Regulation IV/1

Fitness for duty

The watch system shall be such that the efficiency of watchkeeping personnel is not impaired by fatigue. Duties shall be so organized that the first watch at the commencement of a voyage and the subsequent relieving watches are sufficiently rested and otherwise fit for duty.

Regulation IV/2

Basic watchkeeping principles to be observed on board fishing vessels

1 Administrations shall direct the attention of owners and operators of fishing vessels, skippers, chief engineer officers and all watchkeeping personnel to the requirements, principles and guidance set out in the STCW-F Code which shall be observed to ensure that a safe watch is maintained at all times.

2 The skipper of every fishing vessel shall ensure that watchkeeping arrangements are adequate for maintaining a safe watch or watches, taking into account the prevailing circumstances and conditions and that, under the skipper's general direction:

- .1 officers in charge of the navigational watch are responsible for navigating the fishing vessel safely during their periods of duty, when they shall be physically present on the navigating bridge or in a directly associated location such as the chartroom or bridge control room at all times;
- .2 radio operators are responsible for maintaining a continuous radio watch on appropriate frequencies during their periods of duty;
- .3 officers in charge of an engineering watch, as defined in the STCW-F Code, under the direction of the chief engineer officer, shall be immediately available and on call to attend the machinery spaces and, when required, shall be physically present in the machinery space during their periods of responsibility; and
- .4 an appropriate and effective watch or watches are maintained for the purpose of safety at all times.

3 The basic watchkeeping principles, including but not limited to those set out in the STCW-F Code, shall be taken into account on all fishing vessels. However, a Party may exclude very small fishing vessels operating in limited waters from fully observing the basic principles.

ANNEX 10

DRAFT STANDARDS OF TRAINING, CERTIFICATION AND WATCHKEEPING FOR FISHING VESSEL PERSONNEL (STCW-F) CODE

Part A

Mandatory standards regarding provisions of the STCW-F Convention and its annex

Introduction

1 This part of the STCW-F Code contains mandatory provisions to which specific reference is made in the annex to the International Convention on Standards of Training, Certification and Watchkeeping for Fishing Vessel Personnel, 1995, hereinafter referred to as the STCW-F Convention. These requirements provide the minimum standards required to be maintained by Parties in order to give full and complete effect to the Convention.

2 Also contained in this part are standards of competence required to be demonstrated by candidates for the issue and revalidation of certificates of competency under the provisions of the STCW-F Convention. The abilities specified in the standards of competence are grouped, as appropriate, under the following seven functions:¹

- .1-F Navigation
- .2-F Catch handling and stowage
- .3-F Controlling the operation of the vessel and care for persons on board
- .4-F Marine engineering
- .5-F Electrical, electronic and control engineering
- .6-F Maintenance and repair
- .7-F Radiocommunications

at the following levels of responsibility:

- .1 Management level
- .2 Operational level
- .3 Support level

Functions and levels of responsibility are identified by the subtitle in the tables of standards of competence given in chapter II of this part. The scope of the function at the level of responsibility stated in a subtitle is defined by the abilities listed under it in column 1 of the table. The meaning of "function" and "level of responsibility" is defined in general terms in section A-I/1 below.

3 The numbering of the sections of this part corresponds with the numbering of the regulations contained in the annex to the STCW-F Convention. The text of the sections may be divided into numbered parts and paragraphs, but such numbering is unique to that text alone.

¹ The suffix "-F" is aimed at making a distinction between the functions stipulated in the STCW Code and those in the STCW-F Code.

CHAPTER I Standards regarding general provisions

Section A-I/1

Definitions

1 The definitions and clarifications contained in article II and regulation I/1 apply equally to the terms used in parts A and B of this Code. In addition, the following supplementary definitions apply only to this Code:

- .1 *Standard of competence* means the level of proficiency to be achieved for the proper performance of functions on board vessels in accordance with the internationally agreed criteria as set forth herein and incorporating prescribed standards or levels of knowledge, understanding and demonstrated skill.
- .2 *Management level* means the level of responsibility associated with:
 - .1 serving as skipper, chief engineer officer or second engineer officer on board a fishing vessel; and
 - .2 ensuring that all functions within the designated area of responsibility are properly performed.
- .3 *Operational level* means the level of responsibility associated with:
 - .1 serving as officer in charge of a navigational or engineer watch or as radio operator on board a fishing vessel; and
 - .2 maintaining direct control over the performance of all functions within the designated area of responsibility in accordance with proper procedures and under the direction of an individual serving in the management level for that area of responsibility.
- .4 *Support level* means the level of responsibility associated with performing assigned tasks, duties or responsibilities on board a fishing vessel under the direction of an individual serving in the operational or management level.
- .5 *Evaluation criteria* are the entries appearing in column 4 of the "Specification of Minimum Standard of Competence" tables in part A and provide the means for an assessor to judge whether or not a candidate can perform the related tasks, duties and responsibilities.

Section A-I/2

Application

(No provisions)

Section A-I/3

Certificates and endorsements

1 When provided in regulation I/3, paragraph 2, the certificate shall be issued in the format 1-3, as shown below.

Format 1

The format used to attest the issue of a certificate shall be as shown below, provided that the words "or until the date of expiry of any extension of the validity of this certificate as may be shown overleaf" appearing on the front of the form and the provisions for recording extension of the validity appearing on the back of the form are omitted where the certificate is required to be replaced upon its expiry.

(Official seal)

(COUNTRY)

**CERTIFICATE ISSUED UNDER THE PROVISIONS OF
THE INTERNATIONAL CONVENTION ON STANDARDS OF TRAINING,
CERTIFICATION AND WATCHKEEPING FOR FISHING VESSEL PERSONNEL, 1995**

The Government of certifies that the holder of this certificate has been found duly qualified in accordance with the provisions of regulation of the above Convention and has been found competent to serve as specified below, subject to any limitations indicated until or until the date of expiry of any extension of the validity of this certificate as may be shown overleaf.

The lawful holder of this certificate may serve in the following capacity or capacities:

CAPACITY	LIMITATIONS APPLYING (IF ANY)

Certificate No. issued on

(Official seal)

Signature of duly authorized official

Name of duly authorized official

Date of birth of the holder of the certificate

Signature of the holder of the certificate

Photograph of the holder of the certificate



The validity of this certificate is hereby extended until

(Official seal)

.....
Signature of duly authorized official

Date of revalidation

.....
Name of duly authorized official

The validity of this certificate is hereby extended until

(Official seal)

.....
Signature of duly authorized official

Date of revalidation

.....
Name of duly authorized official

Format 2

The form used to attest the issue of a certificate shall be as shown below, provided that the words "or until the date of expiry of any extension of the validity of this endorsement as may be shown overleaf" appearing on the front of the form and the provisions for recording extension of the validity appearing on the back of the form are omitted where the endorsement is required to be replaced upon its expiry.

(Official seal)

(COUNTRY)

**ENDORSEMENT ATTESTING THE ISSUE OF A CERTIFICATE
UNDER THE PROVISIONS OF THE INTERNATIONAL CONVENTION ON
STANDARDS OF TRAINING, CERTIFICATION AND WATCHKEEPING
FOR FISHING VESSEL PERSONNEL, 1995**

The Government of certifies that certificate No. has been issued to who has been found duly qualified in accordance with the provisions of regulation of the above Convention and has been found competent to serve as specified below, subject to any limitations indicated until or until the date of expiry of any extension of the validity of this endorsement as may be shown overleaf.

The lawful holder of this endorsement may serve in the following capacity or capacities specified in the applicable safe manning requirements of the Administration:

CAPACITY	LIMITATIONS APPLYING (IF ANY)

Endorsement No. issued on

(Official seal)

.....
Signature of duly authorized official

.....
Name of duly authorized official

Date of birth of the holder of the certificate

Signature of the holder of the certificate

Photograph of the holder of the certificate



The validity of this endorsement is hereby extended until

(Official seal)

.
Signature of duly authorized official

Date of revalidation

.
Name of duly authorized official

The validity of this endorsement is hereby extended until

(Official seal)

.
Signature of duly authorized official

Date of revalidation

.
Name of duly authorized official

Format 3

The form used to attest the recognition of a certificate shall be as shown below, except that the words "or until the date of expiry of any extension of the validity of this endorsement as may be shown overleaf" appearing on the front of the form and the provisions for recording extension of the validity appearing on the back of the form shall be omitted where the endorsement is required to be replaced upon its expiry.

(Official Seal)

(COUNTRY)

**ENDORSEMENT ATTESTING THE RECOGNITION OF A CERTIFICATE
UNDER THE PROVISIONS OF THE INTERNATIONAL CONVENTION ON
STANDARDS OF TRAINING, CERTIFICATION AND WATCHKEEPING
FOR FISHING VESSEL PERSONNEL, 1995**

The Government of certifies that Certificate No.
issued to by or on behalf of the Government of
is duly recognized in accordance with the provisions of regulation I/7 of the above Convention,
and the lawful holder is authorized to serve as specified below, subject to any limitations
indicated until or until the date of expiry
of any extension of the validity of this endorsement as may be shown overleaf.

The lawful holder of this endorsement may serve in the following capacity or capacities
specified in the applicable safe manning requirements of the Administration:

CAPACITY	LIMITATIONS APPLYING (IF ANY)

Endorsement No. issued on

(Official Seal)

.....
Signature of duly authorized official

.....
Name of duly authorized official

Date of birth of the holder of the certificate

Signature of the holder of the certificate

Photograph of the holder of the certificate



The validity of this endorsement is hereby extended until

(Official seal)

.....
Signature of duly authorized official
Date of revalidation

.....
Name of duly authorized official

The validity of this endorsement is hereby extended until

(Official seal)

.....
Signature of duly authorized official
Date of revalidation

.....
Name of duly authorized official

Section A-I/4

Control procedures

(No provisions)

Section A-I/5

Communication of information

(No provisions)

Section A-I/6

Administration of certification arrangements

(No provisions)

Section A-I/7

Recognition of certificates

(No provisions)

Section A-I/8

Transitional provisions

(No provisions)

Section A-I/9

Dispensation

(No provisions)

Section A-I/10

Equivalents

(No provisions)

Section A-I/11

Use of simulators

General performance standards for simulators used in training

- 1 Each Party shall ensure that any simulator used for simulator-based training shall:
 - .1 be suitable for the selected objectives and training tasks;
 - .2 be capable of simulating the operating capabilities of shipboard equipment concerned, to a level of physical realism appropriate to training objectives, and include the capabilities, limitations and possible errors of such equipment;
 - .3 have sufficient behavioural realism to allow a trainee to acquire the skills appropriate to the training objectives;

- .4 provide a controlled operating environment capable of producing a variety of conditions, which may include emergency, hazardous or unusual situations relevant to the training objectives;
- .5 provide an interface through which a trainee can interact with the equipment, the simulated environment and, as appropriate, the instructor; and
- .6 permit an instructor to control, monitor and record exercises for the effective debriefing of the trainees.

General performance standards for simulators used in assessment of competence

2 Each Party shall ensure that any simulator used for the assessment of competence required under the Convention or for any demonstration of continued proficiency so required shall:

- .1 be capable of satisfying the specified assessment objectives;
- .2 be capable of simulating the operational capabilities of the shipboard equipment concerned to a level of physical realism appropriate to the assessment objectives, and include the capabilities, limitations and possible errors of such equipment;
- .3 have sufficient behavioural realism to allow a candidate to exhibit the skills appropriate to the assessment objectives;
- .4 provide an interface through which a candidate can interact with the equipment and simulated environment;
- .5 provide a controlled operating environment, capable of producing a variety of conditions, which may include emergency, hazardous or unusual situations relevant to assessment objectives; and
- .6 permit an assessor to control, monitor and record exercises for the effective assessment of the performance of candidates.

Additional performance standards

3 In addition to meeting the basic requirements set out in paragraphs 1 and 2, simulation equipment to which this section applies shall meet the performance standards given below in accordance with their specific type.

Radar simulation

4 Radar simulation equipment shall be capable of simulating the operational capabilities of navigational radar equipment which meets all applicable performance standards adopted by the Organization and incorporate facilities to:

- .1 operate in the stabilized relative-motion mode and sea- and ground-stabilized true-motion modes;
- .2 model weather, tidal streams, current, shadow sectors, spurious echoes and other propagation effects, and generate coastlines, navigational buoys and search and rescue transponders; and

- .3 create a real-time operating environment incorporating at least two own-vessel stations with ability to change the own vessel's course and speed, and include parameters for at least 20 target vessels and appropriate communication facilities.

Simulator training objectives

5 Each Party shall ensure that the aims and objectives of simulator-based training are defined within an overall training programme and that specific training objectives and tasks are selected so as to relate as closely as possible to shipboard tasks and practices.

Training procedures

- 6 In conducting simulator-based training, instructors shall ensure that:
 - .1 trainees are adequately briefed beforehand on the exercise objectives and tasks and are given sufficient planning time before the exercise starts;
 - .2 trainees have adequate familiarization time on the simulator and with its equipment before any training or assessment exercise commences;
 - .3 guidance given and exercise stimuli are appropriate to the selected exercise objectives and tasks and to the level of trainee experience;
 - .4 exercises are effectively monitored, supported as appropriate by audio and visual observation of trainee activity and pre- and post-exercise evaluation reports;
 - .5 trainees are effectively debriefed to ensure that training objectives have been met and that operational skills demonstrated are of an acceptable standard;
 - .6 the use of peer assessment during debriefing is encouraged; and
 - .7 simulator exercises are designed and tested so as to ensure their suitability for the specified training objectives.

Assessment procedures

- 7 Where simulators are used to assess the ability of candidates to demonstrate levels of competency, assessors shall ensure that:
 - .1 performance criteria are identified clearly and explicitly and are valid and available to the candidates;
 - .2 assessment criteria are established clearly and are explicit to ensure reliability and uniformity of assessment and to optimize objective minimum;
 - .3 candidates are briefed clearly on the tasks and/or skills to be assessed and on the tasks and performance criteria by which their competency will be determined;
 - .4 assessment of performance takes into account normal operating procedures and any behavioural interaction with other candidates on the simulator or with simulator staff;

- .5 scoring or grading methods to assess performance are used with caution until they have been validated; and
- .6 the prime criterion is that a candidate demonstrates the ability to carry out a task safely and effectively to the satisfaction of the assessor.

Section A-I/12

Medical standards

1 Parties, when establishing standards of medical fitness for fishing vessel personnel as required by regulation I/12, shall adhere to the minimum in-service eyesight standards set out in table A-I/12 and take into account the criteria for physical and medical fitness set out in paragraph 2. They should also take into account the guidance given in section B-I/12 of this Code and [joint ILO/IMO Guidelines on the medical examination of fishing vessel personnel].

These standards may, to the extent determined by the Party without prejudice to the safety of the fishing vessel personnel or the fishing vessel, differentiate between those persons seeking to start a career at sea and those fishing vessel personnel already serving at sea and between different functions on board, bearing in mind the different duties of fishing vessel personnel. They shall also take into account any impairment or disease that will limit the ability of the fishing vessel personnel to effectively perform their duties during the validity period of the medical certificate.

2 The standards of physical and medical fitness established by the Party shall ensure that fishing vessel personnel satisfy the following criteria:

- .1 have the physical capability, taking into account paragraph 5 below to fulfil all the requirements of the basic safety training as required by chapter III section A-III/1;
- .2 demonstrate adequate hearing and speech to communicate effectively and detect any audible alarms;
- .3 have no medical condition, disorder or impairment that will prevent the effective and safe conduct of their routine and emergency duties on board during the validity period of the medical certificate;
- .4 are not suffering from any medical condition likely to be aggravated by service at sea or to render the fishing vessel personnel unfit for such service or to endanger the health and safety of other persons on board; and
- .5 are not taking any medication that has side effects that will impair judgment, balance or any other requirements for effective and safe performance of routine and emergency duties on board.

3 Medical fitness examinations of fishing vessel personnel shall be conducted by appropriately qualified and experienced medical practitioners recognized by the Party.

4 Each Party shall establish provisions for recognizing medical practitioners. A register of recognized medical practitioners shall be maintained by the Party and made available to other Parties, companies and fishing vessel personnel on request.

5 Each Party shall provide guidance for the conduct of medical fitness examinations and issuing of medical certificates the guidance given in section B-I/12 of this Code and [joint ILO/IMO guidelines on the medical examination of fishing vessel personnel]. Each Party shall determine the amount of discretion given to recognized medical practitioners on the application of the medical standards, bearing in mind the different duties of fishing vessel personnel, except that there shall not be discretion with respect to the minimum eyesight standards for distance vision aided, near/immediate vision and colour vision in table A-I/12 for fishing vessel personnel in the deck department required to undertake lookout duties. A Party may allow discretion on the application of these standards with regard to fishing vessel personnel in the engine department, on the condition that fishing vessel personnel's combined vision fulfils the requirements set out in table A-I/12.

6 Each Party shall establish processes and procedures to enable fishing vessel personnel who, after examination, do not meet the medical fitness standards or have had a limitation imposed on their ability to work, in particular with respect to time, field of work or operation area, to have their case reviewed in line with that Party's provisions for appeal.

7 The medical certificate provided for in regulation I/12, paragraph 3, shall include the following information at a minimum:

- .1 Authorizing authority and the requirements under which the document is issued
- .2 Fishing vessel personnel information
 - .1 Name: (last, first, middle)
 - .2 Date of birth: (day/month/year)
 - .3 Gender: (Male/Female)
 - .4 Nationality
- .3 Declaration of the recognized medical practitioner
 - .1 Confirmation that identification documents were checked at the point of examination: Y/N
 - .2 Hearing meets the standards in section A-I/12? Y/N
 - .3 Unaided hearing satisfactory? Y/N
 - .4 Visual acuity meets standards in section A-I/12? Y/N
 - .5 Colour vision² meets standards in section A-I/12? Y/N
 - .1 Date of last colour vision test
 - .6 Fit for lookout duties? Y/N
 - .7 No limitations or restrictions on fitness? Y/N
If "N", specify limitations or restrictions

² Note: Colour vision assessment only needs to be conducted every six years.

- .8 Are the fishing vessel personnel free from any medical condition likely to be aggravated by service at sea or to render the fishing vessel personnel unfit for such service or to endanger the health of other persons on board?: Y/N
 - .9 Date of examination: (day/month/year)
 - .10 Expiry date of certificate: (day/month/year)
 - .4 Details of the issuing authority
 - .1 Official stamp (including name) of the issuing authority
 - .2 Signature of the authorized person
 - .5 Fishing vessel personnel's signature – confirming that the fishing vessel personnel have been informed of the content of the certificate and of the right to a review in accordance with paragraph 6 of section A-I/12
- 8 Medical certificates shall be in the official language of the issuing country. If the language used is not English, the text shall include a translation into that language.

Table A-I/12
Minimum in-service eyesight standards for fishing vessel personnel

STCW-F Convention regulation	Category of fishing vessel personnel	Distance vision aided ¹		Near/immediate vision	Colour Vision ³	Visual Fields ⁴	Night Blindness ⁴	Diplopia (double vision) ⁴
		One eye	Other eye	Both eyes together, aided or unaided				
II/1 II/2 II/3 II/4 II/7	Skippers, deck officers and fishing vessel personnel forming part of a navigational watch	0.5 ²	0.5	Vision required for ship's navigation (e.g. chart and nautical publication reference, use of bridge instrumentation and equipment, and identification of aids to navigation)	See Note 6	Normal visual fields	Vision required to perform all necessary functions in darkness without compromise	No significant condition evident
II/5 II/5-1 II/5-2 II/7	All engineer officers and other fishing vessel personnel forming part of an engine-room watch	0.4	0.4 (see Note 5)	Vision required to read instruments in close proximity, to operate equipment, and to identify systems/ components as necessary	See Note 7	Sufficient visual fields	Vision required to perform all necessary functions in darkness without compromise	No significant condition evident
II/6 II/8	GMDSS radio operators	0.4	0.4	Vision required to read instruments in close proximity, to operate equipment and to identify systems/ components as necessary	See Note 7	Sufficient visual fields	Vision required to perform all necessary functions in darkness without compromise	No significant condition evident

Notes:

- 1 Values given in Snellen decimal notation.
- 2 A value of at least 0.7 in one eye is recommended to reduce the risk of undetected underlying eye disease.
- 3 As defined in the *International Recommendations for Colour Vision Requirements for Transport* by the Commission Internationale de l'Eclairage (CIE-143-2001 including any subsequent versions).
- 4 Subject to assessment by a clinical vision specialist where indicated by initial examination findings.
- 5 Engine department personnel shall have a combined eyesight vision of at least 0.4.
- 6 CIE colour vision standard 1 or 2. Other equivalent confirmatory test methods currently recognized by the Administration may continue to be used.
- 7 CIE colour vision standard 1, 2 or 3. Other equivalent confirmatory test methods currently recognized by the Administration may continue to be used.

CHAPTER II

Standards regarding certification of skippers, officers, engineers and radio operators

Section A-II/1

Mandatory minimum requirements for certification of skippers on fishing vessels of 24 metres in length and over operating in unlimited waters

Standard of competence

- 1 Every candidate for certification as skippers on fishing vessels of 24 metres in length and over operating in unlimited waters shall be required to demonstrate the competence to undertake the tasks, duties and responsibilities listed in column 1 of table A-II/1.
- 2 The minimum knowledge, understanding and proficiency required for certification is listed in column 2 of table A-II/1. This incorporates, expands and extends in depth the subjects listed in column 2 of table A-II/2 for officers in charge of a navigational watch.
- 3 The level of knowledge of the subjects listed in column 2 of table A-II/1 shall be sufficient to enable the candidate to serve in the capacity of skipper.
- 4 Every candidate for certification shall be required to provide evidence of having achieved the required standard of competence in accordance with the methods for demonstrating competence and criteria for evaluating competence tabulated in columns 3 and 4 of table A-II/1.

Table A-II/1

Specification of minimum standard of competence for skippers on fishing vessels of 24 metres in length and over operating in unlimited waters

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Function: Navigation at the management level			
Plan a voyage and conduct navigation	<p><i>Navigation</i></p> <p>Voyage planning and navigation for all conditions:</p> <p>.1 by acceptable methods of determining ocean tracks</p> <p>.2 within restricted waters</p> <p>.3 where applicable, in ice</p> <p>.4 in restricted visibility</p> <p>.5 where applicable, in traffic separation schemes</p> <p>.6 in areas affected by tides or currents</p> <p>.7 in all meteorological conditions</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using: chart catalogues, charts, nautical publications and ship particulars</p>	<p>The equipment, charts and nautical publications required for the voyage are enumerated and appropriate to the safe conduct of the voyage</p> <p>The reasons for the planned route are supported by facts and statistical data obtained from relevant sources and publications</p> <p>Positions, courses, distances and time calculations are correct within accepted accuracy standards for navigational equipment</p> <p>All potential navigational hazards are accurately identified</p>
Determine position and the accuracy of resultant position fix by any means	<p>Position determination:</p> <p>.1 by celestial observations</p> <p>.2 by terrestrial observations, including the ability to use bearings from landmarks and aids to navigation such</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p>	<p>The primary method chosen for fixing the vessel's position is the most appropriate to the prevailing circumstances and conditions</p> <p>The fix obtained by celestial observations is within accepted accuracy levels</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>as lighthouses, beacons and buoys in conjunction with appropriate charts, notices to mariners and other publications to assess the accuracy of the resulting position fix</p> <p>.3 by using, to the satisfaction of the Party, electronic navigational aids as provided in fishing vessels, with specific reference to knowledge of their operating principles, limitations, sources of error, detection of misrepresentation of information and methods of correction to obtain accurate position fixing</p>	<p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using:</p> <p>(a) charts, nautical almanac, plotting sheets, chronometer, sextant and a calculator</p> <p>(b) charts, nautical publications and navigational instruments (azimuth mirror, sextant, log, sounding equipment, compass) and manufactures manuals</p> <p>(c) radar, terrestrial electronic position-fixing systems, satellite navigation systems and appropriate nautical charts and publications</p>	<p>The fix obtained by terrestrial observations is within accepted accuracy levels</p> <p>The accuracy of the resulting fix is properly assessed</p> <p>The fix obtained by the use of electronic navigational aids is within the accuracy standards of the systems in use.</p> <p>The possible errors affecting the accuracy of the resulting position are stated and methods of minimizing the effects of system errors on the resulting position are properly applied</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Determine and allow for compass errors	<p><i>Compasses</i></p> <p>Ability to use terrestrial and celestial means to determine and apply the errors of the compasses</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using: celestial observations, terrestrial bearings and comparison between magnetic and gyro-compasses</p>	<p>The method and frequency of checks for errors of compasses ensures accuracy of information</p>
Coordinate search and rescue operations	<p><i>Search and rescue</i></p> <p>Thorough knowledge of and ability to apply the procedures in the International Aeronautical and Maritime Search and Rescue (IAMSAR) Manual</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using:</p>	<p>The plan for coordinating search and rescue operations is in accordance with international guidelines and standards</p> <p>Radiocommunications are established and correct communication procedures are followed at all stages of the search and rescue operations</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
		relevant publications, charts, meteorological data, particulars of vessels involved, radiocommunication equipment and other available facilities	
Establish watchkeeping arrangements and procedures	<p><i>Watchkeeping</i></p> <p>.1 thorough knowledge of the content, application and intent of the International Regulations for Preventing Collisions at Sea, 1972, specially annexes II and IV concerned with safe navigation</p> <p>.2 demonstrate knowledge of basic principles to be observed in keeping a navigational watch as prescribed in chapter IV</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved simulator training, where appropriate</p>	<p>Watchkeeping arrangements and procedures are established and maintained in compliance with international regulations and guidelines so as to ensure the safety of navigation, protection of the marine environment and safety of the vessel and persons on board</p>
Forecast weather and oceanographic conditions	<p><i>Meteorology and oceanography</i></p> <p>.1 knowledge of meteorological instruments and their application</p> <p>.2 ability to apply meteorological information available</p> <p>.3 knowledge of characteristics of various weather systems, including,</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved laboratory equipment training</p>	<p>The likely weather conditions predicted for a determined period are based on all available information</p> <p>Actions taken to maintain safety of navigation minimize any risk to safety of the vessel</p> <p>Reasons for intended action are backed by statistical data and</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>at the discretion of the Party, tropical revolving storms and avoidance of storm centres and the dangerous quadrants</p> <p>.4 knowledge of weather conditions, such as fog, icebergs, ice accretion and freezing spray liable to endanger the vessel</p> <p>.5 ability to use appropriate navigational publications on tides and currents</p> <p>.6 ability to calculate times and heights of high and low water and estimate the direction and rate of tidal streams</p>		<p>observations of the actual weather conditions</p>
Respond to navigational emergencies	<p><i>Emergency procedures</i></p> <p>.1 precautions when beaching a vessel</p> <p>.2 action to be taken prior to, and after, grounding</p> <p>.3 action to be taken when the gear becomes fast to the ground or other obstruction</p> <p>.4 floating a grounded vessel,</p>	<p>Assessment of evidence obtained from examination or practical instruction, in-service experience and practical drills in emergency procedures</p>	<p>The type and scale of any problem is promptly identified and decisions and actions minimize the effects of any malfunction of the vessel's systems</p> <p>Communications are effective and comply with established procedures</p> <p>Decisions and actions maximize safety of persons on board</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>with and without assistance</p> <p>.5 action to be taken following a collision</p> <p>.6 temporary plugging of leaks</p> <p>.7 measures for the protection and safety of crew in emergencies</p> <p>.8 limiting damage and salvaging the vessel following a fire or explosion</p> <p>.9 abandoning ship</p> <p>.10 emergency steering, rigging, and use of jury steering and the means of rigging a jury rudder, where practicable</p> <p>.11 rescuing persons from a ship in distress or from a wreck</p> <p>.12 man overboard procedures</p> <p>.13 towing and being towed</p>		
Fishing vessel manoeuvring and handling	<p><i>Fishing vessel manoeuvring and handling</i></p> <p>Manoeuvring and handling of a fishing vessel in all conditions including:</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p>	<p>All decisions concerning berthing and anchoring are based on a proper assessment of the vessel's manoeuvring and engine characteristics and the forces to be expected while</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>.1 berthing, unberthing and anchor work under various conditions of wind and tide</p> <p>.2 manoeuvring in shallow water</p> <p>.3 management and handling of fishing vessels in heavy weather, including appropriate speed, particularly in following and quartering seas, assisting a vessel or aircraft in distress, means of keeping an unmanageable vessel out of a sea trough and lessening drift</p> <p>.4 manoeuvring the vessel during fishing operations, with special regard to factors which could adversely affect the vessel's safety during such operations</p> <p>.5 precautions in manoeuvring for launching rescue boats or survival craft in bad weather</p> <p>.6 methods of taking on board survivors from rescue boats or survival craft</p> <p>.7 where applicable, practical measures to be</p>	<p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved manned scale ship model, where appropriate</p>	<p>berthed alongside or lying at anchor</p> <p>While under way, a full assessment is made of possible effects of shallow and restricted waters, ice, banks, tidal conditions, passing vessels and own vessel's bow and stern wave so that the vessel can be safely manoeuvred under various conditions of loading and weather</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>taken when navigating in ice, icebergs or conditions of ice accretion on board the vessel</p> <p>.8 the use of, and manoeuvring in, traffic separation schemes</p> <p>.9 the importance of navigating at reduced speed to avoid damage caused by own vessel's bow or stern wave</p> <p>.10 transshipment at sea of catch and other supplies to factory ships and other vessels</p> <p>.11 refuelling at sea</p>		
Fishing vessel power plants	<p><i>Fishing vessel power plants</i></p> <p>.1 operating principles of marine power plants in fishing vessels</p> <p>.2 vessel's auxiliary machinery</p> <p>.3 general knowledge of marine engineering terms</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p>	<p>Plant, auxiliary machinery and equipment is operated in accordance with technical specifications and within safe operating limits at all times</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
<p>Maintain safe navigation through the use of information from navigation equipment and systems to assist command decision-making</p> <p>Note: Training and assessment in the use of ARPA is not required for those who serve exclusively on vessels not fitted with ARPA. This limitation shall be reflected in the endorsement issued to the fishing vessel personnel concerned</p>	<p>An appreciation of system errors and thorough understanding of the operational aspects of navigational systems</p> <p>Blind pilotage planning</p> <p>Evaluation of navigational information derived from all sources, including radar and ARPA, in order to make and implement command decisions for collision avoidance and for directing the safe navigation of the vessel</p> <p>The interrelationship and optimum use of all navigational data available for conducting navigation</p>	<p>Examination and assessment of evidence obtained from approved ARPA simulator and one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved simulator training, where appropriate</p> <p>.3 approved laboratory equipment training</p>	<p>Information obtained from navigation equipment and systems is correctly interpreted and analysed, taking into account the limitations of the equipment and prevailing circumstances and conditions</p> <p>Action taken to avoid a close encounter or collision with another vessel is in accordance with the International Regulations for Preventing Collisions at Sea, 1972</p>
<p>Maintain the safety of navigation through the use of ECDIS and associated navigation systems to assist command decision-making</p> <p>Note: Training and assessment in the use of ECDIS is not required for those who serve exclusively on vessels not fitted with ECDIS. This limitation shall be reflected in the endorsement issued</p>	<p>Management of operational procedures, system files and data, including:</p> <p>.1 manage procurement, licensing and updating of chart data and system software to conform to established procedures</p> <p>.2 system and information updating, including the ability to update ECDIS system</p>	<p>Assessment of evidence obtained from one of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved ECDIS simulator training</p>	<p>Operational procedures for using ECDIS are established, applied and monitored</p> <p>Actions taken to minimize risk to safety of navigation</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
to the fishing vessel personnel concerned	<p>version in accordance with vendor's product development</p> <p>.3 create and maintain system configuration and backup files</p> <p>.4 create and maintain log files in accordance with established procedures</p> <p>.5 create and maintain route plan files in accordance with established procedures</p> <p>.6 use ECDIS logbook and track history functions for inspection of system functions, alarm settings and user responses</p> <p>Use ECDIS playback functionality for passage review, route planning and review of system functions</p>		
Maritime communication for safe navigation	<p><i>English language</i></p> <p>Adequate knowledge of the English language enabling the skipper to use charts and other nautical publications, to understand meteorological information and measures</p>	Assessment of evidence obtained from examination or practical instruction	<p>English language navigational publications and messages relevant to the safety of the vessel are correctly interpreted or drafted</p> <p>Communications are clear and understood</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	concerning the vessel's safety and operation, and to communicate with other vessels or coast stations. Ability to understand and use the IMO Standard Marine Communication Phrases		
Transmit and receive information by visual signalling	<i>Visual signalling</i> Ability to use the International Code of Signals Ability to transmit and receive, by Morse light, distress signal SOS as specified in annex IV of the International Regulations for Preventing Collisions at Sea, 1972, and appendix 1 of the International Code of Signals, and visual signalling of single-letter signals as also specified in the International Code of Signals	Assessment of evidence obtained from examination or practical instruction and/or simulation	Communications within the operator's area of responsibility are consistently successful
Function: Catch handling and stowage at the management level			
Catch handling and stowage	<i>Catch handling and stowage</i> .1 the stowage and securing of the catch on board vessels, including fishing gear .2 loading and discharging operations, with special regard to	Examination and assessment of evidence obtained from one or more of the following: .1 approved in-service experience .2 approved training vessel experience	The stowage and securing of the catch ensure that stability conditions remain within safe limits at all times during the voyage

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	heeling moments from gear and catch	.3 approved simulator training, where appropriate	
Function: Controlling the operation of the vessel and care for persons on board at the management level			
Control trim and stability	<p><i>Fishing vessel construction and stability</i></p> <p>.1 general knowledge of principal structural members of a vessel and the proper names of the various parts</p> <p>.2 knowledge of the theories and factors affecting trim and stability and measures necessary to preserve safe trim and stability</p> <p>.3 demonstrate the application of stability data, stability and trim tables and precalculated operating conditions, and the use of the vessel's stability booklet</p> <p>.4 knowledge of effects of free surfaces and ice accretion, where applicable</p> <p>.5 knowledge of effects of water on deck</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>Using: stability and trim tables, diagrams</p>	<p>Stability conditions are maintained within safe limits at all times</p> <p>Actions to ensure and maintain the watertight integrity of the vessel are in accordance with accepted practice</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>.6 knowledge of the significance of weathertight and watertight integrity</p> <p>.7 knowledge of internationally recognized stability criteria and conditions</p>		
<p>Monitor and control compliance with legislative requirements and measures to ensure safety of life at sea and the protection of the marine environment</p>	<p><i>Maritime law</i></p> <p>A knowledge of international maritime law as embodied in the international agreements and conventions as they affect the specific obligations and responsibilities of the skipper, particularly those concerning safety and the protection of the marine environment</p> <p>Particular regard shall be paid to the following subjects:</p> <p>.1 certificates and other documents required to be carried on board fishing vessels by international conventions, how they may be obtained and the period of their legal validity</p> <p>.2 responsibilities under a relevant international convention related to the safety of fishing vessels</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p>	<p>Procedures for monitoring operations and maintenance comply with legislative requirements</p> <p>Potential non-compliance is promptly and fully identified</p> <p>Planned renewal and extension of certificates ensures continued validity of surveyed items and equipment</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>.3 responsibilities under the relevant requirements of chapter V of the International Convention for the Safety of Life at Sea, 1974</p> <p>.4 responsibilities under the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 thereto</p> <p>.5 maritime declarations of health and the requirements of the international health regulations</p> <p>.6 responsibilities under the Convention on International Regulations for Preventing Collisions at Sea, 1972</p> <p>.7 responsibilities under other international instruments affecting the safety of the vessel and crew</p> <p>The extent of knowledge of national maritime legislation is left to the discretion of the Party, but shall include national arrangements for</p>		

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>implementing applicable international agreements and conventions</p> <p>.8 knowledge of relevant international instruments on safety and health of personnel on board fishing vessels</p> <p>.9 the principles and international standards applicable to the responsible conservation, management and development of living aquatic resources</p> <p>.10 knowledge of key international instruments and tools related to the fight against illegal, unreported and unregulated (IUU) fishing</p>		
Maintain safety of the vessel's crew and the operational condition of life-saving and fire-fighting appliances	<p><i>Fire prevention and fire-fighting appliances</i></p> <p>.1 organization of fire drills</p> <p>.2 classes and chemistry of fire</p> <p>.3 fire-fighting systems</p> <p>.4 understanding of action to be taken in the event of fire, includes fire involving oil systems</p>	Assessment of evidence obtained from examination or approved training	Procedures for monitoring fire detection and safety systems ensure that all alarms are detected promptly and acted upon in accordance with established emergency procedures

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>.5 knowledge of provisions concerning fire-fighting equipment</p> <p>.6 knowledge of fire prevention measures</p> <p><i>Life-saving</i></p> <p>.1 thorough knowledge of life-saving appliances provided on fishing vessels.</p> <p>.2 ability to organize abandon ship drills and knowledge of the operation of survival craft and rescue boats, their launching appliances and arrangements, and their equipment, including radio life-saving appliances, EPIRBs, SARTs, immersion suits and thermal protective aids</p> <p>.3 actions to be taken to protect and safeguard all persons on board in emergencies</p> <p>.4 actions to limit damage and save the vessel following a fire, explosion, collision or grounding</p>		

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p><i>Maintenance</i></p> <p>.1 maintenance of operational condition of life-saving, fire-fighting and other safety systems</p>		
Organize and manage the provision of medical care on board	<p><i>Medical care</i></p> <p>.1 knowledge of medical first aid procedures</p> <p>.2 knowledge of relevant procedures to provide adequate medical care on board</p> <p>.3 knowledge of procedures for obtaining medical advice by radio</p> <p>Thorough knowledge of the use of the following publications:</p> <p>.1 International Medical Guide for Ships or equivalent national publications</p> <p>.2 medical section of the International Code of Signals</p>	Assessment of evidence obtained from approved training	Action taken and procedures following correctly apply and make full use of advice available

Section A-II/2

Mandatory minimum requirements for certification of officers in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in unlimited waters

Standard of competence

1 Every candidate for certification as officers in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in unlimited waters shall be required to demonstrate the competence to undertake the tasks, duties and responsibilities listed in column 1 of table A-II/2.

2 The minimum knowledge, understanding and proficiency required for certification is listed in column 2 of table A-II/2.

3 The level of knowledge of the subjects listed in column 2 of table A-II/2 shall be sufficient for officers of the watch to carry out their watchkeeping duties.

4 Every candidate for certification shall be required to provide evidence of having achieved the required standard of competence in accordance with the methods for demonstrating competence and the criteria for evaluating competence tabulated in columns 3 and 4 of table A-II/2.

Onboard training

5 Every candidate for certification as officer in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in unlimited waters whose seagoing service, in accordance with paragraph 2.2 of regulation II/2, forms part of a training programme approved as meeting the requirements of this section shall follow an approved programme of onboard training which:

- .1 ensures that, during the required period of seagoing service, the candidate receives systematic practical training and experience in the tasks, duties and responsibilities of an officer in charge of a navigational watch;
- .2 is closely supervised and monitored by qualified officers aboard the vessels in which the approved seagoing service is performed; and
- .3 is adequately documented in a training record book or a similar document.

Table A-II/2

Specification of minimum standard of competence for officers in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in unlimited waters

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Function: Navigation at the operational level			
Plan and conduct a passage and determine position	<p><i>Celestial navigation</i></p> <p>Ability to use a celestial body to determine compass errors</p> <p><i>Terrestrial and coastal navigation</i></p> <p>Ability to determine the vessel position by the use of:</p> <p>.1 landmarks</p> <p>.2 aids to navigation, including lighthouses, beacons and buoys</p> <p>.3 dead reckoning, taking into account winds, tides, currents, speed by propeller revolutions per minute and by log</p> <p>Thorough knowledge of and ability to use navigational charts and publications such as sailing directions, tide tables, notices to mariners and radio navigational warnings</p> <p>Electronic systems of position fixing and navigation</p> <p>Ability to determine the vessel's position by the use of electronic navigational</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using: chart catalogues, charts, nautical publications, radio navigational warnings, sextant, azimuth mirror, electronic navigation equipment, echo sounding equipment, compass</p>	<p>The information obtained from nautical charts and publications is relevant, interpreted correctly and properly applied. All potential navigational hazards are accurately identified</p> <p>The primary method of fixing the vessel's position is the most appropriate to the prevailing circumstances and conditions</p> <p>The position is determined within the limits of acceptable instrument/system errors</p> <p>The reliability of the information obtained from the primary method of position fixing is checked at appropriate intervals</p> <p>Calculations and measurements of navigational information are accurate</p> <p>The charts selected are the largest scale suitable for the area of navigation and charts and publications are corrected in</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>aids to the satisfaction of the Party</p> <p><i>Magnetic and gyro-compasses</i></p> <p>Care and use of compasses and associated equipment</p> <p><i>Meteorology</i></p> <p>.1 knowledge of shipborne meteorological instruments and their application</p> <p>.2 knowledge of the characteristics of the various weather systems</p>		<p>accordance with the latest information available</p> <p>Performance checks and tests to navigation systems comply with manufacturer's recommendations and good navigational practice</p> <p>Errors in magnetic and gyro-compasses are determined and correctly applied to courses and bearings</p> <p>Measurements and observations of weather conditions are accurate and appropriate to the passage</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Maintain a safe navigational watch	<p><i>Watchkeeping</i></p> <p>Thorough knowledge of the content, application and intent of the International Regulations for Preventing Collisions at Sea, 1972, specially annexes II and IV concerned with safe navigation</p> <p>Demonstrate knowledge of the content of the basic principles to be observed in keeping a navigational watch as prescribed in chapter IV</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>The conduct, handover and relief of the watch conforms with accepted principles and procedures</p> <p>A proper lookout is maintained at all times and in such a way as to conform to accepted principles and procedures</p> <p>Lights, shapes and sound signals conform with the requirements contained in the International Regulations for Preventing Collisions at Sea, 1972, and are correctly recognized</p> <p>The frequency and extent of monitoring of traffic, the vessel and the environment conform with accepted principles and procedures</p> <p>A proper record is maintained of the movements and activities relating to the navigation of the vessel</p> <p>Responsibility for the safety of navigation is clearly defined at all times, including periods when the master is on the bridge and while under pilotage</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
<p>Use of radar to maintain safety of navigation</p>	<p><i>Radar navigation</i></p> <p>Knowledge of the fundamentals of radar and ability in the operation and use of radar, and in the interpretation and analysis of information obtained from the equipment³ including the following:</p> <ul style="list-style-type: none"> .1 factors affecting performance and accuracy .2 setting up and maintaining displays .3 detection of misrepresentation of information, false echoes, sea return .4 range and bearing .5 identification of critical echoes .6 detection of course and speed of other ships .7 time and distance of closest approach of crossing, meeting or overtaking vessels .8 effect of changes in own vessel's course or speed or both .9 use of manoeuvring board .10 application of the International 	<p>Assessment of evidence obtained from examination or approved radar simulator training plus in-service experience</p>	<p>Information obtained from radar is correctly interpreted and analysed taking into account the limitations of the equipment and prevailing circumstances and conditions</p> <p>Action taken to avoid a close encounter or collision with other vessels is in accordance with the International Regulations for Preventing Collisions at Sea, 1972</p> <p>Decisions to amend course and/or speed are both timely and in accordance with accepted navigation practice</p> <p>Adjustments made to the vessel's course and speed maintain safety of navigation</p> <p>Communication is clear, concise and acknowledged at all times in a seamanlike manner</p> <p>Manoeuvring signals are made at the appropriate time and are in accordance with the International Regulations for Preventing Collisions at Sea, 1972</p>

³ Reference is made to resolution 2 of the 1995 STCW-F Conference.

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	Regulations for Preventing Collisions at Sea, 1972		
Respond to a distress signal at sea	<i>Search and rescue</i> Adequate knowledge of search and rescue procedures based on the International Aeronautical and Maritime Search and Rescue (IAMSAR) Manual	Assessment of evidence obtained from examination or practical instruction and/or simulation	The distress or emergency signal is immediately recognized Contingency plans and instructions in standing orders are implemented and complied with
Use the IMO Standard Maritime Communication Phrases and use English in written and oral forum	<i>English language</i> Adequate knowledge of the English language enabling the officer to use charts and other nautical publications, to understand meteorological information and messages concerning a vessel's safety and operation. Ability to understand and use the IMO Standard Marine Communication Phrases	Assessment of evidence obtained from examination or practical instruction	English language navigational publications and messages relevant to the safety of the vessel are correctly interpreted or drafted Communications are clear and understood
Fishing vessel manoeuvring and handling	<i>Fishing vessel manoeuvring and handling</i> Basic knowledge of manoeuvring and handling a fishing vessel, including the following: .1 berthing, unberthing, anchoring and manoeuvring	Examination and assessment of evidence obtained from one or more of the following: .1 approved in-service experience .2 approved training vessel experience	Safe operating limits of ship propulsion, steering and power systems are not exceeded in normal manoeuvres Adjustments made to the vessel's course and speed maintain safety of navigation

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>alongside other vessels at sea</p> <p>.2 manoeuvring during fishing operations with special regard to factors which could adversely affect the vessel's safety during such operations</p> <p>.3 effects of wind, tide and current on ship handling</p> <p>.4 manoeuvring in shallow water</p> <p>.5 management of fishing vessels in heavy weather</p> <p>.6 rescuing persons and assisting a vessel or aircraft in distress</p> <p>.7 towing and being towed</p> <p>.8 man overboard procedure</p> <p>.9 where applicable, practical measures to be taken when navigating in ice or in conditions of ice accretion on board the vessel</p>	<p>.3 approved simulator training, where appropriate</p> <p>.4 approved training on a manned scale ship model where appropriate</p>	
<p>Use of radar and ARPA to maintain safety of navigation</p> <p>Note: Training and assessment in the use of ARPA is not required for those who serve exclusively on vessels not fitted</p>	<p><i>Radar navigation</i></p> <p>Knowledge of the fundamentals of radar and automatic radar plotting aids (ARPA)</p> <p>Ability to operate and to interpret and analyse information</p>	<p>Assessment of evidence obtained from approved radar simulator and ARPA simulator plus in-service experience</p>	<p>Information obtained from radar and ARPA is correctly interpreted and analysed, taking into account the limitations of the equipment and prevailing circumstances and conditions</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
<p>with ARPA. This limitation shall be reflected in the endorsement issued to the fishing vessel personnel concerned</p>	<p>obtained from radar, including the following:</p> <p>Performance, including:</p> <p>.1 factors affecting performance and accuracy</p> <p>.2 setting up and maintaining displays</p> <p>.3 detection of misrepresentation of information, false echoes, sea return, etc., racons and SARTs</p> <p>Use, including:</p> <p>.1 range and bearing; course and speed of other vessels; time and distance of closest approach of crossing, meeting overtaking vessels</p> <p>.2 identification of critical echoes; detecting course and speed changes of other vessels; effect of changes in own vessel's course or speed or both</p> <p>.3 application of the International Regulations for Preventing Collisions at Sea, 1972</p> <p>.4 plotting techniques and relative- and true-motion concepts</p>		<p>Action taken to avoid a close encounter or collision with other vessels is in accordance with the International Regulations for Preventing Collisions at Sea, 1972</p> <p>Decisions to amend course and/or speed are both timely and in accordance with accepted navigation practice</p> <p>Adjustments made to the vessel's course and speed maintain safety of navigation</p> <p>Communication is clear, concise and acknowledged at all times in a seamanlike manner</p> <p>Manoeuvring signals are made at the appropriate time and are in accordance with the International Regulations for Preventing Collisions at Sea, 1972</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>.5 parallel indexing</p> <p>Principal types of ARPA, their display characteristics, performance standards and the dangers of over-reliance on ARPA</p> <p>Ability to operate and to interpret and analyse information obtained from ARPA, including:</p> <p>.1 system performance and accuracy, tracking capabilities and limitations, and processing delays</p> <p>.2 use of operational warnings and system tests</p> <p>.3 methods of target acquisition and their limitations</p> <p>.4 true and relative vectors, graphic representation of target information and danger areas</p> <p>.5 deriving and analysing information, critical echoes, exclusion areas and trial manoeuvres</p>		
<p>Use of ECDIS to maintain the safety of navigation</p> <p>Note: Training and assessment in the use of ECDIS is not required for those</p>	<p><i>Navigation using ECDIS</i></p> <p>Knowledge of the capability and limitations of ECDIS operations, including:</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p>	<p>Monitors information on ECDIS in a manner that contributes to safe navigation</p> <p>Information obtained from ECDIS</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
<p>who serve exclusively on vessels not fitted with ECDIS. This limitation shall be reflected in the endorsements issued to the fishing vessel personnel concerned</p>	<p>.1 thorough understanding of Electronic Navigational Chart (ENC) data, data accuracy, presentation rules, display options and other chart data formats</p> <p>.2 the dangers of over-reliance</p> <p>.3 familiarity with the functions of ECDIS required by performance standards in force</p> <p>Proficiency in operation, interpretation, and analysis of information obtained from ECDIS, including:</p> <p>.1 use of functions that are integrated with other navigation systems in various installations, including proper functioning and adjustment to desired settings</p> <p>.2 safe monitoring and adjustment of information, including own position, sea area display, mode and orientation, chart data displayed, route monitoring, user-created information layers, contacts (when interfaced with AIS and/or radar tracking) and radar overlay functions (when interfaced)</p>	<p>.1 approved training vessel experience</p> <p>.2 approved ECDIS simulator training</p>	<p>(including radar overlay and/or radar tracking functions, when fitted) is correctly interpreted and analysed, taking into account the limitations of the equipment, all connected sensors (including radar and AIS where interfaced), and prevailing circumstances and conditions</p> <p>Safety of navigation is maintained through Adjustments made to the vessel's course and speed through ECDIS-controlled track-keeping functions (when fitted)</p> <p>Communication is clear, concise and acknowledged at all times in a seamanlike manner</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>.3 confirmation of vessel position by alternative means</p> <p>.4 efficient use of settings to ensure conformance to operational procedures, including alarm parameters for anti-grounding, proximity to contacts and special areas, completeness of chart data and chart update status, and backup arrangements</p> <p>.5 adjustment of settings and values to suit the present conditions</p> <p>.6 situational awareness while using ECDIS including safe water and proximity of hazards, set and drift, chart data and scale selection, suitability of route, contact detection and management, and integrity of sensors</p>		

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Function: Catch handling and stowage at operational level			
Catch handling and stowage	<p><i>Catch handling and stowage</i></p> <p>Knowledge of safe handling and stowage of catch and the effect of these factors on the safety of the vessel</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p>	<p>Handling and stowage of catch are carried out in accordance with safety rules/regulations, equipment operating instructions and shipboard stowage limitation</p>
Function: Controlling the operation of the vessel and care for persons on board at the operational level			
Ensure compliance with pollution prevention requirements and the protection of the marine environment	<p><i>Prevention of pollution of the marine environment</i></p> <p>Knowledge of the precautions to be observed to prevent pollution of the marine environment</p> <p>Knowledge of the impacts of fishing on the environment including pollution related to abandoned, lost or otherwise discarded fishing gear in the context of annex V to the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 thereto</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>Procedures for monitoring shipboard operations and ensuring compliance with the requirements of the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 thereto</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	Understanding the importance of proactive measures to protect the marine environment		
Maintain seaworthiness of the ship	<p><i>Vessel stability</i></p> <p>Ability to use stability data, stability and trim tables and precalculated operating conditions</p> <p>Knowledge of:</p> <p>.1 the effects of suspended weight on stability</p> <p>.2 the effects of fishing gear operations on stability</p> <p>.3 the risks of following and quartering seas</p> <p><i>Fishing vessel construction</i></p> <p>General knowledge of the principal structural members of a vessel</p> <p>Understanding of the fundamentals of watertight integrity</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>The stability conditions comply with the IMO intact stability criteria under all conditions of loading</p> <p>Actions to ensure and maintain the watertight integrity of the vessel are in accordance with accepted practice</p>
Prevent, control and fight fires on board	<p><i>Fire prevention and fire-fighting appliances</i></p> <p>.1 knowledge of classes and chemistry of fire</p> <p>.2 knowledge of action to be taken in the event of fire</p>	<p>Assessment of evidence obtained from approved fire-fighting training and experience</p>	<p>The type and scale of the problem is promptly identified and initial actions conform with the emergency procedure and contingency plans for the vessel</p> <p>Evacuation, emergency shutdown</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	.3 knowledge of fire prevention measures		and isolation procedures are appropriate to the nature of the emergency and are implemented promptly The order of priority, and the levels and timescales of making reports and informing personnel on board, are relevant to the nature of the emergency and reflect the urgency of the problem
Operate life-saving appliances	<i>Life-saving</i> Ability to direct abandon ship drills and knowledge of the operation of life-saving appliances and their equipment, including the two-way radio-telephone apparatus. Survival at sea techniques including participation in an approved survival at sea course	Assessment of evidence obtained from examination or approved training	Actions in responding to abandon ship and survival situations are appropriate to the prevailing circumstances and conditions and comply with accepted safety practices and standards
Medical aid	<i>Medical aid</i> Knowledge of first aid procedures. Practical application of medical guides and advice by radio	Assessment of evidence obtained from approved training	The identification of probable cause, nature and extent of injuries or conditions is prompt and treatment minimizes immediate threat to life
Monitor compliance with legislative requirements	Basic working knowledge of the relevant IMO conventions and other relevant international instruments concerning safety of	Assessment of evidence obtained from examination or approved training	Legislative requirements relating to safety of life at sea and protection of the marine environment are correctly identified

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>life at sea and protection of the marine environment</p> <p>Basic working knowledge of relevant international instruments concerning the responsible conservation, fishing management, responsible fisheries and development of living aquatic resources as well as key international instruments related to the fight against illegal, unreported and unregulated (IUU) fishing</p> <p>Understanding of the requirements which crews shall comply with</p> <p>Understanding the importance of sustainable development of the fishing industry</p>		

Section A-II/3

Mandatory minimum requirements for certification of skippers on fishing vessels of 24 metres in length and over operating in limited waters

Standard of competence

- 1 Every candidate for certification as skipper on fishing vessels of 24 metres in length and over operating in limited waters shall be required to demonstrate the competence to undertake the tasks, duties and responsibilities listed in column 1 of table A-II/3.
- 2 The minimum knowledge, understanding and proficiency required for certification is listed in column 2 of table A-II/3. This incorporates, expands and extends in depth the subjects listed in column 2 of table A-II/4 for officers in charge of a navigational watch.
- 3 The level of knowledge of the subjects listed in column 2 of table A-II/3 shall be sufficient to enable the candidate to serve in the capacity of skipper.
- 4 Every candidate for certification shall be required to provide evidence of having achieved the required standard of competence in accordance with the methods for demonstrating competence and criteria for evaluating competence tabulated in columns 3 and 4 of table A-II/3.

Table A-II/3

Specification of minimum standard of competence for skippers on fishing vessels of 24 metres in length and over operating in limited waters

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Function: Navigation at the management level			
Plan a voyage and conduct navigation	<p><i>Navigation</i></p> <p>Voyage planning and navigation for all conditions:</p> <p>.1 by acceptable methods of determining ocean tracks</p> <p>.2 within restricted waters</p> <p>.3 where applicable, in ice</p> <p>.4 in restricted visibility</p> <p>.5 where applicable, in traffic separation schemes</p> <p>.6 in areas affected by tides or currents</p> <p>.7 in all meteorological conditions</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using: chart catalogues, charts, nautical publications and ship particulars</p>	<p>The equipment, charts and nautical publications required for the voyage are enumerated and appropriate to the safe conduct of the voyage</p> <p>The reasons for the planned route are supported by facts and statistical data obtained from relevant sources and publications</p> <p>Positions, courses, distances and time calculations are correct within accepted accuracy standards for navigational equipment</p> <p>All potential navigational hazards are accurately identified</p>
Determine position and the accuracy of resultant position fix by any means	<p>Position determination:</p> <p>.1 by terrestrial observations, including the ability to use bearings from landmarks and aids to navigation such as lighthouses, beacons and buoys in conjunction with appropriate charts, notices to mariners</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p>	<p>The primary method chosen for fixing the vessel's position is the most appropriate to the prevailing circumstances and conditions</p> <p>The fix obtained by terrestrial observations is within accepted accuracy levels</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>and other publications to assess the accuracy of the resulting position fix</p> <p>.2 by using, to the satisfaction of the Party, modern ship electronic navigational aids as provided in fishing vessels concerned</p>	<p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using:</p> <p>(a) charts, nautical publications and navigational instruments (log, sounding equipment, compass) and manufactures manuals</p> <p>(b) radar, terrestrial electronic position-fixing systems, satellite navigation systems and appropriate nautical charts and publications</p>	<p>The accuracy of the resulting fix is properly assessed</p> <p>The fix obtained by the use of electronic navigational aids is within the accuracy standards of the systems in use. The possible errors affecting the accuracy of the resulting position are stated and methods of minimizing the effects of system errors on the resulting position are properly applied</p>
Determine and allow for compass errors	<p><i>Compasses</i></p> <p>Ability to use terrestrial means to determine and apply the errors of the compasses</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using:</p>	<p>The method and frequency of checks for errors of magnetic and gyro-compasses ensures accuracy of information</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
		terrestrial bearings and comparison between magnetic and gyro-compasses	
Coordinate search and rescue operations	<p><i>Search and rescue</i></p> <p>Knowledge of search and rescue procedures</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using: relevant publications, charts, meteorological data, particulars of vessels involved, radiocommunication equipment and other available facilities</p>	<p>The plan for coordinating search and rescue operations is in accordance with international guidelines and standards</p> <p>Radiocommunications are established and correct communication procedures are followed at all stages of the search and rescue operations</p>
Establish watchkeeping arrangements and procedures	<p><i>Watchkeeping</i></p> <p>.1 thorough knowledge of the content, application and intent of the International Regulations for Preventing Collisions at Sea, 1972, specially annexes II and IV concerned with safe navigation</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved simulator training, where appropriate</p>	<p>Watchkeeping arrangements and procedures are established and maintained in compliance with international regulations and guidelines so as to ensure the safety of navigation, protection of the marine environment and safety of the vessel and persons on board</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.2 demonstrate knowledge of the content, application and intent of the principles to be observed in keeping a navigational watch as prescribed in chapter IV</p> <p>.3 use of reporting in accordance with the general principles for ships reporting systems and with VTS procedures, where deemed appropriate by the Party</p>		
Forecast weather and oceanographic conditions	<p><i>Meteorology and oceanography</i></p> <p>.1 knowledge of meteorological instruments and their application</p> <p>.2 ability to apply meteorological information available</p> <p>.3 knowledge of characteristics of various weather systems affecting the limited waters concerned liable to endanger the vessel, at the discretion of the Party</p> <p>.4 knowledge of weather conditions affecting the limited waters concerned liable to endanger the vessel, at the discretion of the Party</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved laboratory equipment training</p>	<p>The likely weather conditions predicted for a determined period are based on all available information</p> <p>Actions taken to maintain safety of navigation minimize any risk to safety of the vessel</p> <p>Reasons for intended action are backed by statistical data and observations of the actual weather conditions</p> <p>Calculate times and heights of tides and estimate the direction and rate of tidal streams</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	.5 ability to calculate tidal conditions using appropriate navigational publications		
Respond to navigational emergencies	<p><i>Emergency procedures</i></p> <p>.1 precautions when beaching a vessel</p> <p>.2 action to be taken prior to, and after, grounding</p> <p>.3 action to be taken when the gear becomes fast to the ground or other obstruction</p> <p>.4 floating a grounded vessel, with and without assistance</p> <p>.5 action to be taken following a collision</p> <p>.6 temporary plugging of leaks</p> <p>.7 measures for the protection and safety of crew in emergencies</p> <p>.8 limiting damage and salvaging the vessel following a fire or explosion</p> <p>.9 abandoning ship</p> <p>.10 emergency steering</p>	Assessment of evidence obtained from examination or practical instruction, in-service experience and practical drills in emergency procedures	<p>The type and scale of any problem is promptly identified and decisions and actions minimize the effects of any malfunction of the vessel's systems</p> <p>Communications are effective and comply with established procedures</p> <p>Decisions and actions maximize safety of persons on board</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.11 rescuing persons from a vessel in distress or from a wreck</p> <p>.12 man overboard procedures</p> <p>.13 towing and being towed</p>		
Fishing vessel manoeuvring and handling	<p><i>Fishing vessel manoeuvring and handling</i></p> <p>Manoeuvring and handling of a fishing vessel in all conditions including:</p> <p>.1 berthing, unberthing and anchor work under various conditions of wind and tide</p> <p>.2 manoeuvring in shallow water</p> <p>.3 management and handling of fishing vessels in heavy weather, including appropriate speed, particularly in following and quartering seas, assisting a vessel or aircraft in distress, means of keeping an unmanageable vessel out of a sea trough and lessening drift</p> <p>.4 manoeuvring the vessel during fishing operations, with special regard to factors which could</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved manned scale ship model, where appropriate</p>	<p>All decisions concerning berthing and anchoring are based on a proper assessment of the vessel's manoeuvring and engine characteristics and the forces to be expected while berthed alongside or lying at anchor</p> <p>While under way, a full assessment is made of possible effects of shallow and restricted waters, ice, banks, tidal conditions, passing vessel and own vessel's bow and stern wave so that the vessel can be safely manoeuvred under various conditions of loading and weather</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>adversely affect the vessel's safety during such operations</p> <p>.5 precautions in manoeuvring for launching rescue boats or survival craft in bad weather</p> <p>.6 methods of taking on board survivors from rescue boats or survival craft</p> <p>.7 where applicable, practical measures to be taken when navigating in ice, icebergs or conditions of ice accretion on board the vessel</p> <p>.8 the use of, and manoeuvring in, traffic separation schemes</p> <p>.9 the importance of navigating at reduced speed to avoid damage caused by own vessel's bow or stern wave</p> <p>.10 transshipment at sea of catch and other supplies to factory vessels and other vessels</p>		
Fishing vessel power plants	<p><i>Fishing vessel power plants</i></p> <p>.1 operating principles of marine power plants in fishing vessels</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p>	<p>Plant, auxiliary machinery and equipment is operated in accordance with technical specifications and within safe operating limits at all times</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.2 vessel's auxiliary machinery</p> <p>.3 general knowledge of marine engineering terms</p>	<p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p>	
Maritime communication for safe navigation	<p><i>The English language</i></p> <p>Basic knowledge of the English language to enable the officer to use appropriate nautical publications, to understand meteorological information and messages concerning vessel's safety, and to communicate with other vessels</p>	Examination and assessment of evidence obtained from practical instruction	<p>English language nautical publications and messages relevant to the safety of the vessel are correctly interpreted or drafted</p> <p>Communications are clear and understood</p>
<p>Maintain safe navigation through the use of information from navigation equipment and systems to assist command decision-making</p> <p>Note: Training and assessment in the use of ARPA is not required for those who serve exclusively on vessels not fitted with ARPA. This limitation shall be reflected in the endorsement issued to the fishing vessel personnel concerned</p>	<p>An appreciation of system errors and thorough understanding of the operational aspects of navigational systems</p> <p>Blind pilotage planning</p> <p>Evaluation of navigational information derived from all sources, including radar and ARPA, in order to make and implement command decisions for collision avoidance and for directing the safe navigation of the vessel</p> <p>The interrelation vessel and optimum</p>	<p>Examination and assessment of evidence obtained from approved ARPA simulator and one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved simulator training, where appropriate</p> <p>.3 approved laboratory equipment training</p>	<p>Information obtained from navigation equipment and systems is correctly interpreted and analysed, taking into account the limitations of the equipment and prevailing circumstances and conditions</p> <p>Action taken to avoid a close encounter or collision with another vessel is in accordance with the International Regulations for Preventing Collisions at Sea, 1972</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	use of all navigational data available for conducting navigation		
<p>Maintain the safety of navigation through the use of ECDIS and associated navigation systems to assist command decision-making</p> <p>Note: Training and assessment in the use of ECDIS is not required for those who serve exclusively on vessels not fitted with ECDIS. This limitation shall be reflected in the endorsement issued to the fishing vessel personnel concerned</p>	<p>Management of operational procedures, system files and data, including:</p> <p>.1 manage procurement, licensing and updating of chart data and system software to conform to established procedures</p> <p>.2 system and information updating, including the ability to update ECDIS system version in accordance with vendor's product development</p> <p>.3 create and maintain system configuration and backup files</p> <p>.4 create and maintain log files in accordance with established procedures</p> <p>.5 create and maintain route plan files in accordance with established procedures</p> <p>.6 use ECDIS logbook and track history functions for inspection of system functions, alarm</p>	<p>Assessment of evidence obtained from one of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved ECDIS simulator training</p>	<p>Operational procedures for using ECDIS are established, applied and monitored</p> <p>Actions taken to minimize risk to safety of navigation</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>settings and user responses</p> <p>Use ECDIS playback functionality for passage review, route planning and review of system functions</p>		
Function: Catch handling and stowage at management level			
Catch handling and stowage	<p><i>Catch handling and stowage</i></p> <p>.1 the stowage and securing of the catch on board vessels, including fishing gear</p> <p>.2 loading and discharging operations, with special regard to heeling moments from gear and catch</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p>	<p>The stowage and securing of the catch ensure that stability conditions remain within safe limits at all times during the voyage</p>
Function: Controlling the operation of the vessel and care for persons on board at the management level			
Control trim and stability	<p><i>Fishing vessel construction and stability</i></p> <p>.1 general knowledge of principal structural members of a vessel and the proper names of the various parts</p> <p>.2 knowledge of the theories and factors affecting trim and stability and measures necessary to preserve safe trim and stability</p> <p>.3 knowledge and ability to use stability documents or</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>Using: stability and trim tables, diagrams</p>	<p>Stability conditions are maintained within safe limits at all times</p> <p>Actions to ensure and maintain the watertight integrity of the vessel are in accordance with accepted practice</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>booklets, stability data, stability and trim tables and precalculation for operating conditions.</p> <p>.4 knowledge of effects of free surfaces and ice accretion, where applicable</p> <p>.5 knowledge of effects of water on deck</p> <p>.6 knowledge of the significance of weathertight and watertight integrity</p> <p>.7 knowledge of internationally recognized stability criteria and conditions</p>		
<p>Monitor and control compliance with legislative requirements and measures to ensure safety of life at sea and the protection of the marine environment</p>	<p><i>Maritime law</i></p> <p>Taking into account the limited waters as defined by the Party, a knowledge of international maritime law as embodied in the international agreements and conventions as they affect the specific obligations and responsibilities of the skipper, particularly those concerning safety and the protection of the marine environment</p> <p>The extent of knowledge of national maritime legislation is</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p>	<p>Procedures for monitoring operations and maintenance comply with legislative requirements</p> <p>Potential non-compliance is promptly and fully identified</p> <p>Planned renewal and extension of certificates ensures continued validity of surveyed items and equipment</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	left to the discretion of the Party, but shall include national arrangements for implementing applicable international agreements and conventions		
Maintain safety of the vessel's crew and the operational condition of life-saving and fire-fighting appliances	<p><i>Fire prevention and fire-fighting appliances</i></p> <p>.1 organization of fire drills</p> <p>.2 classes and chemistry of fire</p> <p>.3 fire-fighting systems</p> <p>.4 understanding of action to be taken in the event of fire, includes fire involving oil systems</p> <p>.5 knowledge of provisions concerning fire-fighting equipment</p> <p>.6 knowledge of fire prevention measures</p> <p><i>Life-saving</i></p> <p>.1 thorough knowledge of life-saving appliances provided on fishing vessels.</p> <p>.2 ability to organize abandon ship drills and knowledge of the operation of survival craft and rescue</p>	Assessment of evidence obtained from examination or approved training	Procedures for monitoring fire detection and safety systems ensure that all alarms are detected promptly and acted upon in accordance with established emergency procedures

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>boats, their launching appliances and arrangements, and their equipment, including radio life-saving appliances, EPIRBs, SARTs, immersion suits and thermal protective aids</p> <p>.3 actions to be taken to protect and safeguard all persons on board in emergencies</p> <p>.4 actions to limit damage and salve the vessel following a fire, explosion, collision or grounding</p> <p><i>Maintenance</i></p> <p>.1 maintenance of operational condition of life-saving, fire fighting and other safety systems</p>		
<p>Organize and manage the provision of medical care on board</p>	<p><i>Medical care</i></p> <p>.1 knowledge of medical first aid procedures</p> <p>.2 knowledge of relevant procedures to provide adequate medical care on board</p> <p>.3 knowledge of procedures for obtaining medical advice by radio</p> <p>.4 practical application of medical</p>	<p>Assessment of evidence obtained from examination or approved training</p>	<p>Action taken and procedures following correctly apply and make full use of advice available</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	guides and advice by radio including the ability to take effective action based on such knowledge in case of accident or illness that are likely to occur on board the vessel		

Section A-II/4

Mandatory minimum requirements for certification of officers in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in limited waters

Standard of competence

1 Every candidate for certification as officer in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in limited waters shall be required to demonstrate the competence to undertake the tasks, duties and responsibilities listed in column 1 of table A-II/4.

2 The minimum knowledge, understanding and proficiency required for certification is listed in column 2 of table A-II/4.

3 The level of knowledge of the subjects listed in column 2 of table A-II/4 shall be sufficient for officers of the watch to carry out their watchkeeping duties.

4 Every candidate for certification shall be required to provide evidence of having achieved the required standard of competence in accordance with the methods for demonstrating competence and the criteria for evaluating competence tabulated in columns 3 and 4 of table A-II/4.

Onboard training

5 Every candidate for certification as officer in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in limited waters whose seagoing service, in accordance with paragraph 2.2 of regulation II/4, forms part of a training programme approved as meeting the requirements of this section shall follow an approved programme of onboard training which:

- .1 ensures that, during the required period of seagoing service, the candidate receives systematic practical training and experience in the tasks, duties and responsibilities of an officer in charge of a navigational watch;
- .2 is closely supervised and monitored by qualified officers aboard the vessels in which the approved seagoing service is performed; and
- .3 is adequately documented in a training record book or a similar document.

Table A-II/4

Specification of minimum standard of competence for officers in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in limited waters

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Function: Navigation at the operational level			
Plan and conduct a passage and determine position	<p>Terrestrial and coastal navigation</p> <p>Ability to determine the vessel position by the use of:</p> <p>.1 landmarks</p> <p>.2 aids to navigation, including lighthouses, beacons and buoys</p> <p>.3 dead reckoning, taking into account winds, tides, currents, speed by propeller revolutions per minute and by log</p> <p>Thorough knowledge of and ability to use navigational charts and publications such as sailing directions, tide tables, notices to mariners and radio navigational warnings</p> <p>Electronic systems of position fixing and navigation</p> <p>Ability to determine the vessel's position by the use of electronic navigational aids to the satisfaction of the Party</p> <p><i>Compasses</i></p> <p>.1 care and use of compasses and</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training using:</p> <p>chart catalogues, charts, nautical publications, radio navigational warnings, azimuth mirror, electronic navigation equipment, echo sounding equipment, compass</p>	<p>The information obtained from nautical charts and publications is relevant, interpreted correctly and properly applied. All potential navigational hazards are accurately identified</p> <p>The primary method of fixing the vessel's position is the most appropriate to the prevailing circumstances and conditions</p> <p>The position is determined within the limits of acceptable instrument/system errors</p> <p>The reliability of the information obtained from the primary method of position fixing is checked at appropriate intervals</p> <p>Calculations and measurements of navigational information are accurate</p> <p>The charts selected are the largest scale suitable for the area of navigation and charts and publications are corrected in</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>associated equipment</p> <p>.2 ability to determine and apply compass errors</p> <p><i>Meteorology</i></p> <p>.1 knowledge of shipborne meteorological instruments and their application</p> <p>.2 knowledge of the characteristics of the various weather systems affecting the limited waters concerned</p> <p><i>Echo sounders</i></p> <p>.1 ability to operate the equipment and apply the information correctly</p> <p><i>Steering control system</i></p> <p>.1 knowledge of steering control systems and applicable operational procedures</p>		<p>accordance with the latest information available</p> <p>Performance checks and tests to navigation systems comply with manufacturer's recommendations and good navigational practice</p> <p>Errors in magnetic and gyro-compasses are determined and correctly applied to courses and bearings</p> <p>Measurements and observations of weather conditions are accurate and appropriate to the passage</p>
<p>Maintain a safe navigational watch</p>	<p><i>Watchkeeping</i></p> <p>Thorough knowledge of the content, application and intent of the International Regulations for Preventing Collisions at Sea, 1972, specially annexes II</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p>	<p>The conduct, handover and relief of the watch conforms with accepted principles and procedures</p> <p>A proper lookout is maintained at all times and in such a way as to conform to</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>and IV concerned with safe navigation</p> <p>Demonstrate knowledge of the content of the basic principles to be observed in keeping a navigational watch as prescribed in chapter IV</p>	<p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>accepted principles and procedures</p> <p>Lights, shapes and sound signals conform with the requirements contained in the International Regulations for Preventing Collisions at Sea, 1972, and are correctly recognized</p> <p>The frequency and extent of monitoring of traffic, the vessel and the environment conform with accepted principles and procedures</p> <p>A proper record is maintained of the movements and activities relating to the navigation of the vessel</p> <p>Responsibility for the safety of navigation is clearly defined at all times, including periods when the master is on the bridge and while under pilotage</p>
Use of radar to maintain safety of navigation	<p><i>Radar navigation</i></p> <p>Knowledge of the fundamentals of radar and ability in the operation and use of radar, and in the interpretation and analysis of information obtained from the equipment</p>	Assessment of evidence obtained from examination or approved radar simulator training or, when not available, manoeuvring board plus in-service experience	Information obtained from radar is correctly interpreted and analysed, taking into account the limitations of the equipment and prevailing circumstances and conditions

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>including the following:</p> <p>.1 factors affecting performance and accuracy</p> <p>.2 setting up and maintaining displays</p> <p>.3 detection of misrepresentation of information, false echoes, sea return</p> <p>.4 range and bearing</p> <p>.5 identification of critical echoes</p> <p>.6 detection of course and speed of other vessels</p> <p>.7 time and distance of closest approach of crossing, meeting or overtaking vessels</p> <p>.8 effect of changes in own vessel's course or speed or both</p> <p>.9 where radar simulator training is not available, the use of manoeuvring board</p> <p>.10 application of the International Regulations for Preventing Collisions at Sea, 1972</p>		<p>Action taken to avoid a close encounter or collision with other vessels is in accordance with the International Regulations for Preventing Collisions at Sea, 1972, as amended</p> <p>Decisions to amend course and/or speed are both timely and in accordance with accepted navigation practice</p> <p>Adjustments made to the vessel's course and speed maintain safety of navigation</p> <p>Communication is clear, concise and acknowledged at all times in a seamanlike manner</p> <p>Manoeuvring signals are made at the appropriate time and are in accordance with the International Regulations for Preventing Collisions at Sea, 1972</p>
Respond to a distress signal at sea	<p><i>Search and rescue</i></p> <p>Knowledge of search and rescue procedures</p>	Assessment of evidence obtained from examination or practical instruction and/or simulation	The distress or emergency signal is immediately recognized

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
			Contingency plans and instructions in standing orders are implemented and complied with
Maritime communication for safe navigation	<p><i>The English language</i></p> <p>Basic knowledge of the English language to enable the officer to use appropriate nautical publications, to understand meteorological information and messages concerning vessel's safety, and to communicate with other vessels</p>	Examination and assessment of evidence obtained from practical instruction	<p>English language nautical publications and messages relevant to the safety of the vessel are correctly interpreted or drafted</p> <p>Communications are clear and understood</p>
Fishing vessel manoeuvring and handling	<p><i>Fishing vessel manoeuvring and handling</i></p> <p>Basic knowledge of manoeuvring and handling a fishing vessel, including the following:</p> <p>.1 berthing, unberthing, anchoring and manoeuvring alongside other vessels at sea</p> <p>.2 manoeuvring during fishing operations with special regard to factors which could adversely affect the vessel's safety during such operations</p> <p>.3 effects of wind, tide and current on ship handling</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved training on a manned scale ship model where appropriate</p>	<p>Safe operating limits of vessel propulsion, steering and power systems are not exceeded in normal manoeuvres</p> <p>Adjustments made to the vessel's course and speed maintain safety of navigation</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.4 manoeuvring in shallow water</p> <p>.5 management of fishing vessels in heavy weather</p> <p>.6 rescuing persons and assisting a vessel or aircraft in distress</p> <p>.7 towing and being towed</p> <p>.8 man overboard procedure</p> <p>.9 where applicable, practical measures to be taken when navigating in ice or in conditions of ice accretion on board the vessel</p>		
<p>Use of radar and ARPA to maintain safety of navigation</p> <p>Note: Training and assessment in the use of ARPA is not required for those who serve exclusively on vessels not fitted with ARPA. This limitation shall be reflected in the endorsement issued to the fishing vessel personnel concerned.</p>	<p><i>Radar navigation</i></p> <p>Knowledge of the fundamentals of radar and automatic radar plotting aids (ARPA)</p> <p>Ability to operate and to interpret and analyse information obtained from radar, including the following:</p> <p>Performance, including:</p> <p>.1 factors affecting performance and accuracy</p> <p>.2 setting up and maintaining displays</p>	<p>Assessment of evidence obtained from approved radar simulator and ARPA simulator plus in-service experience</p>	<p>Information obtained from radar and ARPA is correctly interpreted and analysed, taking into account the limitations of the equipment and prevailing circumstances and conditions</p> <p>Action taken to avoid a close encounter or collision with other vessels is in accordance with the International Regulations for Preventing Collisions at Sea, 1972</p> <p>Decisions to amend course and/or speed are both timely and in</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.3 detection of misrepresentation of information, false echoes, sea return, etc., racons and SARTs</p> <p>Use, including:</p> <p>.1 range and bearing; course and speed of other vessels; time and distance of closest approach of crossing, meeting overtaking vessels</p> <p>.2 identification of critical echoes; detecting course and speed changes of other vessels; effect of changes in own vessel's course or speed or both</p> <p>.3 application of the International Regulations for Preventing Collisions at Sea, 1972</p> <p>.4 plotting techniques and relative- and true-motion concepts</p> <p>.5 parallel indexing Principal types of ARPA, their display characteristics, performance standards and the dangers of over-reliance on ARPA</p> <p>Ability to operate and to interpret and analyse information obtained from ARPA, including:</p>		<p>accordance with accepted navigation practice</p> <p>Adjustments made to the vessel's course and speed maintain safety of navigation</p> <p>Communication is clear, concise and acknowledged at all times in a seamanlike manner</p> <p>Manoeuvring signals are made at the appropriate time and are in accordance with the International Regulations for Preventing Collisions at Sea, 1972</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.1 system performance and accuracy, tracking capabilities and limitations, and processing delays</p> <p>.2 use of operational warnings and system tests</p> <p>.3 methods of target acquisition and their limitations</p> <p>.4 true and relative vectors, graphic representation of target information and danger areas</p> <p>.5 deriving and analysing information, critical echoes, exclusion areas and trial manoeuvres</p>		
<p>Use of ECDIS to maintain the safety of navigation</p> <p>Note: Training and assessment in the use of ECDIS is not required for those who serve exclusively on vessels not fitted with ECDIS. This limitation shall be reflected in the endorsements issued to the fishing vessel personnel concerned</p>	<p><i>Navigation using ECDIS</i></p> <p>Knowledge of the capability and limitations of ECDIS operations, including:</p> <p>.1 thorough understanding of Electronic Navigational Chart (ENC) data, data accuracy, presentation rules, display options and other chart data formats</p> <p>.2 the dangers of over-reliance</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved training vessel experience</p> <p>.2 approved ECDIS simulator training</p>	<p>Monitors information on ECDIS in a manner that contributes to safe navigation</p> <p>Information obtained from ECDIS (including radar overlay and/or radar tracking functions, when fitted) is correctly interpreted and analysed, taking into account the limitations of the equipment, all connected sensors (including radar and AIS where interfaced), and prevailing</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.3 familiarity with the functions of ECDIS required by performance standards in force</p> <p>Proficiency in operation, interpretation, and analysis of information obtained from ECDIS, including:</p> <p>.1 use of functions that are integrated with other navigation systems in various installations, including proper functioning and adjustment to desired settings</p> <p>.2 safe monitoring and adjustment of information, including own position, sea area display, mode and orientation, chart data displayed, route monitoring, user-created information layers, contacts (when interfaced with AIS and/or radar tracking) and radar overlay functions (when interfaced)</p> <p>.3 confirmation of vessel position by alternative means</p> <p>.4 efficient use of settings to ensure conformance to operational procedures, including alarm parameters for</p>		<p>circumstances and conditions</p> <p>Safety of navigation is maintained through adjustments made to the vessel's course and speed through ECDIS-controlled track-keeping functions (when fitted)</p> <p>Communication is clear, concise and acknowledged at all times in a seamanlike manner</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>anti-grounding, proximity to contacts and special areas, completeness of chart data and chart update status, and backup arrangements</p> <p>.5 adjustment of settings and values to suit the present conditions</p> <p>.6 situational awareness while using ECDIS including safe water and proximity of hazards, set and drift, chart data and scale selection, suitability of route, contact detection and management, and integrity of sensors</p>		
Function: Catch handling and stowage at operational level			
Catch handling and stowage	<p><i>Catch handling and stowage</i></p> <p>Knowledge of safe handling and stowage of catch and the effect of these factors on the safety of the vessel</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p>	<p>Handling and stowage of catch are carried out in accordance with safety rules/regulations, equipment operating instructions and shipboard stowage limitation</p>
Function: Controlling the operation of the vessel and care for persons on board at the management level			
Ensure compliance with pollution prevention requirements and the protection of	<p><i>Prevention of pollution of the marine environment</i></p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p>	<p>Procedures for monitoring shipboard operations and ensuring compliance with the requirements</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
the marine environment	<p>Knowledge of the precautions to be observed to prevent pollution of the marine environment</p> <p>Knowledge of the impacts of fishing on the environment including pollution related to abandoned, lost or otherwise discarded fishing gear in the context of annex V of the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 thereto</p> <p>Understanding the importance of proactive measures to protect the marine environment</p>	<p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	of the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 thereto
Maintain seaworthiness of the vessel	<p><i>Vessel stability</i></p> <p>Ability to use stability data, stability and trim tables and precalculated operating conditions</p> <p>Knowledge of:</p> <p>.1 the effects of suspended weight on stability</p> <p>.2 the effects of fishing gear operations on stability</p> <p>.3 the risks of following and quartering seas</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>The stability conditions comply with the IMO intact stability criteria under all conditions of loading</p> <p>Actions to ensure and maintain the watertight integrity of the vessel are in accordance with accepted practice</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p><i>Fishing vessel construction</i></p> <p>General knowledge of the principal structural members of a vessel</p> <p>Understanding of the fundamentals of watertight integrity</p>	<p>.5 application of vessel stability data</p>	
<p>Prevent, control and fight fires on board</p>	<p><i>Fire prevention and fire-fighting appliances</i></p> <p>.1 Ability to organize fire drills</p> <p>.2 Knowledge of classes and chemistry of fire</p> <p>.3 Knowledge of fire-fighting systems</p> <p>.4 Knowledge of action to be taken in the event of fire,</p> <p>.5 Knowledge of fire prevention measures and use of fire-fighting appliances</p>	<p>Assessment of evidence obtained from approved fire-fighting training and experience</p>	<p>The type and scale of the problem is promptly identified and initial actions conform with the emergency procedure and contingency plans for the vessel</p> <p>Evacuation, emergency shutdown and isolation procedures are appropriate to the nature of the emergency and are implemented promptly</p> <p>The order of priority, and the levels and timescales of making reports and informing personnel on board, are relevant to the nature of the emergency and reflect the urgency of the problem</p>
<p>Operate life-saving appliances</p>	<p><i>Life-saving</i></p> <p>.1 knowledge of life-saving appliances provided on fishing vessels</p> <p>.2 organization of abandon ship drills</p>	<p>Assessment of evidence obtained from examination or approved training</p>	<p>Actions in responding to abandon ship and survival situations are appropriate to the prevailing circumstances and conditions and comply with accepted</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>and use of the equipment</p> <p>.3 knowledge of survival techniques</p> <p>.4 knowledge of personal responsibility</p>		safety practices and standards
Medical aid	<p><i>Medical aid</i></p> <p>Knowledge of first aid procedures. Practical application of medical guides and advice by radio</p>	Assessment of evidence obtained from approved training	The identification of probable cause, nature and extent of injuries or conditions is prompt and treatment minimizes immediate threat to life
Monitor compliance with legislative requirements	<p>Basic working knowledge of the relevant IMO conventions and other relevant international instruments concerning safety of life at sea and protection of the marine environment</p> <p>Basic working knowledge of relevant international instruments concerning the responsible conservation, fishing management, responsible fisheries and development of living aquatic resources as well as key international instruments related to the fight against illegal, unreported and unregulated (IUU) fishing</p>	Assessment of evidence obtained from examination or approved training	Legislative requirements relating to safety of life at sea and protection of the marine environment are correctly identified

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	Understanding of the requirements which crews shall comply with Understanding the importance of sustainable development of the fishing industry		

Section A-II/5-1-1

Mandatory minimum requirements for certification of chief engineer officers and second engineer officers of fishing vessels powered by main propulsion machinery of 3,000 kW propulsion power or more

Standard of competence

1 Every candidate for certification as chief engineer officer and second engineer officer of fishing vessels powered by main propulsion machinery of 3,000 kW power or more shall be required to demonstrate abilities to undertake, the tasks, duties and responsibilities listed in column 1 of table A-II/5-1.

2 The minimum knowledge, understanding and proficiency required for certification is listed in column 2 of table A-II/5-1. This incorporates, expands and extends in depth the subjects listed in column 2 of table A-II/5-2 for officers in charge of an engineering watch.

3 Bearing in mind that a second engineer officer shall be in a position to assume the responsibilities of the chief engineer officer at any time, assessment in these subjects shall be designed to test the candidate's ability to assimilate all available information that affects the safe operation of the ship's machinery and the protection of the marine environment.

4 The level of knowledge of the subjects listed in column 2 of table A-II/5-1 shall be sufficient to enable the candidate to serve in the capacity of chief engineer officer or second engineer officer.

5 The Administration may omit knowledge requirements for types of propulsion machinery other than those machinery installations for which the certificate to be awarded shall be valid. A certificate awarded on such a basis shall not be valid for any category of machinery installation which has been omitted until the engineer officer proves to be competent in these knowledge requirements. Any such limitation shall be stated on the certificate and in the endorsement.

6 Every candidate for certification shall be required to provide evidence of having achieved the required standard of competence in accordance with the methods for demonstrating competence and the criteria for evaluating competence tabulated in columns 3 and 4 of table A-II/5-1.

Table A-II/5-1

Specification of minimum standard of competence for chief engineer officers and second engineer officers of fishing vessels powered by main propulsion machinery of 3,000 kW propulsion power or more

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
<p>Manage the operation of propulsion plant machinery</p> <p>Note: the Administration may omit knowledge requirements for types of propulsion machinery other than machinery installations for which the certificate to be awarded is to be valid</p>	<p>Design features, and operative mechanism of the following machinery and associated auxiliaries:</p> <p>.1 marine diesel engine</p> <p>.2 marine steam turbine</p> <p>.3 marine gas turbine</p> <p>.4 marine steam boiler</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>Explanation and understanding of design features and operating mechanisms are appropriate</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
<p>Plan and schedule operations</p> <p>Note: the Administration may omit knowledge requirements for types of propulsion machinery other than machinery installations for which the certificate to be awarded is to be valid</p>	<p><i>Theoretical knowledge</i></p> <p>Thermodynamics and heat transmission</p> <p>Mechanics and hydromechanics</p> <p>Propulsive characteristics of diesel engines, steam and gas turbines, including speed, output and fuel consumption</p> <p>Heat cycle, thermal efficiency and heat balance of the following:</p> <p>.1 marine diesel engine</p> <p>.2 marine steam turbine</p> <p>.3 marine gas turbine</p> <p>.4 marine steam boiler</p> <p>Refrigerators and refrigeration cycle</p> <p>Physical and chemical properties of fuels and lubricants</p> <p>Technology of materials</p> <p>Naval architecture and ship construction, including damage control</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>The planning and preparation of operations is suited to the design parameters of the power installation and to the requirements of the voyage</p>
<p>Operation, surveillance, performance assessment and</p>	<p><i>Practical knowledge</i></p> <p>Start up and shut down main propulsion</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p>	<p>The methods of preparing for the start-up and of making available</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
<p>maintaining safety of propulsion plant and auxiliary machinery</p>	<p>and auxiliary machinery, including associated systems</p> <p>Operating limits of propulsion plant</p> <p>The efficient operation, surveillance, performance assessment and maintaining safety of propulsion plant and auxiliary machinery</p> <p>Functions and mechanism of automatic control for main engine</p> <p>Functions and mechanism of automatic control for auxiliary machinery including but not limited to:</p> <p>.1 generator distribution systems</p> <p>.2 steam boilers</p> <p>.3 oil purifier</p> <p>.4 refrigeration system</p> <p>.5 pumping and piping systems</p> <p>.6 steering gear system</p> <p>.7 catch-handling equipment and deck machinery</p>	<p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>fuels, lubricants, cooling water and air are the most appropriate</p> <p>Checks of pressures, temperatures and revolutions during the start-up and warm-up period are in accordance with technical specifications and agreed work plans</p> <p>Surveillance of main propulsion plant and auxiliary systems is sufficient to maintain safe operating conditions</p> <p>The methods of preparing the shutdown and of supervising the cooling down of the engine are the most appropriate</p> <p>The methods of measuring the load capacity of the engines are in accordance with technical specifications</p> <p>Performance is checked against bridge orders</p> <p>Performance levels are in accordance with technical specifications</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
Manage fuel, lubrication and ballast operations	Operation and maintenance of machinery, including pumps and piping systems	Examination and assessment of evidence obtained from one or more of the following: .1 approved in-service experience .2 approved training vessel experience .3 approved simulator training, where appropriate	Fuel and ballast operations meet operational requirements and are carried out so as to prevent pollution of the marine environment
Manage operation of electrical and electronic control equipment	<p><i>Theoretical knowledge</i></p> <p>Marine electrotechnology, electronics power electronics, automatic control engineering and safety devices</p> <p>Design features and system configurations of automatic control equipment and safety devices for the following:</p> <p>.1 main engine</p> <p>.2 generator and distribution system</p> <p>.3 steam boiler</p> <p>Design features and system configurations of operational control equipment for electrical motors</p> <p>Features of hydraulic and pneumatic control equipment</p>	Examination and assessment of evidence obtained from one or more of the following: .1 approved in-service experience .2 approved training vessel experience .3 approved simulator training, where appropriate .4 approved laboratory equipment training	<p>Operation of equipment and system is in accordance with operating manuals</p> <p>Performance levels are in accordance with technical specifications</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
Manage troubleshooting, restoration of electrical and electronic control equipment to operating condition	<p><i>Practical knowledge</i></p> <p>Troubleshooting of electrical and electronic control equipment</p> <p>Function test of electrical, electronic control equipment and safety devices</p> <p>Troubleshooting of monitoring systems</p> <p>Software version control</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>Maintenance activities are correctly planned in accordance with technical, legislative, safety and procedural specifications</p> <p>Inspection, testing and troubleshooting of equipment are appropriate</p>
Manage safe and effective maintenance and repair procedures	<p><i>Theoretical knowledge</i></p> <p>Marine engineering practice</p> <p><i>Practical knowledge</i></p> <p>Manage safe and effective maintenance and repair procedures</p> <p>Planning maintenance, including statutory and class verifications</p> <p>Planning repairs</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved workshop training</p>	<p>Maintenance activities are correctly planned and carried out in accordance with technical, legislative, safety and procedural specifications</p> <p>Appropriate plans, specifications, materials and equipment are available for maintenance and repair</p> <p>Action taken leads to the restoration of plant by the most suitable method</p>
Detect and identify the cause of machinery malfunctions and correct faults	<p><i>Practical knowledge</i></p> <p>Detection of machinery malfunction, location of faults and action to prevent damage</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p>	<p>The methods of comparing actual operating conditions are in accordance with recommended practices and procedures</p> <p>Actions and decisions are in</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	<p>Inspection and adjustment of equipment</p> <p>Non-destructive examination</p>	<p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>accordance with recommended operating specifications and limitations</p>
Ensure safe working practices	<p><i>Practical knowledge</i></p> <p>Safe working practices</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved laboratory equipment training</p>	<p>Working practices are in accordance with legislative requirements, codes of practice, permits to work and environmental concerns</p>
Control trim and stability	<p>Understanding of fundamental principles of ship construction and the theories and factors affecting trim and stability and measures necessary to preserve trim and stability</p> <p>Knowledge of the effect on trim and stability of a vessel in the event of damage to, and consequent flooding of a compartment and countermeasures to be taken</p> <p>Knowledge of IMO recommendations concerning ship stability</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p>	<p>Stability and loading conditions are maintained within safety limits at all times</p>
Monitor and control compliance with legislative	<p><i>Maritime law</i></p> <p>A knowledge of international maritime</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p>	<p>Procedures for monitoring operations and maintenance comply</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
<p>requirements and measures to ensure safety of life at sea and the protection of the marine environment</p>	<p>law as embodied in the international agreements and conventions as they affect the specific obligations and responsibilities of the chief engineer officer, particularly those concerning safety and the protection of the marine environment</p> <p>Particular regard shall be paid to the following subjects:</p> <p>.1 certificates and other documents required to be carried on board fishing vessels by international conventions, how they may be obtained and the period of their legal validity</p> <p>.2 responsibilities under a relevant international convention related to the safety of fishing vessels</p> <p>.3 responsibilities under the relevant requirements of chapter V of the International Convention for the Safety of Life at Sea, 1974</p> <p>.4 responsibilities under the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the</p>	<p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p>	<p>with legislative requirements</p> <p>Potential non-compliance is promptly and fully identified</p> <p>Planned renewal and extension of certificates ensures continued validity of surveyed items and equipment</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>Protocol of 1978 thereto</p> <p>.5 maritime declarations of health and the requirements of the international health regulations</p> <p>.6 responsibilities under other international instruments affecting the safety of the vessel and crew</p> <p>The extent of knowledge of national maritime legislation is left to the discretion of the Party, but shall include national arrangements for implementing applicable international agreements and conventions</p> <p>.7 knowledge of relevant international instruments on safety and health of personnel on board fishing vessels</p> <p>.8 the principles and international standards applicable to the responsible conservation, management and development of living aquatic resources</p> <p>.9 knowledge of key international instruments and tools related to the fight against illegal,</p>		

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	unreported and unregulated (IUU) fishing		
Maintain safety of the vessel's crew and the operational condition of life-saving and fire-fighting appliances	<p><i>Fire prevention and fire-fighting appliances</i></p> <p>.1 organization of fire drills</p> <p>.2 classes and chemistry of fire</p> <p>.3 fire-fighting systems</p> <p>.4 understanding of action to be taken in the event of fire, includes fire involving oil systems</p> <p>.5 knowledge of provisions concerning fire-fighting equipment</p> <p>.6 knowledge of fire prevention measures</p> <p><i>Life-saving</i></p> <p>.1 thorough knowledge of life-saving appliances provided on fishing vessels.</p> <p>.2 ability to organize abandon ship drills and knowledge of the operation of survival craft and rescue boats, their launching appliances and arrangements, and their equipment, including radio life-saving appliances, EPIRBs, SARTs, immersion suits and thermal protective aids</p>	Assessment of evidence obtained from approved training	Procedures for monitoring fire detection and safety systems ensure that all alarms are detected promptly and acted upon in accordance with established emergency procedures

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.3 actions to be taken to protect and safeguard all persons on board in emergencies</p> <p>.4 actions to limit damage and save the vessel following a fire, explosion, collision or grounding</p> <p><i>Maintenance</i></p> <p>.1 maintenance of operational condition of life-saving, fire-fighting and other safety systems</p>		
Develop emergency and damage control plans and handle emergency situations	<p>Ship construction, including damage control</p> <p>Methods and aids for fire prevention, detection and extinction</p> <p>Functions and use of life-saving appliances</p>	Examination and assessment of evidence obtained from approved in-service training and experience	Emergency procedures are in accordance with the established plans for emergency situations

Section A-II/5-1-2

Mandatory minimum requirements for certification of chief engineer officers and second engineer officers on fishing vessels powered by main propulsion machinery of between 750 kW and 3,000 kW propulsion power

Standard of competence

1 Every candidate for certification as chief engineer officer and second engineer officer of seagoing fishing vessels powered by main propulsion machinery of between 750 kW and 3,000 kW power shall be required to demonstrate ability to undertake, at management level, the tasks, duties and responsibilities listed in column 1 of table A-II/5-1.

2 The minimum knowledge, understanding and proficiency required for certification is listed in column 2 of table A-II/5-1. This incorporates, expands and extends in depth the subjects listed in column 2 of table A-II/5-2 for officers in charge of an engineering watch.

3 Bearing in mind that a second engineer officer shall be in a position to assume the responsibilities of the chief engineer officer at any time, assessment in these subjects shall be designed to test the candidate's ability to assimilate all available information that affects the safe operation of the ship's machinery and the protection of the marine environment.

4 The level of knowledge of the subjects listed in column 2 of table A-II/5-1 may be lowered but shall be sufficient to enable the candidate to serve in the capacity of chief engineer officer or second engineer officer at the range of propulsion power specified in this section.

5 Training and experience to achieve the necessary level of theoretical knowledge, understanding and proficiency shall take into account the relevant requirements of this part.

6 The Administration may omit knowledge requirements for types of propulsion machinery other than those machinery installations for which the certificate to be awarded shall be valid. A certificate awarded on such a basis shall not be valid for any category of machinery installation which has been omitted until the engineer officer proves to be competent in these knowledge requirements. Any such limitation shall be stated on the certificate and in the endorsement.

7 Every candidate for certification shall be required to provide evidence of having achieved the required standard of competence in accordance with the methods for demonstrating competence and the criteria for evaluating competence tabulated in columns 3 and 4 of table A-II/5-1.

Section A-II/5-2

Mandatory minimum requirements for certification of officers in charge of an engineering watch in a manned engine-room or designated duty engineers in a periodically unmanned engine-room of fishing vessels powered by main propulsion machinery of 750 kW propulsion power or more

Standard of competence

1 Every candidate for certification as officer in charge of an engineering watch in a manned engine-room or designated duty engineers in a periodically unmanned engine-room shall be required to demonstrate abilities to undertake, the tasks, duties and responsibilities listed in column 1 of table A-II/5-2.

2 The minimum knowledge, understanding and proficiency required for certification is listed in column 2 of table A-II/5-2.

3 The level of knowledge of the subjects listed in column 2 of table A-II/5-2 shall be sufficient to enable the candidate to serve in the capacity of engineer officer.

4 The Administration may omit knowledge requirements for types of propulsion machinery other than those machinery installations for which the certificate to be awarded shall be valid. A certificate awarded on such a basis shall not be valid for any category of machinery installation which has been omitted until the engineer officer proves to be competent in these knowledge requirements. Any such limitation shall be stated on the certificate and in the endorsement.

5 Every candidate for certification shall be required to provide evidence of having achieved the required standard of competence in accordance with the methods for demonstrating competence and the criteria for evaluating competence tabulated in columns 3 and 4 of table A-II/5-2.

Onboard training

6 Every candidate for certification as officer in charge of an engineering watch of a fishing vessel powered by main propulsion machinery of 750 kW or more whose seagoing service, in accordance with paragraphs 2.2 and 2.3 of regulation II/5-2, forms part of a training programme approved as meeting the requirements of this section shall follow an approved programme of onboard training which:

- .1 ensures that, during the required period of seagoing service, the candidate receives systematic practical training and experience in the tasks, duties and responsibilities of an officer in charge of an engine-room watch;
- .2 is closely supervised and monitored by a qualified and certificated engineer officer, or another appropriately experienced officer on board the ships in which the approved seagoing service is performed; and
- .3 is adequately documented in a training record book.

Table A-II/5-2

Specification of minimum standard of competence for officers in charge of an engineering watch in a manned engine-room or designated duty engineers in a periodically unmanned engine-room

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
Function: Marine Engineering at the operational level			
Maintain a safe engineering watch	<p>Thorough knowledge of principles to be observed in keeping an engineering watch, including:</p> <p>.1 duties associated with taking over and accepting a watch</p> <p>.2 routine duties undertaken during a watch</p> <p>.3 maintenance of the machinery space logs and the significance of the readings taken</p> <p>.4 duties associated with handing over a watch</p> <p>Safety and emergency procedures; changeover of remote/automatic to local control of all systems</p> <p>Safety precautions to be observed during a watch and immediate actions to be taken in the event of fire or accident, with particular reference to oil systems</p>	<p>Assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>The conduct, handover and relief of the watch conforms with accepted principles and procedures</p> <p>The frequency and extent of monitoring of engineering equipment and systems conforms to manufacturers' recommendations and accepted principles and procedures, including principles to be observed in keeping an engineering watch</p> <p>A proper record is maintained of the movements and activities relating to the vessel's engineering systems</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Use English in written and oral form	Adequate knowledge of the English language to enable the officer to use engineering publications and to perform engineering duties	Examination and assessment of evidence obtained from practical instruction	English language publications relevant to engineering duties are correctly interpreted Communications are clear and understood
Use internal communication systems	Operation of all internal communication systems on board	Examination and assessment of evidence obtained from one or more of the following: .1 approved in-service experience .2 approved training vessel experience .3 approved simulator training, where appropriate .4 approved laboratory equipment training	Transmission and reception of messages are consistently successful Communication records are complete, accurate and comply with statutory requirements
Operate main and auxiliary machinery and associated control systems Note: the Administration may omit knowledge requirements for types of propulsion machinery other than machinery installations for which the certificate to be awarded is to be valid	Basic construction and operation principles of machinery systems, including: .1 marine diesel engine .2 marine steam turbine .3 marine gas turbine .4 marine boiler .5 shafting installations, including propeller .6 other auxiliaries, including various pumps, air	Examination and assessment of evidence obtained from one or more of the following: .1 approved in-service experience .2 approved training vessel experience .3 approved laboratory equipment training	Construction and operating mechanisms can be understood and explained with drawings/instructions

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>compressor, purifier, freshwater generator, heat exchanger, refrigeration, air-conditioning and ventilation systems</p> <p>.7 steering gear</p> <p>.8 automatic control systems</p> <p>.9 fluid flow and characteristics of lubricating oil, fuel oil and cooling systems</p> <p>.10 deck machinery</p> <p>Safety and emergency procedures for operation of propulsion plant machinery, including control systems</p> <p>Preparation, operation, fault detection and necessary measures to prevent damage for the following machinery items and control systems:</p> <p>.1 main engine and associated auxiliaries</p> <p>.2 steam boiler and associated auxiliaries and steam systems</p> <p>.3 auxiliary prime movers and associated systems</p> <p>.4 other auxiliaries, including refrigeration, air-conditioning and ventilation systems</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>Operations are planned and carried out in accordance with operating manuals, established rules and procedures to ensure safety of operations and avoid pollution of the marine environment</p> <p>Deviations from the norm are promptly identified</p> <p>The output of plant and engineering systems consistently meets requirements, including bridge orders relating to changes in speed and direction</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
			The causes of machinery malfunctions are promptly identified, and actions are designed to ensure the overall safety of the vessel and the plant, having regard to the prevailing circumstances and conditions
Operate fuel, lubrication, ballast and other pumping systems and associated control systems	Operational characteristics of pumps and piping systems, including control systems Operation of pumping systems: .1 routine pumping operations .2 operation of bilge and ballast pumping systems Oily-water separators (or similar equipment) requirements and operation	Examination and assessment of evidence obtained from one or more of the following: .1 approved in-service experience .2 approved training vessel experience .3 approved simulator training, where appropriate .4 approved laboratory equipment training	Operations are planned and carried out in accordance with operating manuals, established rules and procedures to ensure safety of operations and avoid pollution of the marine environment Deviations from the norm are promptly identified and appropriate action is taken
Function: Electrical, electronic and control engineering at the operational level			
Operate electrical, electronic and control systems	Basic configuration and operation principles of the following electrical, electronic and control equipment: .1 electrical equipment: .1 generator and distribution systems	Examination and assessment of evidence obtained from one or more of the following: .1 approved in-service experience .2 approved training vessel experience	Operations are planned and carried out in accordance with operating manuals, established rules and procedures to ensure safety of operations Electrical, electronic and control systems can be understood and explained with drawings/instructions

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.2 preparing, starting, paralleling and changing over generators</p> <p>.3 electrical motors including starting methodologies</p> <p>.4 high-voltage installations</p> <p>.5 sequential control circuits and associated system devices</p> <p>.2 electronic equipment:</p> <p>.1 characteristics of basic electronic circuit elements</p> <p>.2 flow chart for automatic and control systems</p> <p>.3 functions, characteristics and features of control systems for machinery items, including main propulsion plant operation control and steam boiler automatic controls</p> <p>.3 control systems:</p> <p>.1 various automatic control methodologies and characteristics</p> <p>.2 proportional-integral-derivative (PID) control</p>	<p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	characteristics and associated system devices for process control		
Maintenance and repair of electrical and electronic equipment	<p>Safety requirements for working on shipboard electrical systems, including the safe isolation of electrical equipment required before personnel are permitted to work on such equipment</p> <p>Maintenance and repair of electrical system equipment, switchboards, electric motors, generator and DC electrical systems and equipment</p> <p>Detection of electric malfunction, location of faults and measures to prevent damage</p> <p>Construction and operation of electrical testing and measuring equipment</p> <p>Function and performance tests of the following equipment and their configuration:</p> <p>.1 monitoring systems</p> <p>.2 automatic control devices</p> <p>.3 protective devices</p> <p>The interpretation of electrical and simple electronic diagrams</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved workshop skills training</p> <p>.2 approved practical experience and tests</p> <p>.3 approved in-service experience</p> <p>.4 approved training vessel experience</p>	<p>Safety measures for working are appropriate</p> <p>Selection and use of hand tools, measuring instruments and testing equipment are appropriate and interpretation of results is accurate</p> <p>Dismantling, inspecting, repairing and reassembling equipment are in accordance with manuals and good practice</p> <p>Reassembling and performance testing is in accordance with manuals and good practice</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
Function: Maintenance and repair at the operational level			
<p>Appropriate use of hand tools, machine tools and measuring instruments for fabrication and repair on board</p>	<p>Characteristics and limitations of materials used in construction and repair of vessels and equipment</p> <p>Characteristics and limitations of processes used for fabrication and repair</p> <p>Properties and parameters considered in the fabrication and repair of systems and components</p> <p>Methods for carrying out safe emergency/temporary repairs</p> <p>Safety measures to be taken to ensure a safe working environment and for using hand tools, machine tools and measuring instruments</p> <p>Use of hand tools, machine tools and measuring instruments</p> <p>Use of various types of sealants and packings</p>	<p>Assessment of evidence obtained from one or more of the following:</p> <p>.1 approved workshop skills training</p> <p>.2 approved practical experience and tests</p> <p>.3 approved in-service experience</p> <p>.4 approved training vessel experience</p>	<p>Identification of important parameters for fabrication of typical vessel-related components is appropriate</p> <p>Selection of materials is appropriate</p> <p>Fabrication is to designated tolerances</p> <p>Use of equipment and hand tools, machine tools and measuring instruments is appropriate and safe</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
Maintenance and repair of shipboard machinery and equipment	<p>Safety measures to be taken for repair and maintenance, including the safe isolation of shipboard machinery and equipment required before personnel are permitted to work on such machinery or equipment</p> <p>Appropriate basic mechanical knowledge and skills</p> <p>Maintenance and repair, such as dismantling, adjustment and reassembling of machinery and equipment</p> <p>The use of appropriate specialized tools and measuring instruments</p> <p>Design characteristics and selection of materials in construction of equipment</p> <p>Interpretation of machinery drawings and handbooks</p> <p>The interpretation of piping, hydraulic and pneumatic diagrams</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved workshop skills training</p> <p>.2 approved practical experience and tests</p> <p>.3 approved in-service experience</p> <p>.4 approved training vessel experience</p>	<p>Safety procedures followed are appropriate</p> <p>Selection of tools and spare gear is appropriate</p> <p>Dismantling, inspecting, repairing and reassembling equipment is in accordance with manuals and good practice</p> <p>Recommissioning and performance testing is in accordance with manuals and good practice</p> <p>Selection of materials and parts is appropriate</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Function: Controlling the operation of the vessel and care for persons on board at the operational level			
Ensure compliance with pollution-prevention requirements	<p><i>Prevention of pollution of the marine environment</i></p> <p>Knowledge of the impacts of fishing on the environment</p> <p>Knowledge of the precautions to be taken to prevent pollution of the marine environment</p> <p>Anti-pollution procedures and all associated equipment</p> <p>Understanding the importance of proactive measures to protect the marine environment</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved training</p>	<p>Procedures for monitoring shipboard operations and ensuring compliance with MARPOL requirements are fully observed</p> <p>Actions to ensure that a positive environmental reputation is maintained</p>
Maintain seaworthiness of the vessel	<p><i>Ship stability</i></p> <p>Working knowledge and application of stability, trim and stress tables, diagrams and stress-calculating equipment</p> <p>Understanding of the fundamentals of watertight integrity</p> <p>Understanding of fundamental actions to be taken in the event of partial loss of intact buoyancy</p> <p><i>Ship construction</i></p> <p>General knowledge of the principal structural members of a vessel</p>	<p>Examination and assessment of evidence obtained from one or more of the following:</p> <p>.1 approved in-service experience</p> <p>.2 approved training vessel experience</p> <p>.3 approved simulator training, where appropriate</p> <p>.4 approved laboratory equipment training</p>	<p>The stability conditions comply with IMO intact stability criteria under all conditions of loading</p> <p>Actions to ensure and maintain the watertight integrity of the vessel are in accordance with accepted practice</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	and the proper names for the various parts		
Prevent, control and fight fires on board	<p><i>Fire prevention and fire-fighting appliances</i></p> <p>.1 knowledge of classes and chemistry of fire</p> <p>.2 knowledge of action to be taken in the event of fire</p> <p>.3 knowledge of fire prevention measures</p>	Assessment of evidence obtained from approved fire-fighting training and experience	<p>The type and scale of the problem is promptly identified and initial actions conform with the emergency procedure and contingency plans for the vessel</p> <p>Evacuation, emergency shutdown and isolation procedures are appropriate to the nature of the emergency and are implemented promptly</p> <p>The order of priority, and the levels and timescales of making reports and informing personnel on board, are relevant to the nature of the emergency and reflect the urgency of the problem</p>
Operate life-saving appliances	<p><i>Life-saving</i></p> <p>Ability to direct abandon ship drills and knowledge of the operation of life-saving appliances and their equipment, including the two-way radio-telephone apparatus. Survival at sea techniques including participation in an approved survival at sea course</p>	Assessment of evidence obtained from examination or approved training	Actions in responding to abandon ship and survival situations are appropriate to the prevailing circumstances and conditions and comply with accepted safety practices and standards

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
Medical aid	<p><i>Medical aid</i></p> <p>Knowledge of first aid procedures. Practical application of medical guides and advice by radio</p>	Assessment of evidence obtained from approved training	The identification of probable cause, nature and extent of injuries or conditions is prompt and treatment minimizes immediate threat to life
Monitor compliance with legislative requirements	<p>Basic working knowledge of the relevant IMO conventions and other relevant international instruments concerning safety of life at sea and protection of the marine environment</p> <p>Basic working knowledge of relevant international instruments concerning the responsible conservation, fishing management, responsible fisheries and development of living aquatic resources as well as key international instruments related to the fight against illegal, unreported and unregulated (IUU) fishing</p> <p>Understanding of the requirements which crews shall comply with</p> <p>Understanding the importance of sustainable development of the fishing industry</p>	Assessment of evidence obtained from examination or approved training	Legislative requirements relating to safety of life at sea and protection of the marine environment are correctly identified

Section A-II/6

Mandatory minimum requirements for certification of GMDSS radio operators on board fishing vessels

Application

(No provisions)

Standard of competence

1 The minimum knowledge, understanding and proficiency required for certification of GMDSS radio operators shall be sufficient for radio operators to carry out their radio duties. The knowledge required for obtaining each type of certificate defined in the Radio Regulations shall be in accordance with those regulations. In addition, every candidate for certification of competency shall be required to demonstrate abilities to undertake the tasks, duties and responsibilities listed in column 1 of table A-II/6.

2 The knowledge, understanding and proficiency for endorsement under the Convention of certificates issued under the provisions of the Radio Regulations are listed in column 2 of table A-II/6.

3 The level of knowledge of the subjects listed in column 2 of table A-II/6 shall be sufficient for the candidate to carry out his or her duties.

4 Every candidate shall provide evidence of having achieved the required standard of competence through:

- .1 demonstration of competence to perform the tasks and duties and to assume responsibilities listed in column 1 of table A-II/6, in accordance with the methods for demonstrating competence and the criteria for evaluating competence tabulated in columns 3 and 4 of that table; and
- .2 examination or continuous assessment as part of an approved course of training based on the material set out in column 2 of table A-II/6.

Table A-II/6
Specification of minimum standard of competence for GMDSS radio operators

Function: Radiocommunication at the operational level

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Transmit and receive information using GMDSS subsystems and equipment and fulfilling the functional requirements of GMDSS	<p>In addition to the requirements of the Radio Regulations, a knowledge of:</p> <p>.1 search and rescue radiocommunications, including procedures in the International Aeronautical and Maritime Search and Rescue (IAMSAR) Manual</p> <p>.2 the means to prevent the transmission of false distress alerts and the procedures to mitigate the effects of such alerts</p> <p>.3 ship reporting systems</p> <p>.4 radio medical services</p> <p>.5 use of the International Code of Signals and the IMO Standard Marine Communication Phrases</p> <p>.6 the English language, both written and spoken, for the communication of information relevant to safety of life at sea</p>	<p>Examination or assessment of evidence obtained from practical demonstration of operational procedures using:</p> <p>.1 approved equipment</p> <p>.2 GMDSS communication simulator, where appropriate</p> <p>.3 radiocommunications laboratory equipment</p>	<p>Transmission and reception of communications complies with international regulations and procedures, and are carried out efficiently and effectively</p> <p>English language messages relevant to the safety of the vessel and persons on board, and protection of the marine environment are correctly handled</p>

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
	Note: this requirement may be reduced in the case of the Restricted Radio Operator's Certificate		
Provide radio services in emergencies	<p>The provision of radio services in emergencies such as:</p> <ul style="list-style-type: none"> .1 abandon ship .2 fire on board vessel .3 partial or full breakdown of radio installations <p>Preventive measures for the safety of vessel and personnel in connection with hazards related to radio equipment, including electrical and non-ionizing radiation hazards</p>	<p>Examination or assessment of evidence obtained from practical demonstration of operational procedures using:</p> <ul style="list-style-type: none"> .1 approved equipment .2 GMDSS communication simulator, where appropriate .3 radiocommunication laboratory equipment 	Response is carried out efficiently and effectively

Section A-II/7

Revalidation of certificates for skippers and officers

Professional competence

1 Continued professional competence as required under regulation II/7, shall be established by:

- .1 approved seagoing service, performing functions appropriate to the certificate held, for a period of at least:
 - .1 twelve months in total during the preceding five years; or
 - .2 three months in total during the preceding six months immediately prior to revalidating; or
- .2 having performed functions considered to be equivalent to the seagoing service required in paragraph 1.1; or
- .3 passing an approved test; or
- .4 successfully completing an approved training course or courses; or
- .5 having completed approved seagoing service, performing functions appropriate to the certificate held, for a period of not less than three months in a supernumerary capacity, or in a lower officer rank than that for which the certificate held is valid immediately prior to taking up the rank for which it is valid.

2 The refresher and updating courses required by regulation II/7 shall be approved and include changes in relevant national and international regulations concerning the safety of life at sea and the protection of the marine environment and take account of any updating of the standard of competence concerned.

Section A-II/8

Revalidation of certificates for GMDSS radio operators

Professional competence

1 Continued professional competence, as required under regulation II/8, shall be established by:

- .1 approved seagoing service performing functions appropriate to the certificate held for a period of at least:
 - .1 twelve months in total during the preceding five years; or
 - .2 three months in total during the preceding six months immediately prior to revalidating; or
- .2 having performed functions considered to be equivalent to the seagoing service required in paragraph 1.1; or
- .3 passing an approved test; or

- .4 successfully completing an approved training course or courses; or
- .5 having completed approved seagoing service performing functions appropriate to the certificate held for a period of not less than three months in a supernumerary capacity, or in a lower officer rank than that for which the certificate held is valid immediately prior to taking up the rank for which it is valid.

2 The refresher and updating courses required by regulation II/8 shall be approved and include changes in relevant national and international regulations concerning the safety of life at sea and the protection of the marine environment and take account of any updating of the standard of competence concerned.

CHAPTER III
Standards regarding basic training and onboard safety familiarization
for all fishing vessel personnel

Section A-III/1

Mandatory minimum requirements for basic training and onboard safety familiarization for all fishing vessel personnel

Basic training⁴

- 1 Fishing vessel personnel shall, before being assigned to any shipboard duties:
 - .1 receive appropriate approved basic training or instruction in:
 - .1 personal survival techniques as set out in table A-III/1-1;
 - .2 fire prevention and fire fighting as set out in table A-III/1-2;
 - .3 elementary first aid as set out in table A-III/1-3; and
 - .4 personal safety and social responsibilities as set out in table A-III/1-4;
 - .2 be required to provide evidence of having achieved the required standard of competence to undertake the tasks, duties and responsibilities listed in column 1 of tables A-III/1-1, A-III/1-2, A-III/1-3 and A-III/1-4 through:
 - .1 demonstration of competence, in accordance with the methods and the criteria for evaluating competence tabulated in columns 3 and 4 of those tables; and
 - .2 examination or continuous assessment as part of an approved training programme in the subjects listed in column 2 of those tables.
- 2 Fishing vessel personnel qualified in accordance with paragraph 1 in basic training shall be required, every five years, to provide evidence of having maintained the required standard of competence, to undertake the tasks, duties and responsibilities listed in column 1 of tables A-III/1-1 and A-III/1-2.
- 3 Parties may accept onboard training and experience for maintaining the required standard of competence in the following areas:
 - .1 personal survival techniques as set out in table A-III/1-1:
 - .1 don a lifejacket;
 - .2 board a survival craft from the ship, while wearing a lifejacket;
 - .3 take initial actions on boarding a lifeboat to enhance chance of survival;

⁴ The relevant IMO model course(s) may assist in the preparation of training material.

- .4 stream a lifeboat drogue or sea anchor;
- .5 operate survival craft equipment; and
- .6 operate locating devices, including radio equipment;
- .2 fire prevention and fire fighting as set out in table A-III/1-2:
 - .1 use self-contained breathing apparatus; and
 - .2 effect a rescue in a smoke-filled space, using an approved smoke-generating device aboard, while wearing a breathing apparatus.

Onboard safety familiarization training

4 Before being assigned to shipboard duties, all persons employed or engaged on a seagoing fishing vessel, shall receive onboard safety familiarization training or receive sufficient information and instruction, taking into account guidance given in part B, to be able to:

- .1 communicate with other persons on board on elementary safety matters and understand safety information symbols, signs and alarm signals;
- .2 know what to do if:
 - .1 a person falls overboard;
 - .2 fire or smoke is detected; or
 - .3 the fire or abandon ship alarm is sounded;
- .3 identify muster and embarkation stations and emergency escape routes;
- .4 locate and don lifejackets;
- .5 raise the alarm and have basic knowledge of the use of portable fire extinguishers;
- .6 take immediate action upon encountering an accident or other medical emergency before seeking further medical assistance on board; and
- .7 close and open the fire, weathertight and watertight doors fitted in the particular fishing vessel other than those for hull opening.

Exemptions

5 The Administration may, in respect of fishing vessels of less than 24 metres in length and/or operating solely in its limited waters, if it considers that a fishing vessel's size and the length or character of its voyage are such as to render the application of the full requirements of this section unreasonable or impracticable, exempt to that extent the fishing vessel personnel on such a fishing vessel or class of fishing vessel from some of the requirements, bearing in mind the safety of people on board, the fishing vessel and property and the protection of the marine environment.

Table A-III/1-1
Specification of minimum standard of competence in personal survival techniques

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Survive at sea in the event of ship abandonment	<p>Types of emergency situations which may occur, such as collision, fire, foundering</p> <p>Types of life-saving appliances normally carried on board fishing vessels</p> <p>Equipment in survival craft</p> <p>Location of personal life-saving appliances</p> <p>Principles concerning survival, including:</p> <p>.1 value of training and drills</p> <p>.2 personal protective clothing and equipment</p> <p>.3 need to be ready for any emergency</p> <p>.4 actions to be taken when called to survival craft stations</p> <p>.5 actions to be taken when required to abandon ship</p> <p>.6 actions to be taken when in the water</p> <p>.7 actions to be taken when aboard a survival craft</p>	<p>Assessment of evidence obtained from approved instruction or during attendance at an approved course or approved in-service experience and examination, including practical demonstration of competence to:</p> <p>.1 don a lifejacket</p> <p>.2 don and use an immersion suit</p> <p>.3 safely jump from a height into the water</p> <p>.4 right an inverted liferaft while wearing a lifejacket</p> <p>.5 swim while wearing a lifejacket</p> <p>.6 keep afloat without a lifejacket</p> <p>.7 board a survival craft from the ship and water while wearing a lifejacket</p> <p>.8 take initial actions on boarding survival craft to enhance chance of survival</p> <p>.9 stream a drogue or sea anchor</p>	<p>Action taken on identifying muster signals is appropriate to the indicated emergency and complies with established procedures</p> <p>The timing and sequence of individual actions are appropriate to the prevailing circumstance and conditions and minimize potential dangers and threats to survival</p> <p>Method of boarding survival craft is appropriate and avoids dangers to other survivors</p> <p>Initial actions after leaving the ship and procedures and actions in water minimize threats to survival</p> <p>Description of how to assist others to board a survival craft</p> <p>Initial action after identifying a man overboard situation</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>.8 assistance to others to board a survival craft</p> <p>.9 main dangers to survivors</p> <p>Basic knowledge of man overboard procedures and for rescuing persons from the sea</p>	<p>.10 operate survival craft equipment</p> <p>.11 operate locating devices, including radio equipment</p>	

Table A-III/1-2
Specification of minimum standard of competence in fire prevention and fire fighting

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Minimize the risk of fire and maintain a state of readiness to respond to emergency situations involving fire	<p>Shipboard fire-fighting organization</p> <p>Location of fire-fighting appliances and emergency escape routes</p> <p>The elements of fire and explosion (the fire triangle)</p> <p>Types and sources of ignition</p> <p>Flammable materials, fire hazards and spread of fire including but not limited to:</p> <p>.1 radiation</p> <p>.2 convection</p> <p>.3 conduction</p> <p>with emphasis on dangers associated with freezing equipment</p> <p>The need for constant vigilance</p> <p>Actions to be taken on board ship</p> <p>Fire and smoke detection and automatic alarm systems</p> <p>Classification of fire and applicable extinguishing agents</p>	Assessment of evidence obtained from approved instruction or attendance at an approved course	<p>Initial actions on becoming aware of an emergency conform with accepted practices and procedures</p> <p>Action taken on identifying muster signals is appropriate to the indicated emergency and complies with established procedures</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
Fight and extinguish fires	<p>Fire-fighting equipment and its location on board</p> <p>Instruction in:</p> <p>.1 fixed installations</p> <p>.2 fire-fighter's outfits</p> <p>.3 personal equipment</p> <p>.4 fire-fighting appliances and equipment</p> <p>.5 fire-fighting methods</p> <p>.6 fire-fighting agents</p> <p>.7 fire-fighting procedures</p> <p>.8 use of breathing apparatus for fighting fires and effecting rescues</p> <p>.9 the effect of the use of the wrong agent</p>	<p>Assessment of evidence obtained from approved instruction or during attendance at an approved course, including practical demonstration in spaces which provide truly realistic training conditions (e.g. simulated shipboard conditions) and, whenever possible and practical, in darkness, of the ability to:</p> <p>.1 use various types of portable fire extinguishers</p> <p>.2 use self-contained breathing apparatus</p> <p>.3 extinguish smaller fires, e.g. electrical fires, oil fires, propane fires</p> <p>.4 extinguish extensive fires with water, using jet and spray nozzles</p> <p>.5 extinguish fires with foam, powder or any other suitable chemical agent</p> <p>.6 fight fire in smoke-filled enclosed spaces wearing self-contained breathing apparatus</p> <p>.7 extinguish fire with water fog or any other suitable fire-fighting agent in an</p>	<p>Clothing and equipment are appropriate to the nature of the fire-fighting operations</p> <p>The timing and sequence of individual actions are appropriate to the prevailing circumstances and conditions</p> <p>Extinguishment of fire is achieved using appropriate procedures, techniques and fire-fighting agents</p> <p>Breathing apparatus procedures and techniques comply with accepted practices and procedures</p> <p>Explanation of the effect of using the wrong extinguishing agent is appropriate</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
		<p>accommodation room or simulated engine-room with fire and heavy smoke</p> <p>.8 extinguish oil fire with fog applicator and spray nozzles, dry chemical powder or foam applicators</p> <p>.9 effect a rescue in a smoke-filled space wearing breathing apparatus</p>	

Table A-III/1-3*Specification of minimum standard of competence in elementary first aid*

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Take immediate action upon encountering an accident or other medical emergency	<p>Assessment of needs of casualties and threats to own safety</p> <p>Appreciation of body structure and functions</p> <p>Understanding of immediate measures to be taken in cases of emergency, including the ability to:</p> <p>.1 position casualty</p> <p>.2 apply resuscitation techniques</p> <p>.3 control bleeding</p> <p>.4 apply appropriate measures of basic shock management</p> <p>.5 apply appropriate measures in event of burns and scalds, including accidents caused by electric current</p> <p>.6 rescue and transport a casualty</p> <p>.7 improvise bandages and use materials in the emergency kit</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	<p>The manner and timing of raising the alarm is appropriate to the circumstances of the accident or medical emergency</p> <p>The identification of probable cause, nature and extent of injuries is prompt and complete, and the priority and sequence of actions is proportional to any potential threat to life</p> <p>Risk of further harm to self and casualty is minimized at all times</p>

Table A-III/1-4

Specification of minimum standard of competence in personal safety and social responsibilities

Column 1	Column 2	Column 3	Column 4
Competence	Knowledge, understanding and proficiency	Methods for demonstrating competence	Criteria for evaluating competence
Comply with emergency procedures	<p>Types of emergency which may occur, such as collision, fire, foundering</p> <p>Knowledge of shipboard contingency plans for response to emergencies</p> <p>Emergency signals and specific duties allocated to crew members in the muster list; muster stations; correct use of personal safety equipment</p> <p>Identification of, and action to take on discovering, potential emergencies on board fishing vessels, including fire, collision, foundering and ingress of water into the fishing vessel</p> <p>Action to take on hearing emergency alarm signals</p> <p>Value of training and drills</p> <p>Knowledge of escape routes and internal communication and alarm systems</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	<p>Initial action on becoming aware of an emergency conforms to established emergency response procedures</p> <p>Information given on raising alarm is prompt, accurate, complete and clear</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
Take precautions to prevent pollution of the marine environment	<p>Basic knowledge of the impact of fishing on the marine environment and the effects of operational or accidental pollution on it</p> <p>Basic knowledge of environmental protection procedures</p> <p>Basic knowledge of marine ecology and understanding of the complexity and diversity of the marine environment</p> <p>Basic knowledge of the responsibilities of fishing vessel personnel under the MARPOL Convention with regard to pollution response equipment</p> <p>Recognition and measures to be taken to prevent pollution by abandoned, lost or otherwise discarded fishing gear and fish packing material</p> <p>Basic knowledge of correct disposal of fishing gear and fish packing material</p> <p>Knowledge of the impacts of plastic waste on the marine environment</p> <p>Understanding the scale of the marine plastic litter problem and the way the</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	<p>Organizational procedures designed to safeguard the marine environment are observed at all times</p> <p>Legislative requirements relating to the protection of the marine environment are correctly identified</p>

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	maritime sector contributes to the problem, including the issue of abandoned, lost or otherwise discarded fishing gear (ALDFG)		
Observe safe working practices	<p>Importance of adhering to safe working practices at all times</p> <p>Safety and protective devices available to protect against potential hazards aboard ship</p> <p>Precautions to be taken prior to entering enclosed spaces</p> <p>Familiarization with international measures concerning accident prevention and occupational health⁵</p> <p>Understanding of the legal requirements that control safety in the fishing industry</p> <p>Understanding of health and safety hazards</p> <p>Awareness of risks on board fishing vessel specifically during fishing operation</p> <p>Basic knowledge of fishing equipment on board fishing vessels and its safe use</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	<p>Safe working practices are observed, and appropriate safety and protective equipment is correctly used at all times</p> <p>Correct identification of "hazards" likely to be found on a fishing vessel and methods to remove or reduce "risk"</p>

⁵ The ILO Code of Practice on accident prevention on board ship at sea and in port may be of assistance in the preparation of courses.

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>Understand what is a:</p> <p>.1 hazard</p> <p>.2 risk</p> <p>Basic knowledge of a risk assessment process and methods to reduce risk</p>		
Contribute to effective communications on board ship	<p>Understand the principles of, and barriers to, effective communication between individuals and teams within the ship</p> <p>Ability to establish and maintain effective communications</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	Communications are clear and effective at all times
Contribute to effective human relationships on board ship	<p>Importance of maintaining good human and working relationships aboard ship</p> <p>Basic teamworking principles and practice, including conflict resolution</p> <p>Social responsibilities; conditions for employment or engagement on board; and individual rights and obligations, and applicable legislation</p> <p>Understanding the dangers of drug and alcohol abuse</p>	Assessment of evidence obtained from approved instruction or during attendance at an approved course	Expected standards of work and behaviour are observed at all times
Understand and take necessary actions to control fatigue	Importance of obtaining the necessary rest	Assessment of evidence obtained from approved instruction or during	Fatigue management practices are observed and appropriate actions are used at all times

Column 1 Competence	Column 2 Knowledge, understanding and proficiency	Column 3 Methods for demonstrating competence	Column 4 Criteria for evaluating competence
	<p>Effects of sleep, schedules and the circadian rhythm on fatigue</p> <p>Effects of physical stressors on fishing vessel personnel</p> <p>Effects of environmental stressors in and outside the ship and their impact on fishing vessel personnel</p> <p>Effects of schedule changes on fishing vessel personnel fatigue</p>	<p>attendance at an approved course</p>	

CHAPTER IV

Standards regarding watchkeeping

Section A-IV/1

Fitness for duty

(No provisions)

Section A-IV/2

Basic watchkeeping principles to be observed on board fishing vessels

1.1 En route to or from fishing grounds

1.1.1 Arrangements of the navigational watch

1.1.1.1 The composition of the watch shall at all times be adequate and appropriate to the prevailing circumstances and conditions, and shall take into account the need for maintaining a proper lookout.

1.1.1.2 When deciding the composition of the watch the following factors, inter alia, shall be taken into account:

- .1 at no time shall the wheelhouse be left unattended;
- .2 weather conditions, visibility and whether there is daylight or darkness;
- .3 proximity of navigational hazards which may make it necessary for the officer in charge of the watch to carry out additional navigational duties;
- .4 use and operational condition of navigational aids such as radar or electronic position-indicating devices and of any other equipment affecting the safe navigation of the vessel;
- .5 whether the vessel is fitted with automatic steering; and
- .6 any unusual demands on the navigational watch that may arise as a result of special operational circumstances.

1.1.2 Navigation

1.1.2.1 The intended voyage shall, as far as practicable, be planned in advance taking into consideration all pertinent information, and any course laid down shall be checked before the voyage commences.

1.1.2.2 During the watch the course steered, position and speed shall be checked at sufficiently frequent intervals, using any available navigational aids necessary, to ensure that the vessel follows the planned course.

1.1.2.3 The officer in charge of the watch shall have full knowledge of the location and operation of all safety and navigational equipment on board the vessel, and shall be aware and take account of the operating limitations of such equipment.

1.1.2.4 The officer in charge of a navigational watch shall not be assigned or undertake any duties which would interfere with the safe navigation of the vessel.

1.1.3 *Navigational equipment*

1.1.3.1 The officers in charge of the watch shall make the most effective use of all navigational equipment at their disposal.

1.1.3.2 When using radar the officer in charge of the watch shall bear in mind the necessity to comply at all times with the provisions on the use of radar contained in the applicable regulations for preventing collisions at sea.

1.1.3.3 In cases of need the officer of the watch shall not hesitate to use the helm, engines, and sound and light signalling apparatus.

1.1.4 *Navigational duties and responsibilities*

1.1.4.1 The officer in charge of the watch shall:

- .1 keep watch in the wheelhouse;
- .2 in no circumstances leave the wheelhouse until properly relieved;
- .3 continue to be responsible for the safe navigation of the vessel despite the presence of the skipper in the wheelhouse until informed specifically that the skipper has assumed that responsibility and this is mutually understood;
- .4 notify the skipper when in any doubt as to what action to take in the interest of safety; and
- .5 not hand over the watch to a relieving officer if there is reason to believe that the latter is not capable of carrying out the watchkeeping duties effectively, in which case the skipper shall be notified.

1.1.4.2 On taking over the watch the relieving officer shall confirm and be satisfied as to the vessel's estimated or true position and confirm its intended track, course and speed, and shall note any dangers to navigation expected to be encountered during the watch.

1.1.4.3 Whenever practicable a proper record shall be kept of the movements and activities during the watch relating to the navigation of the vessel.

1.1.5 *Lookout*

1.1.5.1 Proper lookout shall be maintained in compliance with rule 5 of the International Regulations for Preventing Collisions at Sea, 1972. It shall serve the purpose of:

- .1 maintaining a continuous state of vigilance by sight and hearing as well as by all other available means, with regard to any significant changes in the operating environment;
- .2 fully appraising the situation and the risk of collision, stranding and other dangers to navigation; and
- .3 detecting vessels or aircraft in distress, shipwrecked persons, wrecks and debris.

1.1.5.2 In determining that the composition of the navigational watch is adequate to ensure that a proper lookout can continuously be maintained, the skipper shall take into account all relevant factors, including those described under paragraph 4.1 of this regulation, as well as the following factors:

- .1 visibility, state of weather and sea;
- .2 traffic density, and other activities occurring in the area in which the vessel is navigating;
- .3 the attention necessary when navigating in or near traffic separation schemes and other routing measures;
- .4 the additional workload caused by the nature of the vessel's functions, immediate operating requirements and anticipated manoeuvres;
- .5 rudder and propeller control and vessel manoeuvring characteristics;
- .6 the fitness for duty of any crew members on call who may be assigned as members of the watch;
- .7 knowledge of and confidence in the professional competence of the vessel's officers and crew;
- .8 the experience of the officer of the navigational watch and the familiarity of that officer with the vessel's equipment, procedures, and manoeuvring capability;
- .9 activities taking place on board the vessel at any particular time, and the availability of assistance to be summoned immediately to the wheelhouse when necessary;
- .10 the operational status of instrumentation in the wheelhouse and controls, including alarm systems;
- .11 the size of the vessel and the field of vision available from the conning position;
- .12 the configuration of the wheelhouse, to the extent such configuration might inhibit a member of the watch from detecting by sight or hearing any external developments; and
- .13 any relevant standards, procedures and guidelines relating to watchkeeping arrangements and fitness for duty which have been adopted by the Organization.

1.1.6 *Protection of the marine environment*

The skipper and the officer in charge of the watch shall be aware of the serious effects of operational or accidental pollution of the marine environment, and shall take all possible precautions to prevent such pollution, particularly within the framework of relevant international and port regulations.

1.1.7 *Weather conditions*

The officer in charge of the watch shall take relevant measures and notify the skipper when adverse changes in weather could affect the safety of the vessel, including conditions leading to ice accretion.

1.2 **Navigation with pilot embarked**

The presence of a pilot on board does not relieve the skipper or officer in charge of the watch from their duties and obligations for the safety of the vessel. The skipper and the pilot shall exchange information regarding navigation procedures, local conditions and the vessel's characteristics. The skipper and the officer in charge of the watch shall cooperate closely with the pilot and maintain an accurate check of the vessel's position and movement.

1.3 **Vessels engaged in fishing or searching for fish**

1.3.1 In addition to the principles enumerated in paragraph 4, the following factors shall be considered and properly acted upon by the officer in charge of the watch:

- .1 other vessels engaged in fishing and their gear, own vessel's manoeuvring characteristics, particularly its stopping distance and the diameter of turning circle at sailing speed and with the fishing gear overboard;
- .2 safety of the crew on deck;
- .3 stability and freeboard caused by exceptional forces resulting from fishing operations, catch handling and stowage, and unusual sea and weather conditions;
- .4 the proximity of offshore structures, with special regard to the safety zones; and
- .5 wrecks and other underwater obstacles which could be hazardous for fishing gear.

1.3.2 When stowing the catch, attention shall be given to the essential requirements for adequate freeboard, adequate stability and watertight integrity at all times during the voyage to the landing port, taking into consideration consumption of fuel and stores, risk of adverse weather conditions and, especially in winter, risk of ice accretion on or above exposed decks in areas where ice accretion is likely to occur.

1.4 **Anchor watch**

The skipper shall ensure, with a view to the safety of the vessel and the crew, that a proper watch is maintained at all times from the wheelhouse or deck on fishing vessels at anchor.

2 **Engineering watch**

2.1 ***Principles to be observed in keeping an engineering watch***

Duties associated with taking/handing over and accepting a watch

2.1.1 The officer in charge of the engineering watch shall not hand over the watch to the relieving officer if there is reason to believe that the latter is obviously not capable of carrying out the watchkeeping duties effectively, in which case the chief engineer officer shall be notified.

2.1.2 The relieving officer of the engineering watch shall ensure that the members of the relieving engineering watch are apparently fully capable of performing their duties effectively.

2.1.3 Prior to taking over the engineering watch, relieving officers shall satisfy themselves regarding general and specific conditions relating to the safe operation of engine-room systems.

2.1.4 Before going off duty, the officer in charge of the engineering watch shall ensure that all events related to the main and auxiliary machinery which have occurred during the engineering watch are suitably recorded.

Routine duties to be undertaken during a watch

2.1.5 The officer in charge of the engineering watch shall continue to be responsible for machinery space operations, despite the presence of the chief engineer officer in the machinery spaces, until specifically informed that the chief engineer officer has assumed such responsibility, and this is mutually understood.

2.1.6 The officer in charge of the engineering watch shall be familiar with the assigned watchkeeping duties.

2.1.7 The officer in charge of the engineering watch shall be responsible for the isolation, bypassing and adjustment of all machinery under the responsibility of the engineering watch that is to be worked on, and shall record all work carried out.

Maintenance of machinery space logs and the importance of the readings taken

2.1.8 Detailed repair maintenance involving repairs to electrical, mechanical, hydraulic, pneumatic or applicable electronic equipment throughout the ship shall be performed under the awareness of the officer in charge of the engineering watch and chief engineer officer. These repairs shall be recorded.

2.2 Safety and emergency procedures; changeover of remote/automatic to local control of all systems

Officers in charge of the engineering watch shall:

- .1 in emergencies, raise the alarm when in their opinion the situation so demands, and take all possible measures to prevent damage to the vessel and persons on board;
- .2 be aware of the deck officer's needs relating to the equipment required in the loading or unloading of fish catches and the additional requirements of the ballast and other vessel stability control systems;
- .3 make frequent rounds of inspection to determine possible equipment malfunction or failure, and take immediate remedial action to ensure the safety of the vessel and the environment;
- .4 ensure that the necessary precautions are taken, within their area of responsibility, to prevent accidents or damage to the various electrical, electronic, hydraulic, pneumatic, mechanical and refrigeration systems of the vessel including appropriate changeover of remote/automatic to local control of all systems;

- .5 ensure that all important events affecting the operation, adjustment or repair of the vessel's machinery are appropriately recorded; and
- .6 pay attention to the techniques, methods and procedures necessary to prevent violation of pollution regulations of the local authorities.

2.3 *Safety precautions to be observed during a watch and immediate actions to be taken in the event of fire or accident, with particular reference to oil systems*

2.3.1 The officer in charge of the engineering watch shall take action necessary to contain the effects of damage resulting from equipment breakdown, fire, flooding, rupture, collision, stranding, oil pollution or other cause.

2.3.2 The officer in charge of the engineering watch shall bear in mind that changes in speed, resulting from machinery malfunction, or any loss of steering, may endanger the safety of the ship and life at sea. The bridge shall be immediately notified, in the event of fire, and of any impending action in machinery spaces that may cause reduction in the ship's speed, imminent steering failure, stoppage of the ship's propulsion system or any alteration in the generation of electric power or similar threat to safety. This notification, where possible, shall be accomplished before changes are made, in order to afford the bridge the maximum available time to take whatever action is possible to avoid a potential marine casualty.

2.3.3 The officer in charge of the engineering watch shall notify the chief engineer officer without delay:

- .1 when engine damage or a malfunction that may endanger the safe operation of the ship occurs;
- .2 when any malfunction that may cause damage or breakdown of propulsion machinery, auxiliary machinery or monitoring and governing systems occurs; and
- .3 in any emergency or if in any doubt as to what decision or measures to take.

3 Radio watchkeeping

The skipper shall ensure that an adequate radio watch is maintained while the vessel is at sea, on appropriate frequencies, taking into account the requirements of the Radio Regulations.

Part B
**Recommended guidance regarding provisions of the STCW-F Convention
and its annex**

Introduction

1 This part of the STCW-F Code contains recommended guidance intended to assist Parties to the STCW-F Convention and those involved in implementing, applying or enforcing its measures to give the Convention full and complete effect in a uniform manner.

2 The measures suggested are not mandatory, and the examples given are only intended to illustrate how certain Convention requirements may be complied with. However, the recommendations in general represent an approach to the matters concerned which has been harmonized through discussion within IMO involving, where appropriate, consultation with the International Labour Organization, the International Telecommunication Union and the World Health Organization.

3 Observance of the recommendations contained in this part will assist the Organization in achieving its goal of maintaining the highest practicable standards of competence in respect of fishing vessel personnel of all nationalities and fishing vessels of all flags.

4 Guidance is provided in this part in respect of certain articles of the Convention, in addition to guidance on certain regulations in its annex. The numbering of the sections of this part therefore corresponds with that of the articles and the regulations of the Convention. As in part A, the text of each section may be divided into numbered parts and paragraphs, but such numbering is unique to that text alone.

Chapter I
Guidance regarding general provisions

Section B-I/1

(No provisions)

Section B-I/2

(No provisions)

Section B-I/3

(No provisions)

Section B-I/4

(No provisions)

Section B-I/5-1

(No provisions)

Section B-I/5-2

(No provisions)

Section B-I/6

(No provisions)

Section B-I/7

(No provisions)

Section B-I/8

(No provisions)

Section B-I/9

(No provisions)

Section B-I/10

(No provisions)

Section B-I/11

(No provisions)

Section B-I/12

Guidance regarding medical standards

Medical examination and certification

1 Parties, in establishing fishing vessel personnel medical fitness standards and provisions, should take into account the minimum physical abilities set out in table B-I/12 and the guidance given within this section, bearing in mind the different duties of fishing vessel personnel.

2 Parties, in establishing fishing vessel personnel medical fitness standards and provisions, should follow the guidance contained in the [*Guidelines on the medical examinations of fishing vessel personnel*], including any subsequent versions, and any other applicable international guidelines published by the International Labour Organization, the International Maritime Organization or the World Health Organization.

3 Appropriate qualifications and experience for medical practitioners conducting medical fitness examinations of fishing vessel personnel may include occupational health or maritime health qualifications, experience of working as a fishing vessel's doctor or a fishing company doctor or working under the supervision of someone with the aforementioned qualifications or experience.

4 The premises where medical fitness examinations are carried out should have the facilities and equipment required to carry out medical fitness examinations of fishing vessel personnel.

5 Administrations should ensure that recognized medical practitioners enjoy full professional independence in exercising their medical judgement when undertaking medical examination procedures.

6 Persons applying for a medical certificate should present to the recognized medical practitioner appropriate identity documentation to establish their identity. They should also surrender their previous medical certificate.

7 Each Administration has the discretionary authority to grant a variance or waiver of any of the standards set out in table B-I/12 hereunder, based on an assessment of a medical evaluation and any other relevant information concerning an individual's adjustment to the condition and proven ability to satisfactorily perform assigned shipboard functions.

8 The medical fitness standards should, so far as possible, define objective criteria with regard to fitness for sea service, taking into account access to medical facilities and medical expertise on board fishing vessels. They should, in particular, specify the conditions under which fishing vessel personnel suffering from potentially life-threatening medical conditions that are controlled by medication may be allowed to continue to serve at sea.

9 The medical standards should also identify particular medical conditions, such as colour blindness, which might preclude fishing vessel personnel from holding particular positions on board fishing vessels.

10 The minimum in-service eyesight standards in each eye for unaided distance vision should be at least 0.1.⁶

⁶ Value given in Snellen decimal notation.

11 Persons requiring the use of spectacles or contact lenses to perform duties should have a spare pair or pairs, as required, conveniently available on board the fishing vessel. Any need to wear visual aids to meet the required standards should be recorded on the medical fitness certificate issued.

12 Colour vision testing should be in accordance with the International Recommendations for Colour Vision Requirements for Transport, published by the Commission Internationale de l'Eclairage (CIE 143-2001, including any subsequent versions) or equivalent test methods.

Table B-I/12
*Assessment of minimum entry level and in-service physical abilities
for fishing vessel personnel³*

Shipboard task, function, event or condition³	Related physical ability	medical examiner should be satisfied that the candidate:⁴
Routine movement around vessel: - on moving deck - between levels - between compartments <i>Note 1 applies to this row</i>	Maintain balance and move with agility Climb up and down vertical ladders and stairways Step over coamings Open and close watertight doors	Has no disturbance in sense of balance does not have any impairment or disease that prevents relevant movements and physical activities Is, without assistance, ⁵ able to: - climb vertical ladders and stairways - step over high sills - manipulate door closing systems
Routine tasks on board: - use of hand tools - movement of ship's stores - overhead work - valve operation - standing a four-hour watch - working in confined spaces - responding to alarms, warnings and instructions - verbal communication <i>Note 1 applies to this row</i>	Strength, dexterity and stamina to manipulate mechanical devices Lift, pull and carry a load (e.g. 18 kg) Reach upwards Stand, walk and remain alert for an extended period Work in constricted spaces and move through restricted openings Visually distinguish objects, shapes and signals Hear warnings and instructions Give a clear spoken description	Does not have a defined impairment or diagnosed medical condition that reduces ability to perform routine duties essential to the safe operation of the vessel Has ability to: - work with arms raised - stand and walk for an extended period - enter confined space - fulfil eyesight standards (table A-I/12) - fulfil hearing standards set by competent authority or take account of international guidelines - hold normal conversation
Emergency duties ⁶ on board: - escape - fire fighting - evacuation	Don a lifejacket or immersion suit Escape from smoke-filled spaces Take part in fire-fighting duties, including use of breathing apparatus	Does not have a defined impairment or diagnosed medical condition that reduces ability to perform emergency duties essential to the safe operation of the vessel Has ability to: - don lifejacket or immersion suit - crawl

Shipboard function, task, event or condition ³	Related physical ability	medical examiner should be satisfied that the candidate: ⁴
<i>Note 2 applies to this row</i>	Take part in vessel evacuation procedures	<ul style="list-style-type: none"> - feel for differences in temperature - handle fire-fighting equipment - wear breathing apparatus (where required as part of duties)

Notes:

- 1 Rows 1 and 2 of the above table describe: (a) ordinary shipboard tasks, functions, events and conditions; (b) the corresponding physical abilities which may be considered necessary for the safety of a fishing vessel personnel, other crew members and the fishing vessel; and (c) high-level criteria for use by medical practitioners assessing medical fitness, bearing in mind the different duties of fishing vessel personnel and the nature of shipboard work for which they will be employed.
- 2 Row 3 of the above table describes: (a) emergency shipboard tasks, functions, events and conditions; (b) the corresponding physical abilities which should be considered necessary for the safety of a fishing vessel personnel, other crew members and the fishing vessel; and (c) high-level criteria for use by medical practitioners assessing medical fitness, bearing in mind the different duties of fishing vessel personnel and the nature of shipboard work for which they will be employed.
- 3 This table is not intended to address all possible shipboard conditions or potentially disqualifying medical conditions. Parties should specify physical abilities applicable to the category of fishing vessel personnel (such as "deck officer" and "engine rating"). The special circumstances of individuals and for those who have specialized or limited duties should receive due consideration.
- 4 If in doubt, the medical practitioner should quantify the degree or severity of any relevant impairment by means of objective tests, whenever appropriate tests are available, or by referring the candidate for further assessment.
- 5 The term "assistance" means the use of another person to accomplish the task.
- 6 The term "emergency duties" is used to cover all standard emergency response situations such as abandon ship or fire fighting as well as the procedures to be followed by each fishing vessel personnel to secure personal survival.

Chapter II

Guidance regarding certification of skippers, officers, engineers and radio operators

Section B-II/1

(No provisions)

Section B-II/2

Guidance regarding the certification of officers in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in unlimited water

1 The training regarding sustainable fisheries required in section A-II/2 should include the following theoretical and practical knowledge:

- .1 recognize economic aspects of sustainable fishing, including:
 - .1 knowledge of economic aspects of fishing, including all costs and benefits associated with operating a fishing vessel;
 - .2 understanding the position of fishing vessel personnel in the supply chain (the way in which fish travel from vessel to consumers); and
 - .3 be able to identify ways to make fishing more economically sustainable.
- .2 apply fishing management and conservation principles, including understanding:
 - .1 the need of fishing management for the sustainable development of the fishing industry and the international instruments to prevent, deter and eliminate illegal, unreported and unregulated (IUU) fishing;
 - .2 the roles of scientists and governments in fisheries management; and
 - .3 the goals of different elements of fishing management, including responsible harvesting practices and responsible fishing gear/selectivity; and
- .3 apply fishing management and conservation principles, including understanding:
 - .1 the need for sustainable management and development of the fishing industry;
 - .2 the international instruments on fisheries conservation and management and to prevent, deter and eliminate illegal, unreported and unregulated (IUU) fishing;
 - .3 the roles of scientists, Governments and competent fisheries management authorities⁷ in fisheries management; and,

⁷ Including regional fisheries management organizations (RFMOs) of which they are members.

- .4 the goals of different elements of fishing management, including responsible harvesting practices and responsible fishing gear/selectivity; and
- .4 recognize the social aspects of sustainable fisheries, including:
 - .1 understanding that care for the human element (social equity) and interaction with society (societal acceptance) are part of a sustainable fishing industry;
 - .2 understanding the elements of fair treatment of fishing vessel personnel, including but not limited to fair wages, safe working conditions and humane treatment; and
 - .3 basic knowledge of relevant ILO conventions and national legislation concerning safe and humane working conditions.

Section B-II/3

(No provisions)

Section B-II/4

Guidance regarding the certification of officers in charge of a navigational watch on fishing vessels of 24 metres in length and over operating in limited water

- 1 The training regarding sustainable fisheries required in section A-II/4 should include the following theoretical and practical knowledge:
 - .1 recognize economic aspects of sustainable fishing, including:
 - .1 knowledge of economic aspects of fishing, including all costs and benefits associated with operating a fishing vessel;
 - .2 understanding the position of fishing vessel personnel in the supply chain (the way in which fish travel from vessel to consumers); and
 - .3 be able to identify ways to make fishing more economically sustainable.
 - .2 apply fishing management and conservation principles, including understanding:
 - .1 the need of fishing management for the sustainable development of the fishing industry and the international instruments to prevent, deter and eliminate illegal, unreported and unregulated (IUU) fishing;
 - .2 the roles of scientists and governments in fisheries management; and
 - .3 the goals of different elements of fishing management, including responsible harvesting practices and responsible fishing gear/selectivity; and

- .3 apply fishing management and conservation principles, including understanding:
 - .1 the need for sustainable management and development of the fishing industry;
 - .2 the international instruments on fisheries conservation and management and to prevent, deter and eliminate illegal, unreported and unregulated (IUU) fishing;
 - .3 the roles of scientists, Governments and competent fisheries management authorities⁸ in fisheries management; and,
 - .4 the goals of different elements of fishing management, including responsible harvesting practices and responsible fishing gear/selectivity; and
- .4 recognize the social aspects of sustainable fisheries, including:
 - .1 understanding that care for the human element (social equity) and interaction with society (societal acceptance) are part of a sustainable fishing industry;
 - .2 understanding the elements of fair treatment of fishing vessel personnel, including but not limited to fair wages, safe working conditions and humane treatment; and
 - .3 basic knowledge of relevant ILO conventions and national legislation concerning safe and humane working conditions.

Section B-II/5-1-1

(No provisions)

Section B-II/5-1-2

(No provisions)

Section B-II/5-2

Guidance regarding the certification of officers in charge of an engineering watch in a manned engine-room or designated duty engineers in a periodically unmanned engine-room of fishing vessels powered by main propulsion machinery of 750 kW propulsion power or more

1 The training regarding sustainable fisheries required in section A-II/5-2 should include the following theoretical and practical knowledge:

- .1 recognize economic aspects of sustainable fishing, including:
 - .1 knowledge of economic aspects of fishing, including all costs and benefits associated with operating a fishing vessel;

⁸ Including regional fisheries management organizations (RFMOs) of which they are members.

- .2 understanding the position of fishing vessel personnel in the supply chain (the way in which fish travel from vessel to consumers); and
 - .3 be able to identify ways to make fishing more economically sustainable.
- .2 apply fishing management and conservation principles, including understanding:
- .1 the need of fishing management for the sustainable development of the fishing industry and the international instruments to prevent, deter and eliminate illegal, unreported and unregulated (IUU) fishing;
 - .2 the roles of scientists and governments in fisheries management; and
 - .3 the goals of different elements of fishing management, including responsible harvesting practices and responsible fishing gear/selectivity; and
- .3 apply fishing management and conservation principles, including understanding:
- .1 the need for sustainable management and development of the fishing industry;
 - .2 the international instruments on fisheries conservation and management and to prevent, deter and eliminate illegal, unreported and unregulated (IUU) fishing;
 - .3 the roles of scientists, Governments and competent fisheries management authorities⁹ in fisheries management; and
 - .4 the goals of different elements of fishing management, including responsible harvesting practices and responsible fishing gear/selectivity; and
- .4 recognize the social aspects of sustainable fisheries, including:
- .1 understanding that care for the human element (social equity) and interaction with society (societal acceptance) are part of a sustainable fishing industry;
 - .2 understanding the elements of fair treatment of fishing vessel personnel, including but not limited to fair wages, safe working conditions and humane treatment; and
 - .3 basic knowledge of relevant ILO conventions and national legislation concerning safe and humane working conditions.

⁹ Including regional fisheries management organizations (RFMOs) of which they are members.

Section B-II/6

Guidance regarding training and certification of GMDSS radio operators on board fishing vessels

TRAINING RELATED TO THE FIRST-CLASS RADIOELECTRONIC CERTIFICATE

General

1 The requirements of medical fitness, especially as to hearing, eyesight and speech, should be met by the candidate before training is commenced.

2 The training should be relevant to the provisions of the STCW-F Convention, the Radio Regulations and the 2012 Cape Town Agreement, with particular attention given to the provisions of chapter IX therein. In developing training requirements, account should be taken of at least the knowledge and training given in paragraphs 3 to 14 below.

Theory

3 Knowledge of the general principles and basic factors necessary for safe and efficient use of all subsystems and equipment required in the GMDSS, sufficient to support the practical training provisions given in paragraph 13.

4 Knowledge of the use, operation and service areas of GMDSS subsystems, including satellite system characteristics, navigational and meteorological warning systems and selection of appropriate communication circuits.

5 Knowledge of the principles of electricity and the theory of radio and electronics sufficient to meet the provisions given in paragraphs 6 to 10 below.

6 Theoretical knowledge of GMDSS radiocommunication equipment, including narrow-band direct-printing telegraphy and radio-telephone transmitters and receivers, digital selective calling equipment, ship earth stations, emergency position-indicating radio beacons (EPIRBs), marine antenna systems, radio equipment for survival craft together with all auxiliary items, including power supplies, as well as general knowledge of the principles of other equipment generally used for radionavigation, with particular reference to maintaining the equipment in service.

7 Knowledge of factors that affect system reliability, availability, maintenance procedures and proper use of test equipment.

8 Knowledge of microprocessors and fault diagnosis in systems using microprocessors.

9 Knowledge of control systems in the GMDSS radio equipment, including testing and analysis.

10 Knowledge of the use of computer software for the GMDSS radio equipment and methods for correcting faults caused by loss of software control of the equipment.

Regulations and documentation

11 Knowledge of:

- .1 the 2012 Cape Town Agreement and the Radio Regulations, with particular emphasis on:

- .1 distress, urgency and safety radiocommunications;
 - .2 avoiding harmful interference, particularly with distress and safety traffic; and
 - .3 prevention of unauthorized transmissions;
- .2 other documents relating to operational and communication procedures for distress, urgency, safety and general radiocommunications, including charges, navigational warnings, and weather broadcasts in the Maritime Mobile Service and the Maritime Mobile Satellite Service; and
- .3 use of the International Code of Signals and the IMO Standard Marine Communication Phrases.

Watchkeeping and procedures

12 Knowledge of and training in:

- .1 communication procedures and discipline to prevent harmful interference in GMDSS subsystems;
- .2 procedures for using propagation-prediction information to establish optimum frequencies for communications;
- .3 radiocommunication watchkeeping relevant to all GMDSS subsystems, exchange of radiocommunication traffic, particularly concerning distress, urgency and safety procedures, and radio records;
- .4 use of the international phonetic alphabet;
- .5 monitoring a distress frequency while simultaneously monitoring or working on at least one other frequency;
- .6 ship reporting systems and procedures;
- .7 radiocommunication procedures of the International Aeronautical and Maritime Search and Rescue (IAMSAR) Manual;
- .8 radio medical systems and procedures; and
- .9 causes of false distress alerts and means to avoid them.¹⁰

Practical

13 Practical training, supported by appropriate laboratory work, should be given in:

- .1 correct and efficient operation of all GMDSS subsystems and equipment under normal propagation conditions and under typical interference conditions;

¹⁰ See resolution MSC.514(105) – *Guidelines for the avoidance of false distress alerts*.

- .2 safe operation of all the GMDSS communication equipment and ancillary devices, including safety precautions;
- .3 adequate and accurate keyboard skills for the satisfactory exchange of communications;
- .4 operational techniques for:
 - .1 receiver and transmitter adjustment for the appropriate mode of operation, including digital selective calling and direct-printing telegraphy;
 - .2 antenna adjustment and realignment, as appropriate;
 - .3 use of radio life-saving appliances; and
 - .4 use of emergency position-indicating radio beacons (EPIRBs);
- .5 antenna rigging, repair and maintenance, as appropriate;
- .6 reading and understanding pictorial, logic and circuit diagrams;
- .7 use and care of those tools and test instruments necessary to carry out at-sea electronic maintenance;
- .8 manual soldering and desoldering techniques, including those involving semiconductor devices and modern circuits, and the ability to distinguish whether the circuit is suitable to be manually soldered or desoldered;
- .9 tracing and repair of faults to component level, where practicable, and to board/module level in other cases;
- .10 recognition and correction of conditions contributing to the fault occurring;
- .11 maintenance procedures, both preventive and corrective, for all GMDSS communication equipment and radionavigation equipment; and
- .12 methods of alleviating electrical and electromagnetic interference such as bonding, shielding and bypassing.

Miscellaneous

- 14 Knowledge of and/or training in:
 - .1 the English language, both written and spoken, for the satisfactory exchange of communications relevant to the safety of life at sea;
 - .2 world geography, especially the principal shipping routes, services of rescue coordination centres (RCCs) and related communication routes;
 - .3 survival at sea, the operation of lifeboats, rescue boats, liferafts, buoyant apparatus and their equipment, with special reference to radio life-saving appliances;

- .4 fire prevention and fire fighting, with particular reference to the radio installation;
- .5 preventive measures for the safety of ship and personnel in connection with hazards related to radio equipment, including electrical, radiation, chemical and mechanical hazards;
- .6 first aid, including heart-respiration revival techniques; and
- .7 coordinated universal time (UTC), global time zones and the international date line.

TRAINING RELATED TO THE SECOND-CLASS RADIOELECTRONIC CERTIFICATE

General

15 The requirements of medical fitness, especially as to hearing, eyesight and speech, should be met by the candidate before training is commenced.

16 The training should be relevant to the provisions of the STCW-F Convention, the Radio Regulations and the 2012 Cape Town Agreement, with particular attention given to the provisions of chapter IX therein. In developing training requirements, account should be taken of at least the knowledge and training given in paragraphs 17 to 28 below.¹¹

Theory

17 Knowledge of the general principles and basic factors necessary for safe and efficient use of all subsystems and equipment required in the GMDSS, sufficient to support the practical training provisions given in paragraph 27 below.

18 Knowledge of the use, operation and service areas of GMDSS subsystems, including satellite system characteristics, navigational and meteorological warning systems and selection of appropriate communication circuits.

19 Knowledge of the principles of electricity and the theory of radio and electronics sufficient to meet the provisions given in paragraphs 20 to 24 below.

20 General theoretical knowledge of GMDSS radiocommunication equipment, including narrow-band direct-printing telegraphy and radio-telephone transmitters and receivers, digital selective calling equipment, ship earth stations, emergency position-indicating radio beacons (EPIRBs), marine antenna systems, radio equipment for survival craft together with all auxiliary items, including power supplies, as well as general knowledge of other equipment generally used for radionavigation, with particular reference to maintaining the equipment in service.

21 General knowledge of factors that affect system reliability, availability, maintenance procedures and proper use of test equipment.

22 General knowledge of microprocessors and fault diagnosis in systems using microprocessors.

23 General knowledge of control systems in the GMDSS radio equipment, including testing and analysis.

¹¹ The relevant IMO model course(s) may be of assistance in the preparation of courses.

24 Knowledge of the use of computer software for the GMDSS radio equipment and methods for correcting faults caused by loss of software control of the equipment.

Regulations and documentation

25 Knowledge of:

- .1 the 2012 Cape Town Agreement and the Radio Regulations, with particular emphasis on:
 - .1 distress, urgency and safety radiocommunications;
 - .2 avoiding harmful interference, particularly with distress and safety traffic; and
 - .3 the prevention of unauthorized transmissions;
- .2 other documents relating to operational and communication procedures for distress, urgency, safety and general radiocommunications, including charges, navigational warnings, and weather broadcasts in the Maritime Mobile Service and the Maritime Mobile Satellite Service; and
- .3 the use of the International Code of Signals and the IMO Standard Marine Communication Phrases.

Watchkeeping and procedures

26 Training should be given in:

- .1 communication procedures and discipline to prevent harmful interference in GMDSS subsystems;
- .2 procedures for using propagation-prediction information to establish optimum frequencies for communications;
- .3 radiocommunication watchkeeping relevant to all GMDSS subsystems, exchange of radiocommunication traffic, particularly concerning distress, urgency and safety procedures, and radio records;
- .4 use of the international phonetic alphabet;
- .5 monitoring a distress frequency while simultaneously monitoring or working on at least one other frequency;
- .6 ship reporting systems and procedures;
- .7 radiocommunication procedures of the International Aeronautical and Maritime Search and Rescue (IAMSAR) Manual;
- .8 radio medical systems and procedures; and
- .9 causes of false distress alerts and means to avoid them.¹²

¹² See resolution MSC.514(105) – *Guidelines for the avoidance of false distress alerts*.

Practical

- 27 Practical training, supported by appropriate laboratory work, should be given in:
- .1 correct and efficient operation of all GMDSS subsystems and equipment under normal propagation conditions and under typical interference conditions;
 - .2 safe operation of all the GMDSS communication equipment and ancillary devices, including safety precautions;
 - .3 adequate and accurate keyboard skills for the satisfactory exchange of communications;
 - .4 operational techniques for:
 - .1 receiver and transmitter adjustment for the appropriate mode of operation, including digital selective calling and direct-printing telegraphy;
 - .2 antenna adjustment and realignment, as appropriate;
 - .3 use of radio life-saving appliances; and
 - .4 use of emergency position-indicating radio beacons (EPIRBs);
 - .5 antenna rigging, repair and maintenance, as appropriate;
 - .6 reading and understanding pictorial, logic and module interconnection diagrams;
 - .7 use and care of those tools and test instruments necessary to carry out at-sea electronic maintenance at the level of replacement of a unit or module;
 - .8 basic manual soldering and desoldering techniques and their limitations;
 - .9 tracing and repair of faults to board/module level;
 - .10 recognition and correction of conditions contributing to the fault occurring;
 - .11 basic maintenance procedures, both preventive and corrective, for all the GMDSS communication equipment and radionavigation equipment; and
 - .12 methods of alleviating electrical and electromagnetic interference, such as bonding, shielding and bypassing.

Miscellaneous

- 28 Knowledge of, and/or training in:
- .1 the English language, both written and spoken, for the satisfactory exchange of communications relevant to the safety of life at sea;

- .2 world geography, especially the principal shipping routes, services of rescue coordination centres (RCCs) and related communication routes;
- .3 survival at sea, the operation of lifeboats, rescue boats, liferafts, buoyant apparatus and their equipment, with special reference to radio life-saving appliances;
- .4 fire prevention and fire fighting, with particular reference to the radio installation;
- .5 preventive measures for the safety of ship and personnel in connection with hazards related to radio equipment, including electrical, radiation, chemical and mechanical hazards;
- .6 first aid, including heart-respiration revival techniques; and
- .7 coordinated universal time (UTC), global time zones and the international date line.

TRAINING RELATED TO THE GENERAL OPERATOR'S CERTIFICATE

General

29 The requirements of medical fitness, especially as to hearing, eyesight and speech, should be met by the candidate before training is commenced.

30 The training should be relevant to the provisions of the STCW-F Convention, the Radio Regulations and the 2012 Cape Town Agreement, with particular attention given to the provisions of chapter IX therein. In developing training requirements, account should be taken of at least the knowledge and training given in paragraphs 31 to 36 below.¹³

Theory

31 Knowledge of the general principles and basic factors necessary for safe and efficient use of all subsystems and equipment required in the GMDSS sufficient to support the practical training provisions given in paragraph 35 below.

32 Knowledge of the use, operation and service areas of GMDSS subsystems, including satellite system characteristics, navigational and meteorological warning systems and selection of appropriate communication circuits.

Regulations and documentation

33 Knowledge of:

- .1 the 2012 Cape Town Agreement and the Radio Regulations, with particular emphasis on:
 - .1 distress, urgency and safety radiocommunications;
 - .2 avoiding harmful interference, particularly with distress and safety traffic; and
 - .3 prevention of unauthorized transmissions;

¹³ The relevant IMO model course(s) may be of assistance in the preparation of courses.

- .2 other documents relating to operational and communication procedures for distress, urgency, safety and general radiocommunications, including charges, navigational warnings, and weather broadcasts in the Maritime Mobile Service and the Maritime Mobile Satellite Service; and
- .3 use of the International Code of Signals and the IMO Standard Marine Communication Phrases.

Watchkeeping and procedures

34 Training should be given in:

- .1 communication procedures and discipline to prevent harmful interference in GMDSS subsystems;
- .2 procedures for using propagation-prediction information to establish optimum frequencies for communications;
- .3 radiocommunication watchkeeping relevant to all GMDSS subsystems, exchange of radiocommunication traffic, particularly concerning distress, urgency and safety procedures, and radio records;
- .4 use of the international phonetic alphabet;
- .5 monitoring a distress frequency while simultaneously monitoring or working on at least one other frequency;
- .6 ship reporting systems and procedures;
- .7 radiocommunication procedures of the International Aeronautical and Maritime Search and Rescue (IAMSAR) Manual;
- .8 radio medical systems and procedures; and
- .9 causes of false distress alerts and means to avoid them.¹⁴

Practical

35 Practical training should be given in:

- .1 correct and efficient operation of all GMDSS subsystems and equipment under normal propagation conditions and under typical interference conditions;
- .2 safe operation of all the GMDSS communications equipment and ancillary devices, including safety precautions;
- .3 accurate and adequate keyboard skills for the satisfactory exchange of communications; and

¹⁴ See resolution MSC.514(105) – *Guidelines for the avoidance of false distress alerts*.

- .4 operational techniques for:
 - .1 receiver and transmitter adjustment for the appropriate mode of operation, including digital selective calling and direct-printing telegraphy;
 - .2 antenna adjustment and realignment as appropriate;
 - .3 use of radio life-saving appliances; and
 - .4 use of emergency position-indicating radio beacons (EPIRBs).

Miscellaneous

- 36 Knowledge of, and/or training in:
- .1 the English language, both written and spoken, for the satisfactory exchange of communications relevant to the safety of life at sea;
 - .2 world geography, especially the principal shipping routes, services of rescue coordination centres (RCCs) and related communication routes;
 - .3 survival at sea, the operation of lifeboats, rescue boats, liferafts, buoyant apparatus and their equipment, with special reference to radio life-saving appliances;
 - .4 fire prevention and fire fighting, with particular reference to the radio installation;
 - .5 preventive measures for the safety of ship and personnel in connection with hazards related to radio equipment, including electrical, radiation, chemical and mechanical hazards;
 - .6 first aid, including heart-respiration revival techniques; and
 - .7 coordinated universal time (UTC), global time zones and the international date line.

TRAINING RELATED TO THE RESTRICTED OPERATOR'S CERTIFICATE

General

37 The requirements of medical fitness, especially as to hearing, eyesight and speech, should be met by the candidate before training is commenced.

38 The training should be relevant to the provisions of the STCW-F Convention, the Radio Regulations and the 2012 Cape Town Agreement, with particular attention given to the provisions of chapter IX therein. In developing training guidance, account should be taken of at least the knowledge and training given in paragraphs 39 to 44 below.¹⁵

Theory

39 Knowledge of the general principles and basic factors, including VHF range limitation and antenna height effect necessary for safe and efficient use of all subsystems and equipment required in GMDSS sea area A1, sufficient to support the training given in paragraph 43 below.

40 Knowledge of the use, operation and service areas of GMDSS sea area A1 subsystems, e.g. navigational and meteorological warning systems and the appropriate communication circuits.

Regulations and documentation

41 Knowledge of:

- .1 those parts of the 2012 Cape Town Agreement and the Radio Regulations relevant to sea area A1, with particular emphasis on:
 - .1 distress, urgency and safety radiocommunications;
 - .2 avoiding harmful interference, particularly with distress and safety traffic; and
 - .3 prevention of unauthorized transmissions;
- .2 other documents relating to operational and communication procedures for distress, urgency, safety and general radiocommunications, including charges, navigational warnings and weather broadcasts in the Maritime Mobile Service in sea area A1; and
- .3 use of the International Code of Signals and the IMO Standard Marine Communication Phrases.

Watchkeeping and procedures

42 Training should be given in:

- .1 communication procedures and discipline to prevent harmful interference in GMDSS subsystems used in sea area A1;

¹⁵ The relevant IMO model course(s) may be of assistance in the preparation of courses.

- .2 VHF communication procedures for:
 - .1 radiocommunication watchkeeping, exchange of radiocommunication traffic, particularly concerning distress, urgency and safety procedures, and radio records;
 - .2 monitoring a distress frequency while simultaneously monitoring or working on at least one other frequency; and
 - .3 the digital selective calling system;
- .3 use of the international phonetic alphabet;
- .4 ship reporting systems and procedures;
- .5 VHF radiocommunication procedures of the International Aeronautical and Maritime Search and Rescue (IAMSAR) Manual;
- .6 radio medical systems and procedures; and
- .7 causes of false distress alerts and means to avoid them.¹⁶

Practical

- 43 Practical training should be given in:
- .1 correct and efficient operation of the GMDSS subsystems and equipment prescribed for ships operating in sea area A1 under normal propagation conditions and under typical interference conditions;
 - .2 safe operation of relevant GMDSS communication equipment and ancillary devices, including safety precautions; and
 - .3 operational techniques for use of:
 - .1 VHF, including channel, squelch, and mode adjustment, as appropriate;
 - .2 radio life-saving appliances;
 - .3 emergency position-indicating radio beacons (EPIRBs); and
 - .4 receivers capable of receiving maritime safety information and search and rescue related information (e.g. NAVTEX).

Miscellaneous

- 44 Knowledge of, and/or training in:
- .1 the English language, both written and spoken, for the satisfactory exchange of communications relevant to the safety of life at sea;

¹⁶ See resolution MSC.514(105) – *Guidelines for the avoidance of false distress alerts*.

- .2 services of rescue coordination centres (RCCs) and related communication routes;
- .3 survival at sea, the operation of lifeboats, rescue boats, liferafts, buoyant apparatus and their equipment, with special reference to radio life-saving appliances;
- .4 fire prevention and fire fighting, with particular reference to the radio installation;
- .5 preventive measures for the safety of ship and personnel in connection with hazards related to radio equipment, including electrical, radiation, chemical and mechanical hazards; and
- .6 first aid, including heart-respiration revival techniques.

TRAINING RELATED TO MAINTENANCE OF GMDSS INSTALLATIONS ON BOARD SHIPS

General

45 The person designated to perform functions for at-sea electronic maintenance should either hold an appropriate certificate as specified by the Radio Regulations, as required, or have equivalent at-sea electronic maintenance qualifications, as may be approved by the Administration, taking into account the recommendations of the Organization on the training of such personnel.

46 The following guidance on equivalent electronic maintenance qualifications is provided for use by Administrations as appropriate.

47 Training as recommended below does not qualify any person to be an operator of GMDSS radio equipment who does not hold an appropriate Radio Operator's Certificate.

Maintenance training equivalent to the First-Class Radioelectronic Certificate

48 In determining training equivalent to the elements of the listed First-Class Radioelectronic Certificate:

- .1 the theory content should cover at least the subjects given in paragraphs 3 to 10;
- .2 the practical content should cover at least the subjects given in paragraph 13; and
- .3 the miscellaneous knowledge included should cover at least the subjects given in paragraph 14.

Maintenance training equivalent to the Second-Class Radioelectronic Certificate

49 In determining training equivalent to the maintenance elements of the Second-Class Radioelectronic Certificate:

- .1 the theory content should cover at least the subjects given in paragraphs 17 to 24;

- .2 the practical content should cover at least the subjects given in paragraph 27;
and
- .3 the miscellaneous knowledge included should cover at least the subjects
given in paragraph 28.

Section B-II/7

(No provisions)

Section B-II/8

(No provisions)

Section B-II/a¹⁷

Guidance on training of deckhand fishing working on fishing vessels of 24 metres in length and over

Definition

1 *Deckhand fishing* means a member of the vessel's crew other than the skipper or an officer.

Safety familiarization for deckhand fishing

2 Before being assigned to shipboard duties, deckhand fishing should be familiar with the following:

- .1 marine terms and orders commonly used in fishing vessels;
- .2 the dangers associated with fishing operations such as shooting the fishing gear into the water, hauling the fishing gear and landing the catch on board;
and
- .3 construction, application and purpose of each piece of deck equipment associated with a particular type of fishing gear, including, but not limited to:
 - .1 trawl gallows;
 - .2 gantries;
 - .3 bollards;
 - .4 power blocks;
 - .5 pursing blocks;
 - .6 winches and booms;
 - .7 derricks;

¹⁷ There are no corresponding regulations in the Convention or sections in part A of the Code for sections B-II/a and B-II/b.

- .8 net drums and side rollers; and
- .9 line and trap haulers; and
- .4 the dangers associated with the movement of equipment not fixed.

Training for deckhand fishing

3 Deckhand fishing should, before being assigned to any shipboard duties, receive appropriate training cover competences given below.

COMPETENCES

Contribute to safe operation

- 4 Understanding of dangers caused by the vessel's motions and accelerations.
- 5 Understanding of dangers caused by slippery surfaces on board.
- 6 Understanding of good onboard conduct, particularly to minimize fire hazards.
- 7 Knowledge of the use of personal protection equipment.

Contribute to maintain stability and seaworthiness

- 8 Understanding of the watertight and weathertight integrity of common types of fishing vessels.
- 9 Understanding of the operation of closing devices for doors and other openings relevant to the watertight and weathertight integrity of the fishing vessel.
- 10 Knowledge of stowage of the catch, fishing gear.
- 11 Knowledge of the function of freeing ports.

Contribute to berthing, anchoring, catch handling and other mooring operations

- 12 Knowledge of the handling and maintenance of deck appliances and equipment such as winches, derricks, booms, stoppers, chains, wire rope and ropes.
- 13 Knowledge and safe working practice of making splices and eye splices in wire ropes and ropes.
- 14 General knowledge of mooring operations and the handling and safe working practice of mooring ropes, including springs, bow, stern and breast ropes.
- 15 Knowledge of helm orders, commands for mooring, anchoring and towing.
- 16 Knowledge of possible hazards and risks on mooring, anchoring and towing.

Section B-II/b¹⁸

Guidance on training of advanced deckhand fishing working on fishing vessels of 24 metres in length and over

Definition

1 *Advanced deckhand fishing* means a qualified deckhand participating in the safe operation of the fishing vessel, preparation for and carrying out fishing operations, handling, safe stowage and, where appropriate, processing the catch and repairing the fishing gear.

Training for advanced deckhand fishing

2 Advanced deckhand fishing should, before being assigned to any shipboard duties, receive appropriate training cover competences given below.

COMPETENCES

Function: Navigation at the support level

Contribute to enhance communication for safety navigation

3 Knowledge of common nautical terms which apply to the work and navigation of a fishing vessel.

Contribute to hazard identification

4 Working knowledge of margins of safety and prepare the fishing vessel to go to sea, including:

- .1 the procedure for keeping a proper lookout in order to maintain a margin of safety between own vessel and other traffic;
- .2 the safe distances between boats and land; and
- .3 the risk of collision.

Contribute to safe navigation using guidance equipment

5 Knowledge about the principles of a visual lookout.

6 Knowledge of GPS operations that describe the dangers of operating GPS equipment without proper training.

Contribute to safe anchor operation

7 Knowledge of anchors, including weighing and dragging.

8 Knowledge of common nautical terms which apply to anchoring.

¹⁸ There are no corresponding regulations in the Convention or sections in part A of the Code for sections B-II/a and B-II/b.

Contribute to safe mooring operation

9 Knowledge of mooring operation and equipment including mooring ropes.

Contribute to safe towing operation

10 Knowledge of towing operation.

Contribute to safe navigational watch

11 Ability to steer the fishing vessel on a compass course and maintain a course satisfactory.

12 Understanding the method of handing over the wheel and lookout duty when vessel is under way in order to ensure its continuity.

13 Knowledge of watchkeeping, including:

- .1 engine checks;
- .2 safe watchkeeping practices; and
- .3 International Collision Prevention Regulations.

14 Knowledge of use of magnetic and gyro-compass.

Function: Catch handling and stowage at the support level

Contribute to safe catch handling and stowage

15 Knowledge of the effects upon a fishing vessel of catch handling and stowage factors.

16 Knowledge of the related principles and guidelines for responsible fisheries.

17 Understanding of responsible harvesting, including:

- .1 effects of discards and by-catch;
- .2 causes of habitat damage through fishing operations; and
- .3 proper disposal of unserviceable fishing gear.

18 Understanding of responsible fishing gear selectivity including its importance and factors that affects size and species selectivity.

19 Knowledge of the relevant national Administrations and their fisheries responsibilities.

Function: Controlling the operation of the vessel and care for persons on board at the support level

Apply occupational health and safety precautions

- 20 Understanding parts of the fishing vessel, including:
- .1 functions of fishing vessel equipment and gear;
 - .2 main components of fishing gear including trawl net, purse seine net, set net, cast net, long line, dredge and fish pot; and
 - .3 fish aggregating devices (FADs) and main types of fishing gear, including: surrounding nets (e.g. purse seine nets), seine nets, trawls, dredges, lift nets, falling gear (e.g. cast nets), gillnets and entangling nets, traps (e.g. pots), hooks and lines (e.g. longlines).

Ability to make and use knots and splices

- 21 Ability to tie and use various types of knots.
- 22 Ability to make splices and whipping.
- 23 Ability to apply rope and chain stoppers depending on the situation.

Ability to use purchases

- 24 Ability to use various types of purchases for rigging.
- 25 Understanding of the purpose of tackles.

Function: Maintenance and repair at the support level

Contribute to safe operation and maintenance of the deck equipment

- 26 Knowledge and understanding of the construction, application and purpose of deck equipment on fishing vessels.
- 27 Understanding of the procedures for safe operation and maintenance of deck equipment.
- 28 Knowledge of fibre ropes, wire ropes and chains for use and maintenance, including precautions to take.
- 29 Understanding watertight and weather tight integrity of common types of fishing vessels.

Chapter III

Guidance regarding basic training for all fishing vessel personnel

Section B-III/1

Guidance regarding basic training and onboard safety familiarization for all fishing vessel personnel

Personal survival techniques

1 The training in personal survival techniques required by section A-III/1 should include the following theoretical and practical knowledge:

- .1 principles concerning survival including:
 - .1 actions to be taken at rescue operations by a helicopter; and
 - .2 getting the survival craft quickly away of the fishing vessel and fishing gear.

Fire prevention and fire fighting

2 The training in fire prevention and fire fighting required by section A-III/1 should include the following theoretical and practical knowledge:

- .1 re-entry procedure; and
- .2 fire prevention measures such as:
 - .1 prohibition of smoking;
 - .2 location of heat sources to prevent contact with combustible materials;
 - .3 control of use of blowlamps, cutting or welding equipment;
 - .4 risk assessment and purchase control of articles and substances in order to avoid the introduction of fire hazards, where possible;
 - .5 risk assessment and control of the use of articles and substances that pose fire hazards in order to avoid the introduction of fire risks;
 - .6 adequate cleanliness of working areas; and
 - .7 adequate supervision of cooking facilities.

Elementary first aid

3 The training in elementary first aid required by section A-III/1 should include the following theoretical and practical knowledge:

- .1 use of telemedical assistance service;¹⁹ and
- .2 means to obtain medical advice by radio.

¹⁹ See MSC/Circ.960 on *Medical assistance at sea and importance of the role of telemedical assistance services*.

Personal safety and social responsibilities

4 The training in personal safety and social responsibilities required by section A-III/1 should include the following theoretical and practical knowledge:

- .1 consequences of panic;
- .2 immediate and correct action to assist a craft in distress;
- .3 risk assessment by:
 - .1 identification of hazards;
 - .2 identification of associated risk for health and safety;
 - .3 decision on appropriate control measures;
 - .4 prediction of potential outcomes; and
 - .5 determination of level of risk;
- .4 risk mitigation methods, including:
 - .1 elimination;
 - .2 guarding of hazards and persons;
 - .3 procedure and training;
 - .4 personal protective equipment (PPE);
 - .5 signage; and
 - .6 maintenance;
- .5 near misses, incidents and accidents, including:
 - .1 identification of root causes;
 - .2 recognition of contributing factors;
 - .3 evaluation of relevant outcomes;
 - .4 determination of the difference between a near miss, an incident and an accident;
 - .5 prevention of further development of near misses, incidents and accidents including the safe isolation of equipment, machinery and systems and the future occurrence of near misses, incidents and accidents; and
 - .6 reporting of a near miss, incident or accident according to legislative requirements, internal safety procedures and confidentiality requirements; and

- .6 communication phrases and handling of signals during fishing operations such as:
 - .1 shooting and hauling of the fishing gear;
 - .2 transferring the catch;
 - .3 working with deck and fishing gear; and
 - .4 lifting.

5 The training in personal safety and social responsibilities required by section A-III/1 should include awareness training in the following elements:

- .1 methods for safety management appropriate to fishing vessels, including:
 - .1 policy statement;
 - .2 crew introduction;
 - .3 onboard training;
 - .4 working procedures;
 - .5 maintenance schedules;
 - .6 fishing vessel design;
 - .7 checklists;
 - .8 health surveillance; and
 - .9 agreed common language;
- .2 participation in continued monitoring of improvement of safety by:
 - .1 understanding the reasons for revising existing safety methods including preventive and corrective actions;
 - .2 understanding of guidance to support revision processes including existing methods, legislation, and accident, incident and near miss reports;
 - .3 evaluating at least the following options necessary for the successful implementation of changes:
 - .1 feasibility of proposed changes;
 - .2 effectiveness of the implementation of changes; and
 - .3 current behaviour/culture on board;
- .3 recognition of a near miss, an incident and an accident;

- .4 risks on board fishing vessels during fishing operations such as:
 - .1 shooting and hauling of the fishing gear; and
 - .2 transferring the catch;
- .5 risks on board fishing vessels with regard to:
 - .1 falls;
 - .2 crushing;
 - .3 fluctuation and loose load; and
 - .4 cable breaks; and
- .6 risks, hazards and safe working procedures for operational safety during:
 - .1 mooring;
 - .2 unmooring;
 - .3 working at height;
 - .4 hot work; and
 - .5 working with hazardous substances.

Section B-III/a²⁰

Guidance on basic sustainable fisheries training for all fishing vessel personnel

1 Fishing vessel personnel should, before being assigned to any shipboard duties, receive appropriate approved basic sustainable fisheries training in:

- .1 sustainable fisheries;
- .2 prevention of pollution of the marine environment; and
- .3 efficient use of energy and reduction of air pollution.

Above trainings should cover competences given below.

Competences

Define sustainable fisheries

- 2 Understand that sustainable development requires a balance of social responsibility (People), care for the environment (Planet) and economic prosperity (Profit).
- 3 Be able to apply the principles of sustainable development to the fishing industry.

²⁰ There is no corresponding regulation in the Convention or section in part A of the Code for section B-III/a.

Recognize the ocean as a diverse and valuable environment

4 Understand the importance of healthy oceans for the fishing industry.

Prevent plastic pollution to the (marine) environment

5 Be able to properly handle garbage, as defined in MARPOL Annex V, on board ships and the correct disposal in ports.

Contribute to the efficient use of energy and reduction of air pollution

6 Have knowledge of the impacts of air pollution to the environment.

7 Understand the urgency of climate change and the way the maritime sector contributes to the problem.

8 Be able to contribute to the efficient use of energy and the reduction of air pollution.

Ensure a positive reputation of the fishing industry

9 Understand the importance of interaction with society, transparency and accountability to ensure a good reputation and a "licence to operate".

Chapter IV
Guidance regarding watchkeeping

Section B-IV/1

(No provisions)

Section B-IV/2

(No provisions)
